

1 031036

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION App. S/2 NW NE SEC. 22, T 29 S, R 33 W/E
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15- 081-20,561-00-00

4470 feet from S section line

1980 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 4328

Lease Name Powell Well # 6-22

Operator: Global Natural Resources

County Haskell

Name & Address P.O. Box 4682

Well Total Depth 5750 feet

Houston, TX 77007

Conductor Pipe: Size feet

Surface Casing: Size 8 5/8 feet 1862'

Abandoned Oil Well Gas Well Input Well SHD Well O&A

Other well as hereinafter indicated

Plugging Contractor BEREDCO Inc. License Number 5147

Address 401 East Douglas, Suite 402, Wichita, KS 67202

Company to plug at: Hour: 1 p.m. Day: 30 Month: 9 Year: 19 89

Plugging proposal received from Oral Shuman

(company name) Global Natural Resources (phone) 713-880-5464

were: to fill hole with heavy mud and spot cement through drill pipe

1st plug at Chase top and bottom with 100 sx cement,

2nd plug at 1890' with 50 sx cement,

3rd plug at 990' with 25 sx cement. 4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All Part None

Operations Completed: Hour: 9 P.m. Day: 30 Month: 9 Year: 19 89

ACTUAL PLUGGING REPORT 1st plug at 3500' with 100 sx cement,

2nd plug at 1860' with 50 sx cement,

3rd plug at 900' with 40 sx cement,

4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

RECEIVED
STATE CORPORATION COMMISSION
FEB 2 1990
2-2-90
CONSERVATION DIVISION
WICHITA, Kansas

NOTE: Because of the possibility of re-entry, the top plug at 40' was left out. On 2/31/90, the plug at 40' with 10' sx cement was completed at 10 a.m. and witnessed by Mike Wilson.

Remarks: Used 60/40 Pozmix 6% gel by Halliburton.
(If additional description is necessary, use BACK of this form.)

I ~~xxxx~~ did not observe this plugging.

Signed Steve Durrant (TECHNICIAN)

9-30

193

1 031036

STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15- 081-20, 561-00-00

App. S/2 NW NE SEC. 22, T 29 S, R 33 W/E

4470 feet from S section line

1980 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 4328

Lease Name Powell Well # 6-22

Operator: Global Natural Resources

County Haskell 186.88

Name & Address P.O. Box 4682

Well Total Depth 5750 feet

Houston, TX 77007

Conductor Pipe: Size _____ feet

Surface Casing: Size 8 5/8 feet 1862'

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A

Other well as hereinafter indicated _____

Plugging Contractor BEREDCO Inc. License Number 5147

Address 401 East Douglas, Suite 402, Wichita, KS 67202

Company to plug at: Hour: 1 p.m. Day: 30 Month: 9 Year: 19 89

Plugging proposal received from Oral Shuman

(company name) Global Natural Resources (phone) 713-880-5464

were: to fill hole with heavy mud and spot cement through drill pipe

1st plug at Chase top and bottom with 100 sx cement,

2nd plug at 1890' with 50 sx cement,

3rd plug at 990' with 25 sx cement. 4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All _____ Part _____ None

Operations Completed: Hour: 9 p.m. Day: 30 Month: 9 Year: 19 89

ACTUAL PLUGGING REPORT 1st plug at 3500' with 100 sx cement,

2nd plug at 1860' with 50 sx cement,

3rd plug at 900' with 40 sx cement,

4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

RECEIVED
STATE CORPORATION COMMISSION
OCT 05 1989
10-6-89
CONSERVATION DIVISION
Wichita, Kansas

Remarks: Used 60/40 Pozmix 6% gel by Halliburton.
(If additional description is necessary, use BACK of this form.)

Signed Steve Durrant (TECHNICIAN)

~~did not~~ observe this plugging.

INVOICED

DATE 10-9-89

INV. NO. 26047

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date September 15, 1989 ApS/2NW NE Sec 22 Twp 29 S. Rg 33W East West

OPERATOR: License # 4328
Name: Global Natural Resources
Address: P.O. Box 4682
City/State/Zip: Houston, TX 77007
Contact Person: Melinda Mosley
Phone: (713) 880-5464

4470 feet from South line of Section
1980 feet from East line of Section
(Note: Locate well on Section Plat Below)

CONTRACTOR: License #: 5147
Name: BEREDCO INC.

County: Haskell
Lease Name: Powell Well #: 6-22
Field Name: LEMON Ne

* Is this a Prorated Field? yes no
Target Formation: St. Louis
Nearest lease or unit boundary: 810
Ground Surface Elevation: 2942 feet MSL
Domestic well within 330 feet: yes no
Municipal well within one mile: yes no
Depth to bottom of fresh water: EST. 400'
Depth to bottom of usable water: EST. 820' 760'
Surface Pipe by Alternate: 1 2
Surface Pipe Planned to be set: 1850'
Conductor pipe required: NONE
Projected Total Depth: 5750'
Formation at Total Depth: St. Louis
Water Source for Drilling Operations:
 well farm pond other

Well Drilled For: Well Class: Type Equipment:

Oil Inj Infield Mud Rotary
 Gas Storage Pool Ext. Air Rotary
 OAWO Disposal Wildcat Cable
 Seismic; # of Holes

If OAWO: old well info as follows:

Operator: call to comp.
Well Name: call to comp.
Comp. Date: Old Total Depth

Directional, Deviated or Horizontal wellbore? yes no

If yes, total depth location:

* Prorated: Chevokee; (Maxm.; narrow; K.C. "B" - Gas spacing)

OUR Permit #: 780' Alt. I Req.
Will Cores Be Taken?: yes no
If yes, proposed zone:

AFFIDAVIT

780' Alt. I Req.

PUSHER Drive Schum.
TD 5750 FORMATION St. Louis
SURFACE PIPE 8 7/8 @ 1862
ANEHYDRITE ELEVATION
STARTING TIME & DATE 9-35-89
COMPLETION TIME & DATE 9-30-89
1st PLUG @ 3500' FT. W/ 100 SX
2nd PLUG @ 1890' FT. W/ 50 SX
3rd PLUG @ 998' FT. W/ 25 SX
4th PLUG @ 40-0 FT. W/ 15 SX
RAT HOLE CIRCULATED W/ 15 SX
MOUSE HOLE CIRCULATED W/ 10 SX
WATER WELL PLUGGED W/ 11/4" galv. wood
CEMENT COMPANY Hall
TECHNICIAN SWD

Spud 9-18-89
8518-1850'

RECEIVED
STATE CORPORATION COMMISSION

OCT 06 1989

CONSERVATION DIVISION
Wichita, Kansas

TYPE OF CEMENT 60 40 60
(90 00 00)

5760	
4950	
4670	
4790	
3960	
3630	
3300	
2970	
2640	
2310	
1980	
1650	
1320	
990	
660	
330	

Sublett

2N 2W 1N 1/2 SW Sub

- File Drill Pit Application (form CSP-1) with Intent to Drill;
- File Completion Form ACD-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CSP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.