	1	•		100	
e' <b>''' '''</b> ( *	040257	MAR 3 1 1989		295	
	1 040257	APT NUMBER 15- 04	47-20,345 <b>- 8</b>	500	
CONSERVAT	TION DIVISION - PLUGGING SECTION	C SE NE. SEC.	10 , T 26	s, r_16 (w) xex	
WICHITA, KANSAS 67202				S section line	
TECHNICIA	N'S PLUGGING REPORT		660feet from E section line		
Operator	Icense # 9449	Lease Name Gibson	n Wel	I # 4	
Name&	Great Eastern Energy & Development Corporation	CountyEdwar	rds	(55.03	
	672 West 4th Street	Well Total Depth	4770	feat	
	Hoisington, KS 67544	Conductor Pipe:			
		Surface Casing:			
Abandoned	Oll Well X Gas Well				
•	t as hereinafter indicated	· · · · · · · · · · · · · · · · · · ·	,		
	Contractor Kelso Casing Pulling, I	nc.	License Numb	6050	
	P.O. Box 347, Chase, KS 67524		21401130 11211120	··	
	o plug at: Hour:9:30 a.m. Day:	31 Month:	3 •		
	proposal received from Millard Ke			ed: 19	
	name) Kelso Casing Pulling, Inc.			316-938-2457	
	s" at 4770' Perfs at 4364-76'	<del></del>	tpnone	,	
	sand back to 4310° and dump 5 sx cen	ment on top of sand	through ba	iler.	
•		<del></del>		<del></del>	
<u>zna plug</u> wiper plu	pump 4 sx hulls, 10 sx gel FOR STICKLE ig and pump 125 sx cement GORPORATION CON	ement, 10 sx gel,	ı sx nulls,	release 8 5/8"	
-	. 00 4 19	11	29	<del></del>	
	Plugging Proposi	al Passivad by	James R.	Vann	
<u>-</u>	CONSERVATIOND	IVISION	(TECHN		
Plugging	Operations attended by Agent ichits Kan	X Part_	No	n e	
Operation	s Completed: Hour: 10:15 a.mpay:	31 Month:		mar:19 89	
ACTUAL PL	UGGING REPORT lst plug sanded back	to 4310' and dumped	d 5 sx cemen	t on top of	
	ough bailer,				
2nd plug	pumped down 8 5/8" surface pipe wit	h 400 lbs. hulls,	10 sx gel, 5	0 sx cement,	
10 sx gel	, 100 lbs. hulls, released 8 5/8" w	iper plug and pumpe	ed 125 sx ce	ment.	
Maximum p	pressure 600 psi and shut in 500 psi				
<del></del>					
Remarks:	Used 60/40 Pozmix 6% gel by Allied. (If additional description is ne				
Medran X	observe this plugging.			··· ,	
14 V U	1 C CG	Sland Sta	le 17	1.1	

IMA. NO.

FORM CP-2/3 Rev. 01-84