Kansas Corporation Commission ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test					(See instruc	tions on Hev	rerse Side	יו				
	en Flo liverab				Test Date 8-15-1	[†] 5			49	9-20008-0	00-00		
FIERW	AN	LL	OEB LLC				THON	OFF			· · · · · · · · · · · · · · · · · · ·	ruk lew EE-T	nber
MEADE SWOW NE SV			Section 33		34S		ang (F/W)			Acres Attributed			
MYERS				CHES	CHESTER			DCP WIDSTREAM			4C		
Completion Date 2-20-68			6533°	Plug Back Total Depth 6533			Packer Set at NONE			OCT	C WICH		
Casing Size Weight 4.50 10.50				Internal D 4.052	Diameter	Set at 6222		Perforations 6140		To 6165	REC	3 2015	
Tubing Size 2.375			Weight 4.70		Internal Diameter 1.995		Set at 6195		Perforations		То		EVED
Type Con SINGLE	pletio	n (Da	escribe)		Type Flui WATE	d Productio	n		Pump Ur YES	nit or Traveling	Plunger? Yes	/ No	
Producing ANNUL		(Anı	nulus / Tubing)		% C	arbon Diox	ide	-	% Nitrog	en	Gas Gi	ravity - G	g
Vertical D	epth(i	1)			_	Pres	sure Taps				(Meter	Run) (Pro	over) Size
Pressure	Buildu	ıp:	8-14 Shut in	2	15 1 0 at	:00 P	(AM) (PM)	8- Taken	15	20	15 1:00	P(#	 AM) (PM)
Well on L	ine:		Started	2	0 at		(AM) (PM)	Taken		20	at	(A	\M) (PM)
			_			OBSERVE	ED SURFACE	DATA	-		Duration of Shut	-in24	Hours
Static / Orifice Dynamic Size Property (Inches)		:ө	Circle ene: Meter Prover Pressure psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature		Casing Wellhead Pressure (P _w) or (P ₁) or (P _c) psig pala		Tubing Wellhead Pressure (P _w) or (P _t) or (P _o)		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In							125	рыц	psig	psia	24	 	
Flow													
			 -			FLOW STE	REAM ATTRI	BUTES			 -		
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension	Grav Fact	or	Flowing Temperature Factor F _{I1}		lation ctor pv	Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
											<u> </u>		
(P _o) ² =		_:	(P _w)² ≃_	:	(OPEN FLO		/ERABILITY) % (P	CALCUL - 14.4) +		•)² = 0.20)² =	7
(P _c) ² - (F		(F	P _e) ² - (P _w) ²	1. P _o ² -P _o ² 2. P _o ² -P _o ² ided by: P _o ² -P _w ²	LOG of tormula 1, or 2.	P ₀ ² - P _w ²	Backpres Slop Ass	sure Curve e = "n" origned ard Slope	n v)	oe []	Antilog	Ope Delly Equals	en Flow verability R x Antilog Mcfd)
							 					 	
Open Flow Mcfd @ 14.65 ps				 65 psia	psia Deliverability				Mcfd @ 14.65 psla				
			i authority, on in, and that said	i report is true			ne is duly au	thorized to	make the	e above repor OCTOBER	t and that he he		15
			For Commis				6			For Co	ompany ced by		ノ ——

I declare und	der penalty of perjury under the laws of the state of Kansas that I	am authorized to request						
exempt status un	nder Rule K.A.R. 82-3-304 on behalf of the operator HERMAN L LO	B LLC						
	egoing pressure information and statements contained on this app							
correct to the bes	st of my knowledge and belief based upon available production sum	maries and lease records						
	tallation and/or upon type of completion or upon use being made of t	F 1-33						
	uest a one-year exemption from open flow testing for theTHONOF	500						
gas well on the g	grounds that said well:	"C WICH						
(Oh)	d. a	RECEIVED						
(Crieci	ck one)	RED 2015						
<u></u>	is a coalbed methane producer	CEIVED						
	is cycled on plunger lift due to water							
	is a source of natural gas for injection into an oil reservoir undergoing ER							
	is on vacuum at the present time; KCC approval Docket No.							
1	is not capable of producing at a daily rate in excess of 250 mcf/[)						
_	ee to supply to the best of my ability any and all supporting docume try to corroborate this claim for exemption from testing.	ents deemed by Commission						
Date: 10-15-15								
	Signature: Aure, Com 3	EA SUPERVISOR						

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.