


KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	:			(See Instruct	tions on Revo	erse Side)				
Open Flow X Shut-In Pressure Deliverabilty		essure	Test Date 12/15/20			API No. 15 103-20817-0000						
Company Running Foxes Petroleum, Inc.					Lease J Heim				4	Well Number 4		
County Location Leavenworth NW NW SW			Section 20		TWP 8S		RNG (E/W) 22E			Acres Attributed 40		
Field					Reservoir McLouth				ering Conne ansmission		· · · · · · · · · · · · · · · · · · ·	
Completion Date 5/17/87				Plug Bac	Plug Back Total Depth 1410			Packer S 914	et át			
Casing Size Weight 4-1/2" 9.5#			Internal E	Diameter	Set at 1410		Perforations 1050		то 1056	• •		
Tubing Size Weight			Internal D	Diameter	Set at	Set at Perfor		ations	То			
Type Completion (Describe) Single Gas				Type Flui Water	Type Fluid Production Water			Pump Unit or Traveling Plunger? Pump			Yes / No	
Producing Thru (Annulus / Tubing) Casing			% C	% Carbon Dioxide Nil			% Nitroge Nil	en	Gas G	Gas Gravity - G _g		
Vertical Depth(H) 1056					Pressure Taps					(Meter 2"	Run) (P	rover) Size
Pressure	Buildup:	Shut in	52	0 14 at 9	:30AM	(AM) (PM)	Taken_12	2/16	20	14 at 10:00	AM_	(AM) (PM)
Well on Li	ine:	Started	2	0 at		(AM) (PM)	Taken		20	at	((AM) (PM)
					OBSERVE	D SURFACE	DATA			Duration of Shut	t-in	Hours
Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter Prover Pressure psig (Pm)	Meter Differential er Pressure in		Well Head Temperature t	I Wallhaad Pressura		Tubing Wellhead Pressure (P_w) or (P_1) or (P_c) psig psia		Duration (Hours)		d Produced Barrels)
Shut-In				" -		24	<u>*</u>			24+		
Flow			<u> </u>					<u> </u>				
					FLOW STR	REAM ATTRI	BUTES	r				
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or over Pressure psla Press Extension P _m x h		Gravity Factor F _g		Flowing Temperature Factor F _{ft}	mperature Factor F		Metered Flow R (Mcfd)	v GOR (Cubic F Barre	eet/	Flowing Fluid Gravity G _m
(P _o) ² =	:	(P _w) ² =	:	(OPEN FLO		/ERABILITY) % (P _.	CALCUL , - 14.4) +		;·		$)^2 = 0.2$ $)^2 = $	207
(P _c) ² - (F or (P _c) ² - (F		(P _c)² - (P _w)²	oose formula 1 or 2 1. P _a ² - P _s ² 2. P _a ² - P _a ² ided by: P _a ² - P _s ²	LOG of formula 1. or 2. and divide	P _c ² -P _w ²	Slope Ass	sure Curve e = "n" origned rd Stope	nxl	og [Antilog	Del Equals	pen Flow iverability S R x Antilog (Mcfd)
Open Flor	w		65 psia	5 psia Deliverability			Mcfd @ 14.65 psia					
The u	undersign	ed authority, on	behalf of the	Company, s	states that h	ne is duly aut	thorized t	o make th	e above repo	rt and that he h	as know	rledge of
the facts s	tated ther	ein, and that said	l report is true	and correct KC	t. Executed C WIC	this the 15	th	day of 9	ctober			20 15 .
		Witness (if a	ny)	00	1182	2015	J'		For (Company		
		For Commiss	ilon	ı	RECEIV	/ED			Che	cked by		



RECEIVED

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.