## STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 200 Colorado Derby Building Wichita, Kansas 67202

#### WEIL PLUGGING APPLICATION FORM (PLEASE TYPE FORM and File ONE Copy)

API # $15-047-20.70$ (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date. (/
WELL OPERATOR Benson Mineral Group, Inc. KCC LICENSE # 5817 (Operator's)
ADDRESS 1560 Broadway Ste 1900 CITY Denver
STATE CO ZIP CODE $80202$ CONTACT PHONE # (3%) $863-3500$
LEASE Salser B WELL# 1-22 SEC. 22 T. 26 SR. 16 (East (West))
NE-NW-SE- SPOT LOCATION/0000 COUNTY EDWARDS
230 FEET (in exact footage) FROM(S)N (circle one) LINE OF SECTION (NOT Lease Line)
23/0 FEET (in exact footage) FROM E)W (circle one) LINE OF SECTION (NOT Lease Line)
Check One: OIL WELL GAS WELL D&A SWD/ENHR WELL DOCKET# NGPA-K-80-078
CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS
SURFACE CASING SIZE 85/8 SET AT 451 CEMENTED WITH 400 SACKS
production casing size $\frac{47}{2}$ set at $\frac{4572}{2}$ cemented with $\frac{260}{2}$ sacks
LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: 4418 - 4450
ELEVATION 2075' T.D. 4575 PBTD 4564' ANHYDRITE DEPTH (Stone Corral Formation)
CONDITION OF WELL: GOOD POOR CASING LEAK JUNK IN HOLE
PROPOSED METHOD OF PLUGGING See affached Sheet KANSAS COFFE GATHING COMMISSION
181094
(If additional space is needed attach separate page) (18-94)
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? IS ACO-1 FILED?
If not explain why?
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seg. AND THE
RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.
LIST NAME CF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:
MUTTAY Brooks PHONE # (308) 863-3500
ADDRESS 1560 Broadway Ste 1900 city/state Denver CO.
PLUGGING CONTRACTOR Benson Mineral Group, Inc. KCC LICENSE # 5817
ADDRESS 1560 Broadway, Ste. 1900 PHONE # 803) 863-3500
PROPOSED DATE AND HOUR OF PLUGGING (If Known?)A.S.A.P.
PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT
DATE: 17/15/94 AUTHORIZED OPERATOR/AGENT: New North (signature)



### Kansas Corporation Commission

Joan Finney, Governor Susan M. Selesam, Chair F.S. Jack Alexander, Commissioner Rachel C. Lipman, Commissioner
Judith McConnell, Executive Director Brian Moline, General Counsel

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

July 19, 1994

Benson Mineral Group Inc 1560 Broadway Ste 1900 Denver CO 80202 Salser B #1-22
API 15-047-20,710-000
2310 FSL 2310 FEL
Sec. 22-26S-16W
Edwards County

Dear Murray Brooks,

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

**Prucelet** 

David P. Williams Production Supervisor

District: #1 304 W. McArtor Dodge City KS 67801 (316) 225-6760

#### PLUGGING PROCEDURE

#### for

#### Salser B 1-22

API NUMBER:

15-047-20,710 -6000

LOCATION:

Sect. 22-T26s-R16w, NE NW SE, Edwards Co., Kansas

2310' FSL, 2310' FEL

**CASING:** 

Surface: 8 5/8" @ 451"

Production: 4 1/2' @ 4572'

TD:

4575'

PBTD:

4564'

PERFS:

4418' - 4450'

KANSAS CORPORATION COMMISSION

JUL 1 = 1994

CONSERVATION DIVISION

CONSERVATION RS

#### Procedure:

- 1). Dump L.C.M. into hole.
- 2). Pump 30 sacks cement, displace cement with 4 1/2" rubber plug & 9.0#/gal. mud to 4200'
- 3). Obtain free point with rig. Shoot off 4 1/2" casing based upon freepoint.

#### For Top Plug:

- 4). Pump 400 bbls of hulls, 10 sacks gel, 50 sacks cement, 10 sacks gel, 100 bbls hulls release 8 5/8" wiper plug and pump 125 sacks cement.
- 5). Cut off wellhead and restore location.

#### **Capacities**

	<u>Ft3/lin ft.</u>	Bbls/lin ft.
8 5/8" casing 20#/ft.	0.3659	0.0652
4 1/2" casing 10,5#/ft J-55 8rd. ST&C	0.0895	0.0159
2 3/8", 4.70#/ft tubing	0.02171	0.00387

NPI#15-047-20710-000



# COMPENSATED DENSITY GAMMA CALIPER LOG

	NAS.	COM	PANV	BENS	SON MIN	VERAL	GROUI	P	INCOI	RPOR	ATED		
	COMPANY BENSON MINERAL GROUP, INCORPORATED												
MINERA ORATED SER "B	StalkANSAS	WEL	VELL #1-22 SALSER "B"										
101.71	S	FIELD	D								<del></del>	}	
INCORI	S		OUNTY EDWARDS STATE						KANSAS				
NG NG	EDWARDS	Locati							<del></del>	Other Services:			
BE-	4.5	Loca	realium .							Other Corridge.			
1 -11		1		NW -	NW-SE				GAMMA-GRD-SWN				
NN T										1			
MP INC	글활	1											
COMPANYGROUP#]	FIELD	Sec	2	22Twp	26s	Rge	16W						
Permanent Da	atum _	GR	OUNI	LEVE	L1	======================================	2075'		Elev.:	K.B _	208	0'	
Log Measure	d From	KE	LLY	BUSHI	NG <u>5</u> 1	-I. Above	Perm. D	atum		D.F _			
Drilling Meas	ured Fr	om <u>KE</u>	LLY	BUSIII	NG				_	G.L	207	5 '	
Date .			13-8		8 <b>-</b> 13-8	0	) <del></del> -						
Run No.	ONE		мма		DENSIT								
		44	75 '	<u> </u>	4475'					<b>5</b>			
Depth-Wel	ėx	44	75		4475'		AS COR	CE	IVE	MMIS	SION		
Btm Log Inte	21		47'		4474	KANS	AS COR	PORA	HOM CO				
Top Log Inter	r,		75'		3 <u>4</u> 75 '					1			
Casing—Dri	ller	8~5	/8 🚾	450'	(a)		11	141	-8-199	4	(a,		
Casing—We	elex			·			1			l			
Bit Size	<u>-</u>	7 –	7/8				<u> </u>	~~114	TION D	IVISIO	)N		
Type Fluid in	Hole	DR	<u>I</u> ŞP	AC			CONS	FKAN	HTA-K	S			
<u></u>		MU					<b></b> .	MICE					
Dens. I Visc.				39	<u></u> !		ļ:	<u> </u>		<del> </del> -	<del>!</del> -	. <u>.</u>	
pH I Fluid L				<u>14.4mı</u>		ml	, I	PAR	mi mi			<u>m</u> _	
Source of Sa				LINE	ļ <u>.</u>		415 60P	ORA T	YED.	<del> </del>			
R_@ Meas			34 @	80F	(a	<u> </u>	ATE GOR	<u>(ŵ'''</u>	ON COM	Milegin.	(à	<u> </u>	
R <sub>m</sub> @ Meas				80F	(a	<del></del>	JUL	- 1	- 600m		N (a)	F	
R <sub>mc</sub> (a Meas	s. remp			0 80F	<u>a</u>	) F	<del></del>	700	שעעי	<del> </del>		F	
Source R <sub>m</sub> , R <sub>mx</sub>			A <u>SU</u>		1	<u> </u>	/MSEDI.	,		<del> </del>	<u>1</u>		
R <sub>m</sub> @ BHT				<u>v 117 F</u>	@	, <u>F</u>	Wichita	Kane.	YISION-	<del> </del> -	(u	<u> </u>	
Time Since Circ.				RS	·F@			F @	26	<del> </del>	F@ -	<del></del> -	
Max Rec. To				T.D.	<del></del>		<del> '</del>	r <u>w</u>		<del> </del> -	<u> </u>		
Equip. 1 Lo Recorded B				GREAT	BEND I		<del> </del> -			+	<u>l</u>		
Witnessed E	<del></del> -			STER ARMSTR	ONIC		·   - ·			<del> </del>			
T vviiiiessed E	7γ	[V]	K. F	ソエビビバス	ΨΝΘ		_1			1			