KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Tes | | | | | (| See Instri | uctions on R | everse Sid | e) | | | | | |
|--|-------------------------------|---|--|--|-------------------------------------|-----------------|---|---------------------------------------|--|-----------------------------|------------------------------------|--|---|--|
| · | en Flo eliverat | | | | Test Date: 9/30/15 | | | | No. 15 007-22671- | | | | | |
| Company WOOLSEY OPERATING COMPANY, LLC | | | | | Lease TEDROW | | | DW | | | 6 | Well Number | | |
| County Location BARBER SW SW SE | | | | | Section 28 | | TWP 32S | | | W) | _ | Acres . | Attributed | |
| Field MEDICINE LODGE NORTH | | | | | Reservoir MISSIS | r SIPPIAN | I | | Gas Gat ATLAS | hering Conn | ection | | | |
| Completion Date 9/27/01 | | | | Plug Back Total Depth 4964 | | | | Packer S NONE | | | | | | |
| Casing S 4.500 | Casing Size Weight .500 10.50 | | | | Internal I 4.052 | Diameter | | Set at 5000 | | rations 4 | то 4506 | | | |
| Tubing S | Tubing Size Weight 2.375 4.70 | | | | Internal I 1.995 | Diameter | Set 456 | | Perforations OPEN | | То | | | |
| Type Completion (Describe) SINGLE | | | | Type Fluid Production WATER | | | | Pump Ur PUMP | nit or Traveling ING | Plunger? Yes | / No | | | |
| Producing Thru (Annulus / Tubing) ANNULUS | | | | % Carbon Dioxide | | | % Nitrog | en | Gas G | Gas Gravity - G | | | | |
| Vertical D | Depth(H | 1) | | | | Pr | essure Taps | | | | (Meter | Run) (F | rover) Size | |
| Pressure | Buildu | p: | Shut in <u>9/29</u> | /15 2 | 0 at | | (AM) (PM) | Taken_9 | /30/15 | 20 | at | | (AM) (PM) | |
| Well on Line: Started | | | | 20 | 20 at | | | (AM) (PM) Taken | | 20 | at | | (AM) (PM) | |
| | | | | | | OBSER | VED SURFAC | E DATA | | | Duration of Shut | -in | Hours | |
| Static / Orifice Dynamic Size Property (inches | | Θ. | Circle one: Meter Prover Pressure psig (Pm) | Pressure Differential in Inches H ₂ 0 | Temperature Temper | | ture (P_w) or (P_t) or (P_c) | | Tubing Wellhead Pressure (P _w) or (P _i) or (P _c) | | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In | Shut-In .375 | | beild (1 m) | 110100 1120 | | | 95 | psia | psig 60 | psia | 24 | | | |
| Flow | | | | | | | | | | | | | | |
| _ | | | <u> </u> | | | FLOW S | TREAM ATTI | RIBUTES | | | | | | |
| Plate Coefficcient (F _b) (F _p) Mofd | | Pro | Circle one: Meter or over Pressure psia | Press Extension P _m x h | Gravity Factor F _g | | Flowing Temperature Factor F ₍₁ | | viation actor F _{pv} | Metered Flor R (Mcfd) | v GOR (Cubic Fe Barre) | eet/ | Flowing Fluid Gravity G _m | |
| | | | | | | | | | | | | | | |
| (P _c) ² = | | _: | (P _w) ² =_ | ; | (OPEN FL | | . iverabilit _% (| r) CALCUI P _e - 14.4) + | | : | (P _a (P _d |) ² = 0.2) ² = | 207 | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | (P _c) ² - (P _w) ² | | hoose formula 1 or 2: 1. $P_c^2 - P_s^2$ 2. $P_c^2 - P_g^2$ wided by: $P_c^2 - P_s^2$ | LOG of formula 1. or 2. | | Backpressur Slope =or Assign Standard | | l n x i | LOG | Antilog | De Equal | pen Flow liverability s R x Antilog (Mcfd) | |
| | | | | | | | | | | | | | | |
| | | | | <u> </u> | | | | | | | | | ļ | |
| Open Flo | w | | | Mcfd @ 14. | 65 psia | | Delivera | bility | | | Mcfd @ 14.65 ps | sia | | |
| | | • | d authority, on | | | | • | ! | day of O | CTOBER | ort and that he h | | ledge of 20 <u>15</u> . | |
| | - | | Witness (if a | any) | KAN | Re SAS CORPO | ceived RATION COMMI | SSION TU | lm l | Sol For | Company | | | |
| | | | For Commis | sion | | OCT | 1 6 2015 | | | Che | cked by | | | |

CONSERVATION DIVISION WICHITA, KS

| | nder penalty of perjury under the laws of the state of Kansas that I am authorized to request nder Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO, LLC |
|-------------------|---|
| | egoing pressure information and statements contained on this application form are true and |
| correct to the be | est of my knowledge and belief based upon available production summaries and lease records |
| of equipment ins | stallation and/or upon type of completion or upon use being made of the gas well herein named. |
| I hereby req | uest a one-year exemption from open flow testing for the TEDROW 6 |
| gas well on the | grounds that said well: |
| (Cha | ck one) |
| (Cried | is a coalbed methane producer |
| <u> </u> | is cycled on plunger lift due to water |
| <u> </u> | is a source of natural gas for injection into an oil reservoir undergoing ER |
| | is on vacuum at the present time; KCC approval Docket No |
| Ī | is not capable of producing at a daily rate in excess of 250 mcf/D |
| L. | |
| I further agr | ee to supply to the best of my ability any and all supporting documents deemed by Commission |
| staff as necessa | ary to corroborate this claim for exemption from testing. |
| | |
| Date: 10/2/15 | |
| Date | |
| | |
| | |
| | =10000 |
| | Signature: Wind Olustry |
| | Title: _FIELD MGR. |
| | |
| | |
| | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.