

KANSAS STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION

Well Location CNL NE/4 Sec. 15 Twp. 26S Rge. (E) 9 (W)

Field Name (if any) Lorado County Reno

Lease (Farm Name) Mary Whipple Well No. 6

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Will the plugging of the well be done in accordance with the Rules and Regulations of the Kansas State Corporation Commission? Yes If not, explain fully exceptions desired (Use additional sheet, if necessary)

Date plugging is desired to begin Immediately

Name of the person on the lease in charge of well for owner


B. L. Gilmer Address Box 744, Great Bend, Kansas

Name of well owner or acting agent Shell Oil Co., Inc.

Address c/o W. M. Gholson, Box 744, Great Bend, Kansas

To whom should invoice covering assessment for plugging well be sent?

Shell Oil Co., INC. Address c/o W.M.Gholson, Box 744, Great Bend, Kansas


Operator or Acting Agent

Date December 11, 1945

15 26 9W
36 29

12-14-45



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA 2, KANSAS

December 19, 1945

IN REPLY PLEASE
REFER TO THIS
SUBJECT

6
Mary Whipple
C NL NE 15-26-9W

Well No.
Lease
Description
County
File:

Reno
36-29

Shell Oil Co., Inc.
Box 744
Great Bend, Kansas

Gentlemen:

This letter is your permit to plug the
above subject well, in accordance with the
Rules and Regulations of the State Corpora-
tion Commission.

Very truly yours,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

HA

BY: J. P. Roberts
Ruel Durkee
McPherson, Kansas

J. P. ROBERTS

NOTICE:

Shell; Mary Whipple #6
 CNL NE 15-26S-9W
 Lerado Pool
 Reno County, Kansas

CASING RECORD

10 3/4" cem 194 with 195 sax
 7" frozen 3450
 5 1/2" liner cem 3114-4128 with 375 sax

0 - 95 sand
 170 red clay
 200 red rock
 264 red rock & shale Drlg 8 3/4" hole
 290 red shale
 475 shale & shells
 686 shale & lime
 843 shale & shells
 951 salt & shale
 1090 salt
 1145 salt & shale
 1167 lime & shale
 1205 shale & shells
 1212 shale
 1334 shale & shells & sand streaks
 1481 lime & shale
 1485 shale & shells
 1534 lime
 1626 lime & shale
 1635 shale
 1675 shale & sand
 1788 shale & lime
 1804 shale
 1873 shale & lime
 1905 shale
 1979 shale & lime
 1992 shale
 2045 shale & lime
 2087 shale
 2094 lime
 2206 lime & shale
 2268 shale
 2296 shale & lime
 2316 sandy shale
 2452 shale & lime
 2477 lime
 2532 lime & shale
 2573 lime & shale streaks
 2585 lime
 2656 shale & lime streaks
 2877 shale & lime
 2949 shale
 2976 shale & lime shells
 3023 lime & shale
 3056 lime
 3121 shale
 3156 broken lime

3226 lime & shale
 3300 shale
 3315 broken lime
 3335 shale
 TOP STANTON LIME 3335
 3608 lime
 3698 shale
 3738 shale & lime streaks
 3863 shale
 TOP MISS. CHAT 3863
 3899 chat
 3905 chat & lime
 3921 lime
 Lost hole - drill pipe twisted off.
 Plug back to 120' with cement.
 120-720 cement Drlg 8 3/4" hole.
 820 cement, shale & lime shells
 1020 lime & shale
 1148 shale & lime
 1270 shale & lime shells
 1311 shale & shells
 1380 shale & lime
 1460 shale & lime shells
 1506 shale & shells
 2128 shale & lime
 2199 cement & cavings
 3049 shale & lime
 3111 shale
 3230 shale & lime
 3302 shale
 3308 lime
 3315 shale & lime
 3335 shale
 TOP STANTON LIME 3335
 3608 lime
 3698 shale
 3738 shale & lime streaks
 3863 shale
 TOP MISS. CHAT 3863
 3899 chat
 3905 chat & lime
 3915 lime
 3920 chat
 3928 lime & chat
 3945 shale & lime
 TOP KINDERHOOK SHALE 3945
 4119 shale
 4122 lime
 4125 shale
 4127 dolomite TOP TRENTON LIME 4126 SLC
 4127-4128 SLC
 4133 dolomite T.D.

15 26 9W
 36 29

