

KANSAS STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION

Well Location SW NW NE Sec. 15 Twp. 26S Rge. (E) 9 (W)

Field Name (if any) Lorado County Reno

Lease (Farm Name) Mary Whipple Well No. 3

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Will the plugging of the well be done in accordance with the Rules and Regulations of the Kansas State Corporation Commission? Yes If not, explain fully exceptions desired (Use additional sheet, if necessary)

Date plugging is desired to begin Immediately

Name of the person on the lease in charge of well for owner

B. L. GILMER Address BOX 744, Great Bend, Kansas

Name of well owner or acting agent Shell Oil Co., Inc.

Address c/o W. M. Gholson, Box 744, Great Bend, Kansas

To whom should invoice covering assessment for plugging well be sent?

Shell Oil Co., Inc. Address c/o W. M. Gholson, Box 744, Great Bend, Kansas

[Signature]
Operator or Acting Agent

Date December 11, 1945

15 26 9W
36 26

12-11-45



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA 2, KANSAS

IN REPLY PLEASE
REFER TO THIS
SUBJECT

December 19, 1945

Well No. 3
Lease Mary Whipple
Description SW NW NE 15-26-07
County Reno
File: 38-28

Shell Oil Co., Inc.
Box 744
Great Bend, Kansas

Gentlemen:

This letter is your permit to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission.

Very truly yours,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

HA

BY: J. P. Roberts
J. P. ROBERTS

NOTICE: Ruel Durkes
McPherson, Kansas

Shell, Mary Whipple #3
SW NW NE 15-26S-9W
Lorado Pool
Reno County, Kansas

CASING RECORD

13" cem 320 with 340 sax
7" cem 4136 with 300 sax

- 0 - 55 surface
- 112 sand & clay
- 212 red sand rock
- 253 anhydrite & shale
- 288 red sand rock
- 320 red rock
- 512 shale Drlg 9" hole
- 625 red bed
- 880 shale
- 926 salt, shale & shells
- 1170 shale
- 1230 shale & lime
- 1250 lime
- 1470 lime & shale
- 1521 shale
- 1536 lime
- 2344 lime & shale
- 2424 shale & lime
- 2478 lime
- 2547 broken lime
- 2590 lime
- 2615 shale & lime shells
- 2732 lime & shale
- 2768 shale
- 2778 lime
- 2795 shale
- 2852 lime
- 2871 lime & shale
- 2871-2878 SLC
- 2988 lime & shale
- 3129 lime
- 3137 shale
- 3147 shale
- 3214 lime
- 3241 shale with lime streaks
- 3343 shale
- TOP STANTON LIME 3343
- 3453 lime
- 3463 lime & chert streaks
- 3715 lime
- 3820 lime & shale
- 3870 shale
- TOP MISS. CHAT 3870
- 3915 chert
- 3955 lime
- TOP KINDERHOOK SHALE 3955
- 4070 shale
- 4110 lime
- 4129 shale
- 4134 lime
- 4138 shale

TOP TRENTON LIME 4136
4136 1/2 chert & conglomerate in shale & dolomite
4144 dolomite T.D.

15 26 9W
36 26

