KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test				. (See instruct	ions on Hev	erse Side	;)				
	en Flow eliverabil								PI No. 15			
		ty		7/27/20	114	Longs		15-	155-21,202	-0000	Well Number	
Company Clinton Production, Inc.				Lease D.J. Moore					1	AAGII IARIIIDƏL		
County Location Reno 100' E S/2-SW-NW			Section 36		TWP 24S		RNG (E/W) 9W			Acres Attribute		
Field Breidenstein				Reservoir Mississ					hering Conne Vichita Gas			
Completion Date 6/22/1992			Plug Back Total Depth 3926				Packer S	Set at				
Casing Size Weight 5 1/2 15.5 #			Internal Diameter		Set at 3998.79		Perforations 3804		To 3830			
Tubing Size Weight 2 3/8 4.7 #			Internal C	Diameter	Set at 3849		Perforations		То			
Type Completion (Describe) gas well				Type Fluid Production trace oil / sw				Pump Unit or Traveling Plunger? Yes / No Pumping unit				
Producing Thru (Annulus / Tubing)				% Carbon Dioxide						ravity - G _g		
annulus Vertical Depth(H) 3975				Pressure Taps						(Meter .50 "	Run) (Prover) S	
Pressure Buildup: Shut in				14 at 10	0:00	(AM) (PM) Taken 40) #	20	at	(AM) (P	
Well on Line:		Started 7/2	28 2	20 14 at 10:00		(AM) (PM) Taken 90) #	20	at	(AM) (P	
					OBSERVE	D SURFACE	DATA			Duration of Shut	-in24F	
Static / Dynamic Property	Orific Size (inche	Prover Pros	Differential in	Flowing Temperature t	Well Head Temperature t	Welthead Pressure Welthead Pressure ■ Pressure		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produc (Barrels)	
Shut-In	.50	psig (Pm) Inches H ₂ 0		79	psig 90 #	psia	psig	psia		-	
Flow								ţ-				
					FLOW STR	EAM ATTRI	BUTES		'			
Plate Coeffictient (F _b) (F _p) Mofd		Circle one: Meter or Prover Pressure psia Pm x h		Gravity Factor F _g		Flowing Deviation Factor F _{pv}		ctor	Metered Flow R (Mcfd)	GOR Flow (Cubic Feet/ Gra Barrel) G		
(P _c) ² =		: (P _w) ²	=:		OW) (DELIV	ERABILITY)	CALCUL - 14.4) +		<u> </u>) ² = 0.207) ² =	
(P _c) ² - (l or (P _c) ² - (l	- 1	$ (P_c)^2 - (P_w)^2 $ Choose formula 1 or 2: $ (P_c)^2 - (P_w)^2 $ 1. $P_c^2 - P_a^2$ $ 2. P_c^2 - P_d^2$ $ divided by: P_c^2 - P_w^2$		LOG of formula 1. or 2. and divide P2. P2		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog (Mctd)	
					•							
Open Flo	w		Mcfd @ 14.	65 psia		Deliverabi	lity	-	1	Mcfd @ 14.65 ps	ila	
		-	on behalf of the		t. Executed	this the5	ith		ovember	t and that he h	as knowledge o	
		Witness	(if any)		<u> </u>	WICE		pro	For Co	ompany	programme of the second se	
		For Com	mission			05 20	15		Chec	ked by		
					R	ECEIVE	D					

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Clinton Production, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the D.J. Moore #1 gas well on the grounds that said well:
(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
NOV 05 2015 RECEIVED Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.