

15-185-11087-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

FORM CP-1
Rev. 6/4/84

WELL PLUGGING APPLICATION FORM
(File One Copy)

API NUMBER 5-5-56 (of this well) 6/88
(This must be listed; if no API# was issued, please note drilling completion date.)

LEASE OPERATOR KELSO CASING PULLING, INC. OPERATORS LICENSE NO. 6050

ADDRESS Box 347, Chase, KS 67524 PHONE # (316) 938-2457

LEASE (FARM) Tanner WELL NO. #3 WELL LOCATION SW-SE-NW COUNTY Stafford

SEC. 23 TWP. 25 RGE. 14W of (W) TOTAL DEPTH 3931' PLUG BACK TD _____

Check One:

OIL WELL GAS WELL _____ D & A _____ SWD or INJ WELL _____ DOCKET NO. _____

SURFACE CASING SIZE 10 3/4" SET AT 318' CEMENTED WITH 300 SACKS

CASING SIZE 5 1/2" SET AT 3931' CEMENTED WITH 110 SACKS

PERFORATED AT top 3725'

CONDITION OF WELL: GOOD POOR _____ CASING LEAK _____ JUNK IN HOLE _____

OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL _____

We will plug well according to the rules and regulations of the State of Kansas

(If additional space is needed use back of form)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? Yes IS ACO-1 FILED? _____
(If not, explain)

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN AS SOON AS POSSIBLE

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seq AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS: R. DARRELL KELSO
9-21-87 SEP 21 1987 PHONE # (316) 938-2457

ADDRESS same as above CONSERVATION DIVISION
Wichita, Kansas

PLUGGING CONTRACTOR Kelso Casing Pulling, Inc. LICENSE NO. 6050 6/88
P.O. Box 347

ADDRESS Chase, Kansas, 67524 PHONE # (316) 938-2457

PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: R. Darrell Kelso
(Operator or Agent)

DATE: 9-18-87



Hike Hayden
Keith R. Henley
Rich Kowalewski
Margalee Wright
Judith A. McConnell
Governor
Chairman
Commissioner
Commissioner
Executive Director

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
200 Colorado Derby Building
202 West 1st Street
WICHITA, KANSAS 67202-1286

~~THIS NOTICE
DEC 22 '87
EXPIRES~~

September 22, 1987

WELL PLUGGING NOTICE

Extension
THIS NOTICE
JAN 29 '88
EXPIRES

Tanner #3
SW SE NW
Sec. 23-25S-14W
Stafford County

Kelso Casing Pulling, Inc.
Box 347
Chase, KS 67524


Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

Please contact the district office listed below to review your suggested method of plugging five days prior to plugging the well (KAR-82-3-113).

This notice is void after ninety (90) days from the above date.

Sincerely,



Shari Feist
Director
State Corporation Commission

DISTRICT #1 302 W. McArtor, Dodge City, KS 67801 (316) 225-6760



Haltiburton

OIL WELL CEMENTING CO.

RADIATION GUARD

Natural Gamma Radiation — Induced Gamma Radiation — Focused Resistivity

COMPANY CRESCENT OIL & GAS CORP. FILE WELL TANNER # 3 FIELD Semi-Wildcat County Stafford State Kansas	COMPANY CRESCENT OIL & GAS		Location SW-SE-NW Elev. D.F. 1971' K.B. 1974' Grd. 1969'
	CORP. FILE		
	WELL TANNER # 3		
	FIELD Semi-Wildcat		
	COUNTY Stafford STATE Kansas		
	SEC. 23 TWP. 25S RGE. 14W		
SURVEY		Grd. 1969'	

Log Measured From	Kelly Bushing	Elevation	1974'
Drilling Measured From	" "	Elevation	1974'
Permanent Datum	Ground Level	Elevation	1969'

Type Log	GAMMA	NEUTRON	GUARD	
Run No.	One	One	One	
Date	5-5-56	5-5-56	5-2-56	
Type of Fluid in Hole	None	None	Mud	
Fluid Level	None	None	Full	
Neutron Source Strength		400mg		
Source to Bot. of Counter	106"	12"		
Length Meas. Device - in	28"	14"		
O.D. of Instrument - in	3-5/8"	3-5/8"	3-7/8"	
Time Constant sec.	2	2		
Logging Speed Ft. min.	See Logging Speed Indication on Left Side of Log.			
Mud--Kind			Water Base	
Treatment			Starch	
Weight			10.3	
Viscosity			37	
ph	@ °F	@ °F	6.4@ °F	@ °F
Loss ml./min/7½	@ °F	@ °F	1.4@ °F	@ °F
Res. Ohm m ² /m	@ °F	@ °F	.08@ 76°F	@ °F
Max. Temp.	°F	°F	058@ 110°F	°F
Source Mud Sample			Flo Line	