

1 030394

To: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15- 047-20,198-~~00-01~~

SW NW SE , SEC. 2 , T 26 S, R 18 W/K

1650 feet from S section line

2310 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 5047

Lease Name King Well # 2

Operator: Rupe Oil Company, Inc.

County Edwards 151.68

Name & Address P. O. Box 2273

Well Total Depth 4667 feet

Wichita, KS 67202

Conductor Pipe: Size feet

Surface Casing: Size 8 5/8 feet 320

Abandoned Oil Well  Gas Well  Input Well  SWD Well  D&A

Other well as hereinafter indicated

Plugging Contractor Gallagher Well Service, Inc. License Number 8752

Address P. O. Box 100, Isabel, KS 67065

Company to plug at: Hour: 10:00 am Day: 4 Month: April Year: 19 85

Plugging proposal received from John Gallagher

(company name) Gallagher (phone) 316-739-4564

were: 4 1/2" at 4667' PBD 4622' Perfs at 4581-83'

1st plug sand back to 4530' and dump 4 sx cement on top of sand through bailer

2nd plug squeeze well with 3 sx hulls, 15 sx gel, 50 sx cement, 10 sx gel, 1 sack hulls,

release 8 5/8" rubber plug and pump 125 sx cement.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All  Part  None

Operations Completed: Hour: 1:45 pm Day: 4 Month: April Year: 19 85

ACTUAL PLUGGING REPORT 1st plug sanded back to 4530' and dumped 4 sx cement on top of

sand through bailer, 2nd plug squeezed well with 3 sx hulls, 15 sx gel, 50 sx cement,

10 sx gel, 1 sack hulls, released 8 5/8" rubber plug and pumped an additional

125 sx cement.

STATE CORPORATION COMMISSION  
APR 12 1985  
4-12-1985  
CONSERVATION DIVISION  
Wichita, Kansas

Maximum pressure 200 psi and shut in 200 psi

Remarks: Used 60/40 Pozmix 2% gel 3% cc by Halliburton Rec' 2400' of Casing.

(If additional description is necessary, use BACK of this form.)

(If desired, you may observe this plugging.)

Signed Steve Durrant (TECHNICIAN)

DATE 4-17-85

INV. NO. 7760 4-4