


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

### WELL PLUGGING RECORD



Locate well correctly on above Section Plat

Edwards County. Sec. 13 Twp. 26S Rge. 18W (E) (W)  
 Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines Cen. SW NW  
 Lease Owner National Associated Petroleum Company  
 Lease Name Oscar T. Madden "A" Well No. 1  
 Office Address 5th Floor Ritz Bldg. - Tulsa, Oklahoma  
 Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
 Date well completed November 24, 1952 1952  
 Application for plugging filed November 24, 1952  
 Application for plugging approved November 24, 1952  
 Plugging commenced November 24, 1952  
 Plugging completed November 24, 1952  
 Reason for abandonment of well or producing formation Dry Hole  
 If a producing well is abandoned, date of last production 19  
 Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes.

Name of Conservation Agent who supervised plugging of this well M. A. Rises - Pratt, Kansas  
 Producing formation Depth to top Bottom Total Depth of Well 4966' Feet  
 Show depth and thickness of all water, oil and gas formations.

#### OIL, GAS OR WATER RECORDS

#### CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Lansing	Water	4023	4596	10-3/4"	308'	None
Miss.	Water	4596	4656			
Viola	Water	4656	4794			
Simpson	Water	4794	4810			
Arbuckle	Water	4810	4966			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Hole filled with heavy mud from total depth to 300 feet.  
 Set cement plug from 300 to 280 feet w/20 sax.  
 Filled with heavy mud from 280 feet to 10 feet.  
 Set cement plug from 10 feet to surface with 10 sax.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to National Associated Petroleum Company  
 Address 5th Floor Ritz Building - Tulsa, Oklahoma

STATE OF Oklahoma, COUNTY OF Tulsa, ss.  
 E. D. Ruse (employee of owner) or (owner or operator) of the above-described well,  
 being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *E. D. Ruse*

5th Floor Ritz Bldg. - Tulsa, Oklahoma (Address)

SUBSCRIBED AND SWORN TO before me this 28th day of November, 1952

*Margie M. Lewis*  
 Notary Public.

My commission expires February 19, 1953

**PLUGGING**  
 FILE SEC 13 T26 R 1824  
 BOOK PAGE 61 LINE 27

**RECEIVED**  
 CONSERVATION COMMISSION  
 NOV 29 1952  
 CONSERVATION DIVISION  
 Tulsa, Kansas

15-047-00238-0000

NATIONAL ASSOCIATED PETROLEUM COMPANY  
MADDER NO. 1  
EDWARDS COUNTY, KANSAS

Gen. SW NW  
13-26S-18W

Drilling Contractor: Exploration Drilling Co.  
220 North Boston  
Tulsa, Oklahoma

Started Rigging Up : 10-24-52  
Started Drilling : 10-26-52  
Completed Drilling: 11-23-52

Set: 10 Joints of 10 3/4" Surface Casing  
@ 306' W/300 Sacks of Cement

FORMATIONS

Surface	0'	7'	Sandy Lime	3860	3875
Sand & Shells	7	155	Lime & Chalk	3875	3907
Sand, Shell & Lime	155	280	Shale & Lime	3907	3970
Sand & Lime	280	310	Shale	3970	4041
Blue Shale & Shells	310	565	Shale & Lime Strks.	4041	4104
Red Bed & Anhy. Strks.	565	790	Lime & Chert	4104	4127
Red Bed & Shale	790	850	Lime	4127	4204
Red Bed & Anhy.	850	1180	Lime & Shale	4204	4248
Anhydrite	1180	1190	Lime	4248	4432
Red Bed, Shale, Shells&Salt	1190	1450	Lime & Shale Strks.	4432	4558
Red Bed, Shale, & Anhy.	1450	1685	Lime & Shale	4558	4648
Sandy Red Bed & Anhy. Strks.	1685	1925	Cherty Lime & Shale	4648	4674
Red Bed, Lime Strks. & Shale	1925	2100	Lime	4674	4681
Lime	2100	2320	Chert & Lime	4681	4705
Lime & Shale Strks.	2320	2505	Lime	4705	4737
Shale & Lime	2505	2700	Lime & Chert Strks.	4737	4840
Shale, Lime & Pyarite	2700	2720	Lime	4840	4899
Shale & Lime	2720	3210	Lime & Chert	4899	4918
Shale	3210	3297	Sand, Lime & Chert	4918	4950
Shale & Lime	3297	3800	Lime	4950	4966*
Lime	3800	3860			

\*Total Depth

CERTIFICATION

This is to certify that the above and foregoing is a true, correct, and complete copy of the Driller's Log covering the Madden No. 1 according to the records of this office and the best of my knowledge and belief.

EXPLORATION DRILLING COMPANY  
By *[Signature]*  
*[Signature]*  
Notary Public

**PLUGGING**  
FILE SEC 13-26-18W  
BOOK PAGE 61, 18W-27

Subscribed and sworn to before me this 16th day of December, 1952.

My commission expires April 25, 1954.

RECEIVED  
NOTARY PUBLIC COMMISSION  
DEC 19 1952  
NOTARY PUBLIC COMMISSION  
Edwards, Kansas