

ORIGINAL

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15- 057-20,514-0000

County Ford

Approx. NE SE Sec. 25 Twp. 25S Rge. 21W EW

2190' Feet from S/N (circle one) Line of Section

500' Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name Ditges Well # 1

Field Name Ford

Producing Formation Mississippian

Elevation: Ground 2269 KB 2274'

Total Depth 4736' PBDT 4736'

Amount of Surface Pipe Set and Cemented at 377' Feet

Multiple Stage Cementing Collar Used? Yes X No

If yes, show depth set N/A Feet

If Alternate II completion, cement circulated from surface

feet depth to 750' w/ 150' sx cnt.

Drilling Fluid Management Plan ALT 2 6-4-93
(Data must be collected from the Reserve Pit)

Chloride content 9000 ppm Fluid volume bbls

Dewatering method used evaporation

Location of fluid disposal if hauled offsite:

Operator Name

Lease Name License No.

 Quarter Sec. Twp. S Rng. E/W

County Docket No.

Operator: License # 5422

Name: Abercrombie Drilling, Inc.

Address 150 N. Main, Suite 801

City/State/Zip Wichita, KS 67202

Purchaser:

Operator Contact Person: Leonard Schuckman

Phone (316) 262-1841

Contractor: Name: Abercrombie RTD, Inc.

License: 30684

Wellsite Geologist: Steve Frankamp

Designate Type of Completion
X New Well Re-Entry Workover

X Oil SWD SIDW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: N/A

Well Name:

Comp. Date Old Total Depth

 Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBDT
 Commingled Docket No.
 Dual Completion Docket No.
 Other (SWD or Inj?) Docket No.

1-23-93 2-1-93 4-2-93
Spud Date Date Reached TD Completion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Jack K. Wharton

Title Dist. Pres. Date 5-20-93

Subscribed and sworn to before me this 20th day of May, 19 93.

Notary Public Angela Woodard

Date Commission Expires 3-20-97

ANGELA WOODARD
Notary Public • State of Kansas
My Appt. Expires 3-20-97

RECEIVED
K.C.C. OFFICE USE ONLY
STATE CORPORATION COMMISSION
F Letter of Confidentiality Attached
C X Wireline Log Received
C X Geologist Report Received
MAY 21 1993
Distribution
X KCC SWD/Rep CONSERVATION DIVISION
 KGS Plug Wichita, Kansas
(Specify)

ORIGINAL



ABERCROMBIE RTD, INC.
DRILLING CONTRACTOR

150 N. MAIN, SUITE 801 / WICHITA, KANSAS 67202 / 316-262-1841

DITGES #1

Approx. NE SE
Sec. 25-25S-21W
Ford Co., KS

DST #1 4632'-4668' (Upper Cherokee Limestone)
30-45-60-45

Rec. 150' gas in pipe
45' oil sptd gassy mud
IFPs 30-37 ISIP 111
FFPs 44-52 FSIP 111

DST #2 4667'-4698' (Lower Cherokee Limestone)
30-45-45-60

Gas to surface in 25 minutes
gauged maximum 10.6 MCFGPD
Rec. 1925' cl gassy oil (39°)
480' gassy OCM (10% oil)
IFPs 255-369 ISIP 553
FFPs 467-537 FSIP 553

DST #3 4720'-4737' (Mississippian)
30-45-60-45

Rec. 2200' gas in pipe
1314' cl gassy oil (36°)
180' OCM (10% oil)
IFPs 48-192 ISIP 1342
FFPs 239-431 FSIP 1294

RECEIVED
STATE CORPORATION COMMISSION

MAY 21 1993

CONSERVATION DIVISION
Wichita, Kansas

Phone 913-483-2627, Russell, Kansas
 Phone 916-793-5861, Great Bend, Kansas

CENTRAL

Phone Plattville 913-434-2812
 Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

1343

Home Office P. O. Box 51

Russell, Kansas 67663

New

Date	5-7-93	Sec.	25	Top.	25	Range	21	Called Out	8 AM	On Location	11 AM	Job Start	12 PM	Finish	1 PM
Lease	Diggins	Well No.	#1	Location	off center on 2 1/2 4/5	County	Ford	State	Kans						
Contractor	Owner: SAME														
Type Job	Back side job Pump down Backalley casing														
Hole Size	T.D. 4736 ft														
Csg.	5 1/2 Depth 4729 ft														
Tbg. Size	Depth														
Drill Pipe	Depth														
Tool	Depth														
Cement Left in Csg.	Shut in														
Press Max.	4112														
Meis Line	Displace														
Perf.															
EQUIPMENT															
No.	Cementer	Mike													
Pumptrk 120	Helper	Dunn													
No.	Cementer														
Pumptrk	Helper														
	Driver	Red													
Bulkerk															
Bulkerk	Driver														
DEPTH of Job															
Reference	Pump Truck charge	525.00													
100	Milage charge	135.00													
		600.00													
	Total														
Remarks	Put 400 lbs. on casing Mixed Cement down the Back side 150 lbs at 400' max 1 1/2" diameter Allied Cementing Co Inc														

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To: *AL Shucronis Inc*
 Street: *801 W. 11th Street*
 City: *Wichita, Kan 67202*

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. *ET Shucronis Truck*

CEMENT

Amount Ordered	150	423.00
Consisting of		
Common	90	5.25 517.5
Port. Mix	60	3.00 180.0
Gel.	10	7.00 70.0
Chloride		
Quickset		
Handling	150	1.00 150.0
Milage	60	
		360.0
		1249.
Floating Equipment		

TOTAL \$ 1909.50
 Disc - 381.90
 \$ 1527.60
 MAY 21 1993

Phone 913-283-2627, Russell, Kansas
 Phone 913-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
 Phone Ness City 913-798-3843

CENTRAL

ALLIED CEMENTING CO., INC.

5946

Home Office P. O. Box 31

Russell, Kansas 67665

2-1-93	Sec. 25	Twp. 25	Range 21	Called Out 9:00 PM	On Location 12:00 AM	Job Start 7:00 AM	Finish 9:15 AM
Case <i>Ditson</i>	Well No. <i>#1</i>	Location <i>Offshore E/S 2 1/2 S 1 W 1 S</i>		County <i>Franklin</i>	State <i>Ka</i>		

Contractor <i>Blue # B</i>	Owner <i>Jane</i>
Type Job <i>Prod string</i>	To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.
hole Size <i>7 7/8</i>	T.D. <i>4778</i>
<i>5 1/2</i>	Depth <i>4729</i>
Log. Size	Depth
Drill Pipe	Depth
Tool	Depth
Cement Left in Csg.	Shoe Joint <i>28</i>
Press Max. <i>1000</i>	Minimum
Mass Loss	Displace <i>114.7</i>
Ref.	

Owner *Jane*
 To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.
 To *Chermonie Inc.*
 Street *801 Union Center*
 City *Wichita* State *Ka 67202*
 The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. *X E L Chermonie*

EQUIPMENT

Number	Cementor	<i>Maka Stos</i>
Number	Helper	<i>Rud</i>
Number	Cementor	
Number	Helper	
Number	Driver	<i>M. W. M.</i>
Number	Driver	

CEMENT

Amount Ordered	<i>20 bags 2 1/2" x 2 1/2" x 2 1/2" + 20 BA 2 1/2"</i>		
Consisting of			
Common	<i>180 bl</i>	<i>5.50</i>	<i>990.00</i>
Pos. Mix	<i>45 bl</i>	<i>2.50</i>	<i>112.50</i>
Gel.	<i>2 gal</i>	<i>6.75</i>	<i>13.50</i>
Gel. Gelsuite	<i>630 #</i>	<i>.33</i>	<i>207.90</i>
Quikset	<i>ACD-31 57 #</i>	<i>4.21</i>	<i>237.97</i>
	<i>BA-29 230 #</i>	<i>10.7</i>	<i>2355.20</i>
	<i>20 bags 2 1/2" x 2 1/2" x 2 1/2" + 20 BA 2 1/2"</i>	<i>90.00</i>	<i>1800.00</i>
Handling	<i>225</i>	<i>4.00</i>	<i>900.00</i>
Mileage	<i>60</i>		<i>540.00</i>
		Total	5620.08

DEPTH of Job

Reference:	<i>Pump Truck</i>	<i>880.00</i>
	<i>60 Mileage</i>	<i>120.00</i>
		Total <i>1000.00</i>

Floating Equipment
 Total \$ *6620.08*
 Disc - *1324.02*

Remarks:
 Ran job of 5' casing to 4729' Cemented with 135# common BA-29 & 90# 50/0 pump 2" gel 7" D-7 run of 3/4 of 190 c/d in FFB. Spearheaded with 500 gal pump. Pump plugged to 4701' float did not work.

RECEIVED
 STATE INSURANCE COMMISSION
 # *5296.06*
 MAY 21 1993
 CONSERVATION DIVISION
 Wichita, Kansas

Phone 913-483-2627, Russell, Kansas
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
 Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

Home Office P. O. Box 91 Russell, Kansas 67665 5961

New

Date	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
4-5-97	25	25S	21W	4:30 AM	8:15 AM	11:00 AM	12:00
Lease	Wall No.	Location			County	State	
Diggs	1	OFFICE 2 1/2 S. 1 W. 25 W. 1/4			Ford	Ks.	

Contractor AL Abercrombie Inc	
Type Job Rock side	
Hole Size 9 1/2	T.D. 4726
Csg. 5 1/2	Depth 4729
Tbg. Size	Depth
Drill Pipe	Depth
Tool	Depth
Cement Left In Csg.	Shoe Joint
Press. Max.	Minimum
Mass Line	Displace
Perf.	

Owner **Same**

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Contractor **AL Abercrombie Inc**
 Street **801 Union Center**
 City **Wichita** State **Ks** **67207**

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. **X**
E. Abercrombie

CEMENT

Amount Ordered	150 SK 9/10 4 1/2" Gel 1/4" lbs		
Consisting of	(Did NOT USE)		
Common	90	5.75	N/C
Por. Mix	60	3.00	N/C
Gel.	6	2.00	N/C
Chloride			
Quickset			
F-10 Seal	38	1.10	N/C

Handline	150	1.00	N/C
Mileage	60		360.00

Sub Total

BARTON

360.00

Flooding Equipment

Total \$ **925.00**

Disc - **185.00**

STATE PROVISION COMMISSION

740 MAY 20 1993

EQUIPMENT

Pumpjack	No.	Cementor	Don H
	191	Helper	
Pumpjack	No.	Cementor	Cary B
		Helper	
Bulkhead	68	Driver	
Bulkhead		Driver	

DEPTH of Job	430.00
Reference:	
Pump Truck	135.00
60 Mileage	135.00
Total	565.00

Remarks: **Pressured up to 700 on 5/2 Tried to Pump Cement Down Back side Head Leakings Pumped 25 DOL water behind to wash out. Thank You Allied Cementing**

5-30-93

Ditches #1

61,790 gal

Production

Sec 25-25^s-21^w

Ford Co. ks.

No water

RECEIVED

STATE CORPORATION COMMISSION

JUN 4 1993

CONSERVATION DIVISION
Wichita, Kansas

6/11/93