

To: 1 051414
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

3-14 205
API NUMBER 15-047-20,981-000
330' FNL, 330' FEL
S/2 Lot 2, SEC. 4, T. 26 S, R. 16 WEX

TECHNICIAN'S PLUGGING REPORT

Operator License # 5142
Operator: Sterling Drilling Company
Name & Address: P.O. Box 129
Sterling, KS 67579

_____ feet from S section line
_____ feet from E section line
Lease Name Mayhew "A" Well # 6-4
County Edwards 145.79
Well Total Depth 4486 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 8 5/8 feet 432

Abandoned Oil Well Gas Well _____ Input Well _____ SWD Well _____ D&A _____

Other well as hereinafter indicated _____

Plugging Contractor Kelso Casing Pulling, Inc. License Number 6050

Address P.O. Box 347, Chase, KS 67524

Company to plug at: Hour: 10 a.m. Day: 14 Month: 3 Year: 19 91

Plugging proposal received from Millard Kelso

(company name) Kelso Casing Pulling, Inc. (phone) 316-938-2943

were: 4 1/2" at 4526' w/275 sx cement, Perfs at 4424-28'
1st plug sand back to 4370' and dump 4 sx cement on top of sand through bailer,
2nd plug pump 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel, 100 lbs. hulls,
release 8 5/8" wiper plug and pump 150 sx cement.

Plugging Proposal Received by Duane Rankin (TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 12 p.m. Day: 14 Month: 3 Year: 19 91

ACTUAL PLUGGING REPORT 1st plug sanded back to 4370' and dumped 4 sx cement on top of sand through bailer,

2nd plug pumped 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel, 100 lbs. hulls, released 8 5/8" wiper plug and pumped 150 sx cement.

Maximum pressure 385 psi and shut in 112 psi.

Remarks: Used 60/40 Pozmix 6% gel by Halliburton. Recovered 2400' of 4 1/2" casing.
(If additional description is necessary, use BACK of this form.)

(XXXXXX) observe this plugging.

INVOICED

DATE 4-3-91

Signed Richard W. Tracy (TECHNICIAN)

INV. NO. 31312

MAR 20 1991

CONSERVATION DIVISION
WICHITA, KANSAS