

1 030379

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15- 047-21,011-0000

NW SE NW , SEC. 4 , T 26 S, R 16 W/E

3630 feet from S section line

3630 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 8061

Lease Name Parker Well # A-5

Operator: Oil Producers, Inc.

County Edwards 146.74

Name & Address Box 8647

Well Total Depth 4515 feet

Wichita, KS 67208

Conductor Pipe: Size feet

Surface Casing: Size 8 5/8 feet 476 ✓

Abandoned Oil Well X Gas Well Input Well SWD Well D&A

Other well as hereinafter indicated

Plugging Contractor Kelso Casing Pulling License Number 6050

Address Box 347, Chase, KS 67524

Company to plug at: Hour: 11:00 am Day: 6 Month: March Year: 19 85

Plugging proposal received from Bob Brenneman

(company name) Kelso (phone) 316-938-2457

were: 4 1/2" set at 4514' PBTD 4486' Perfs at 4437-43, 4455-70'

1st plug sand back to 4385' and dump 4 sx cement on top of sand through bailer

2nd plug squeeze well with 3 sx hulls, 15 sx gel, 50 sx cement, 10 sx gel, 1 sack hulls,

release 8 5/8" rubber plug and pump 125 sx cement.

Plugging Proposal Received by Steve Durrant

(TECHNICIAN)

Plugging Operations attended by Agent?: All Part None X

Operations Completed: Hour: 12:30 pm Day: 6 Month: March Year: 19 85

ACTUAL PLUGGING REPORT 1st plug sanded back to 4385' and dumped 4 sx cement on top

of sand through bailer, 2nd plug squeezed well with 3 sx hulls, 15 sx gel, 50 sx cement,

10 sx gel, 1 sack hulls, released 8 5/8" rubber plug and pumped an additional 125 sx

cement.

RECEIVED

STATE CORPORATION COMMISSION

Maximum pressure 500 psi and shut in 200 psi

MAR 15 1985

Remarks: Recovered 3009' 4 1/2" casing. Used 60/40 Pozmix 2% gel 53% 200 by Allied 1837

If additional description is necessary, use BACK of this form.

I (did not) observe this plugging.

DATE 3-18-85

Signed Steve Durrant (TECHNICIAN) SQ

INV. NO. 7368

3-6