

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging of formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

Edwards County. Sec. 15 Twp. 25 Rge. (E) 17 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SW 1/4 SW 1/4

Lease Owner W.M. McKnab

Lease Name Minet Estate Well No. 1

Office Address Winfield, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry hole

Date, well completed Nov. 22 19 40

Application for plugging filed November 22 19 40

Application for plugging approved November 25 19 40

Plugging Commenced November 23 19 40

Plugging Completed November 23 19 40

Reason for abandonment of well or producing formation

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes

Name of Conservation Agent who supervised plugging of this well C.T. Alexander

Producing formation Depth to top Bottom Total Depth of Well Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Log attached						

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Hole filled with mud from 5012 to 500  
Permanent bridge from 500 to 485 and mud to 12ft.  
Cement to 6 ft. and mud to surface

WELL LOGGING  
FILE # 15-25-17W  
BOOK PAGE 123 LINE 24

NOV 27 1940  
STATE CORP. COMMISSION  
11-27-40

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to W.M. McKnab  
Address Winfield, Kansas

STATE OF Kansas, COUNTY OF Cowley, ss.

Paul Clock (employee of owner) or (owner) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-  
described well as filed and that the same are true and correct. So help me God.

(Signature) Paul Clock

Winfield, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 26th day of November, 19 40

J. W. McKnab Notary Public

My commission expires July 5, 1942

MINET ESTATE No. 1

Location: SW $\frac{1}{4}$  SW $\frac{1}{4}$  Sec. 15 - Twp. 25 S - Rge 17 W, Edwards County, Kansas - 40 Acres

Commenced Rigging Up 10/12/40  
 Commenced Drilling 10/21/40  
 Completed Drilling 11/22/40  
 Dry Hole

Owner - W. M. McKnab  
 Farm - Minet Estate  
 Elevation - 2130'

Casing Record

12 $\frac{1}{2}$ " - 500'

STATE OF KANSAS |  
 COUNTY OF COWLEY | SS

I, the undersigned, hereby certify that the well herein described was drilled to a total depth of 5012 feet, and the log which is included in this report and marked Pages 1 and 2 is a true and accurate copy of the drillers' log of said well.

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 1940.

Notary Public.

My Commission Expires:

<u>FORMATION</u>	<u>THICKNESS</u>	<u>TOTAL DEPTH</u>
Sand & Gravel	250	250
Blue Shale, Shells	160	410
Shale & Sand	75	485
Red Bed	10	495
Lime Shells	5 Run 300 Sks	500 Set 12 $\frac{1}{2}$ "
Lime Shells	15 Cement	515
Red Sand Lime	149	666
Red Rock, Shells	274	940
Red Rock	50	990
Shale Shells	85	1075
Lime Shells	25	1100
Red Rock	90	1190
White Sand	36	1226
Sandy Lime	60	1286
Lime & Shale	72	1358
Shale Shells	72	1430
Blue Shale & Shells	40	1470
Slate Blue	35	1505
Blue Shale & Shells	174	1679
Blue Shale & Salt Shells	71	1750
Shale & Gyp Shells	14	1764
Blue Shale & Salt	266	2030
Salt, Gyp Shells	98	2128
Anhydrite & Shale	87	2215
Broken Lime & Blue Shale	60	2275
Hard Lime	25	2300
Red Rock	8	2308
Lime	29	2337
Chert	4	2341
Brown Sandy Lime	18	2359
Gray Sandy Lime	13	2372
Lime Gray	68	2440
Red Rock	2	2442
Shale Shells	18	2460
Red Bed	12	2472
Broken Lime Shale	36	2508
Red Bed, Soft Shale	22	2530
Lime	25	2555
Broken Lime & Shale Shells	65	2620
White Lime	20	2640
Shale & Red Bed	16	2656

FIL. 15-35-176  
 BOOK PAGE 123 OF 24

NOV 27 1940  
 STATE OF KANSAS  
 COUNTY OF COWLEY

Shale & Shells	59	2715
Gray Lime	25	2740
White Lime, Shale, Red Rock	6	2746
Lime Gray	8	2754
Broken Lime	6	2760
Lime, Shale	8	2768
White Lime	95	2863
Shale, Shells	34	2897
White Lime, Blue Shale	19	2916
Gray Lime Sandy	8	2924
Broken Lime	16	2940
Sandy Lime	5	2945
Gray Lime	53	3000
Shale Shells	81	3081
Broken Lime	36	3117
Slate, Red Rock	8	3125
Gray Lime	12	3137
Blue Shale, Shells	53	3190
Broken Lime	10	3200
Shale, Shells	75	3275
Shale, White Sand	8	3283
Shale	2	3285
Gray Lime	22	3307
Blue Shale, Shells	41	3348
Blue Shale, White Lime Shells	32	3380
Shale, Lime	16	3396
Blue Shale, White Sand	2	3398
Gray Lime, Shale, Red Bed	52	3450
Sand	6	3456
Blue Shale	8	3464
White Lime	12	3476
Sandy Lime	14	3490
Gray Lime, Shale	218	3708
White Lime, Shale	47	3755
Lime, Shale, Sand	25	3780
Gray Lime, Shale Shells	202	3982 Top K. C. Lime
K. C. Lime	193	4175
White Sandy Lime	40	4215
Hard Lime	21	4236
Lime, Shale Shells	143	4379
Red Shale	9	4388
White Lime & Shale	109	4497
Chert	47	4544
Shale	31	4575
Sand Hard, Lime	22	4597
Red Sand - Mottled Shale	15	4612
Sand Gray	18	4630
Red Sand Lime	16	4646
Lime - Chert	144	4790
Broken Lime - Shale	13	4803
Lime, Shale, Sand	36	4839
Lime	9	4848
Shale	36	4884
Lime	126	5010 Total Depth.

Ran Halliburton Electrical Log Nov. 22, 1940. Total depth as shown by Halliburton steel line measure - 5012.

SAMPLE TOPS AS SHOWN BY J. P. MOGEE, GEOLOGIST

Anhydride - - - - -	1180'	Kinderhook - - - - -	4543'
Fort Riley - - - - -	2410'	Misner - - - - -	4565'
Lansing - - - - -	3982'	Viola - - - - -	4597'
Conglomerate - - - - -	4497'	Simpson - - - - -	4806'
Mississippi - - - - -	4499'	Arbuckle - - - - -	4884'

FIL-  
BOOK  
15 25 12W  
PAGE 123  
LINE 24