


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

Stafford County. Sec. 18 Twp 25S Rge. 12 (E) W (W)
Location as "NE/CNW%SW%" or footage from lines NE SE SW
Lease Owner KATHOL PETROLEUM, INC.
Lease Name J. B. KENNEDY Well No. 1
Office Address 900 Sutton Place, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed July 14 19 68
Application for plugging filed _____ 19 _____
Application for plugging approved July 16 19 68
Plugging commenced 3:30 PM July 14 19 68
Plugging completed 6:30 PM July 14 19 68
Reason for abandonment of well or producing formation Poor Structural position with no commercial show. Dry and Abandoned
If a producing well is abandoned, date of last production _____ 19 _____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well R. J. Warren
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4018 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8	295'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled hole to 250' w/heavy mud, set plug at 250' and 1/3 sack hulls and cement w/25 sacks cement. Fill hole to 40' set plug w/1 sack hulls and cement with 10 sacks cement. 28 sacks cement in rat hole.

RECEIVED
STATE CORPORATION COMMISSION
OCT 24 1968
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)


Name of Plugging Contractor KATHOL PETROLEUM, IN.C
Address 900 Sutton Place, Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Homer Platt
900 Sutton Place, Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 23rd day of October, 19 68.
Dixie Lee Brown
Notary Public.




STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Stafford County. Sec. 18 Twp. 25S Rge. 12 (E) W (W)
Location as "NE/CNW/SW" or footage from lines NE SE SW
Lease Owner Kathol Petroleum, Inc.
Lease Name J. B. Kennedy Well No. 1
Office Address 900 Sutton Place
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed July 14 1968
Application for plugging filed July 14 1968
Application for plugging approved July 16 1968
Plugging commenced July 14 1968
Plugging completed 6:30 PM July 14 1968
Reason for abandonment of well or producing formation D & A

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? _____

Name of Conservation Agent who supervised plugging of this well R. J. Warren
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4020 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	295'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Fill hole to 250' w/heavy mud. Set plug at 250'. 1/3 sx hulls and 25 sx cement on plug. Fill hole to 40' with heavy mud, set plug at 40'. 1 sx hulls and 10 sx cement on plug. 25 sx cement in rat hole.

RECEIVED
STATE CORPORATION COMMISSION
OCT 31 1968
CONSERVATION DIVISION
Wichita, Kansas


(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor KATHOL PETROLEUM, INC.
Address 900 Sutton Place, Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
Homer Catt (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) Homer Catt
900 Sutton Place, Wichita, Kansas
(Address)

Subscribed and sworn to before me this 30th day of October, 1968



Dixie Lee Brown
Notary Public.

15-185-20118-0000



KATHOL PETROLEUM, INC.

900 SUTTON PLACE
WICHITA, KANSAS 67202
316 - AMHERST 7-5318

GEOLOGICAL REPORT

Operator KATHOL PETROLEUM, INC. Contractor Company Tools
 Well Name J. B. Kennedy No. 1 Comm. 7-6-68 Comp. 7-14-68
 Location NE SE SW Sec. 18-25S-12W County Stafford State Kansas
 Elevation 1905' K. B. Tops: Sample Log

TOP	DEPTH	DATUM	TOP	DEPTH	DATUM
Heenber	3434'	-1529	Miss.	3976'	-2071
Brown Lime	3584'	-1679	Viola	3995'	-2090
Lansing/K.C.	3604'	-1699			
Base/K.C.	3900'	-1995	CASING		
			TOTAL DEPTH	4018'	-2115

Supervised 3400' to 4020' Samples Exam. 3400' to 4020' driller

DRILL STEM TESTS

D.S.T. #1 3746'-65' (19' anchor)
 Open 75", Good blow - decreased and died in 45"
 REC: 60' Gas in pipe
 120' Heavy oil and gas cut mud
 60' Oil cut muddy water
 ISIP 600#/30" FSIP 560#/30"
 IFP 0# FFP 50#

RECEIVED
STATE CORPORATION COMMISSION
OCT 3 1 1968
CONSERVATION DIVISION
Wichita, Kansas

RECOMMENDATIONS

The well was structurally low to a non-commercial well (No. 1 Bynyan) and because of poor structural position with no commercial shows it was recommended the No. 1 Kennedy be plugged and abandoned July 14, 1968.

INTERVAL

SAMPLE DESCRIPTION

LANSING KANSAS CITY SECTION

3638-3650

Limestone; cream to buff, finecrystal-
line, fossiliferous to soft mealy.
Scattered fossil cast porosity some
heavy black dead staining; no free
oil, scattered faint fluorescence to
light brown scattered staining. This
zone is 10' low to the No. Bunyan a
non-commercial well - not worth test-
ing.

3698-3713

Limestone, buff, chalky - argillaceous,
becoming brown-tan, soft, scatt pin-
point porosity with scatt stain, faint
odor. Zone is 12' low to drill stem
test of water on No. 1 Bunyan.

3752-3758


Limestone, tan-buff, good oocastic
porosity, fair show of free oil, fair
odor, some dark residue covered by
drill stem test #1.

3782-3788
3795-3804

Limestone, white, dense to porous with
oolicastic porosity some residual stain-
ing - Not worth testing.

There were no other zones of porosity which
carried live staining and on the base of the
Kansas City Lime, this well was 15' low to the
No. 1 Bunyan.

Carl Hale
Carl Hale


Don G. Calvin
GEOLOGIST
Don G. Calvin