

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

FORM CP-1

RECEIVED
STATE CORPORATION COMMISSION

OCT 13 1966

WELL PLUGGING APPLICATION FORM
File One Copy

CONSERVATION DIVISION
Wichita, Kansas

Lease Owner SANTA-FE PIPE & SUPPLY, INC. 15047-06069-00-01

Address P.O. BOX 562 GREAT BEND, KANSAS

Lease (Farm Name) JOHNSON Well No. 1

Well Location NW NW SE Sec. 24 Twp. 26S Rge. 16W (E) (W)

County EDWARDS Field Name (If any)

Total Depth 4546' Oil Well Gas Well Input Well SWD Well D & A

Was well log filed with application? NO If not, explain:

WILL BE FILED LATER

Date and hour plugging is desired to begin OCTOBER 11, 1966

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of company representative in charge of plugging operations T. L. NUTT

Address BOX 562 - GREAT BEND, KANSAS


Plugging Contractor SANTA-FE PIPE & SUPPLY, INC. License No. 574

Address BOX 562 - GREAT BEND, KANSAS

Invoice covering assessment for plugging this well should be sent to

SANTA-FE PIPE & SUPPLY, INC. Address BOX 562 GREAT BEND, KANSAS

and payment will be guaranteed by applicant.

Signed: 
Applicant or Acting Agent

Date: OCTOBER 11, 1966

State of Kansas



WM. H. AVERY Governor
WILLIAM L. MITCHELL Chairman
JAMES O. GREENLEAF Commissioner
HARRY G. WILES Commissioner
RAYMOND B. HARVEY Secretary
E. EDWARD JOHNSON Gen. Counsel

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
500 Insurance Bldg. 212 N. Market
WICHITA, KANSAS 67202

October 13, 1966

15-047-65069-60-61

WELL PLUGGING AUTHORITY

Well No.	1
Lease	Johnson
Description	NW NW SE 24-26-16W
County	Edwards
Total Depth	4516'
Plugging Contractor	Co. Tools

Santa Fe Pipe & Supply, Inc.
P. O. Box 562
Great Bend, Kansas

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,


J. P. Roberts, Administrator

Mr. A. Elving Box 248 Pratt, Kansas
is hereby assigned to supervise the plugging of the above
named well.

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY
508 East Murdock, Wichita, Kansas

15-047-0006A-0000


Company: Ambassador
Farm: Johnson

No. 1

SEC. 24 T. 26 R. 16W
NW NW SE

RECEIVED
STATE CORPORATION COMMISSION
County Edwards
KANSAS

JAN 16 1967



Total Depth. 4789
Comm. 3-22-56
Shot or Treated.
Contractor.
Issued. 10-20-56

Comp. 6-1-56
CONSERVATION DIVISION
Wichita, Kansas

Elevation. 2071' DE

Production. Temp. Abond.

CASING:

5/8" 329'
1/2" 4546'

Figures indicate Bottom of Formations.

All Meas. fr top KB.		Limestone	4033 free oil	4501
Drillers log - 3400		limestone brwn	4041 shale	4505
No log-surface hole	331	limestone-	4057 chert grn-sdy chert-	
shale-red beds	1002	strks shale 4049-50	good show free oil	4511
anhydrite	1026	limestone-some chert	4075 shale brn-chert grn-	
and-shale	1260	limestone	4084 brwn	4523
shale	1530	shale	4090 shale-chert-tr lime-	
shale-shells	2040	limestone grwn	4096 stone brwn-grn	4534
shale-limestone	2505	limestone	4105 chert	4557
limestone	2580	shale	4108 shale grn	4564
limestone-shale	2800	limestone brwn	4120 limestone-chert	4593
shale-shells	2950	shale	4122 dolomite	4597
shale-limestone	3210	limestone	4128 shale grn	4599
limestone -shale	3400	limestone brwn	4155 dolomite-chert	4608
limestone	3409	limestone	4163 limestone brwn-chert	4615
shale, brwn-limestone		limestone brwn-tr chert	4168 shale grn	4616
strks	3418	limestone-chert	4172 limestone-chalky sdy-	
limestone, brwn-strks		shale grn	4175 chert caving	4625
shale	3459	limestone brwn	4180 shale muddy-grn sdy	
limestone brwn-chert	3516	shale	4182 dolomite-sdy shale	
limestone	3544	limestone strks	4191 tr sand	4633
strks limestone-shale grn		limestone brwn	4202 shale grn-sand	4650
	3559	limestone	4208 sand-shale strks	4654
Limestone	3569	strks limestone-shale	shale grn	4657
shale, brwn-grn	3571	brwn, grn	4216 sand	4661
limestone-some chert	3584	limestone-chert-	4241 shale grn	4666
limestone	3594	shale	4243 sand -shaly	4677
limestone-chert	3598	limestone	4248 shale-grn-sand strks	4705
shale	3600	shale grn-brwn-strks	chert-weathered dolo-	
limestone	3610	shaly limestone	4262 mite	4707
shale	3611	limestone brwn	4269 dolomite	4722
limestone-chert	3637	shale brwn-tr grn sand-	dolomite-chert	4733
shale	3646	tr red weathered lime-	dolomite	4735
limestone	3661	stone-tr chert	4287 dolomite brwn-chert	4746
shale	3663	limestone brwn	4305 shale grn	4748
limestone	3717	shale-limestone strks	4322 dolomite brwn	4788
limestone-chert	3734	limestone brwn	4327	
limestone brwn	3754	shale grn	4335 TOPS:	
shale	3758	limestone-red limestone	Stone Corral	1002
limestone-chert	3774		4340 Topeka	3418
shale	3781	shale grn	4356 Heebner	3774
limestone brwn	3785	lime brwn-grn- grn shale	Leavenworth	3781
shale grn-brwn	3793		4372 Snyderville	3785
limestone brwn	3810	shale-limestone strks	4380 Toronto	3793
shale grn-silty	3833	limestone brwn	4385 Douglas	3810
sand	3838	shale grn-yellow-grn	B/Kansas City	4269
shale	3850	limestone	4392 Marmaton	4269
sand	3860	sand brwn	4398 Cherokee?	4340
shale grn	3924	shale grn-weathered sdy	Cherokee sand	4292
limestone brwn	3931	shale	4417 Mississippi	4417
shale	3942	chert	4441 Kinderhook	4441
limestone brwn	3949	shale grn-tr shaly sand	Viola	4534
strks shale brwn-limestone		or sdy shale-grn shale-	Simpson	4625
	3960	tr grn & brwn limestone	4464 Arbuckle	4705
limestone	3976	sand brwn-slight show	Following two tops	
shale grn	3978	free oil	4470 belong just below	
shale grn	3985	sand grn	4482 Douglas	
limestone brwn	4012	sand brwn-good show free	Brwn Lansing	3924
shale brwn	4014	oil	4486 Lansing	3942
limestone brwn-chert brwn		sand-chert sdy-good show	(OVER)	
	4017			

Company - Ambassador
Farm - Johnson No. 1
Sec. 24 T. 26 R1 16W

Ran Electis log.

15-647-60069-0006

- DST #1 - 4383-4410 open 1 hr.
gas in 4 min. Gauged
1,020,000 CF/d Rec. 66'
GCM. BHP 1530 p.s.i.
(30 min)
- DST #2 - 4419-50 open 1 hr.,
Rec. 28' mud. BHP 140
p.s.i. (20 min.)
- DST #3 - 4450-86 open 1 hr.
Rec. 59' mud. BHP 60
p.s.i. (30 min.)
- DST #4 - 4481-4510 -open 1½ hrs.
Rec. 215' GCM w/few small
spots live oil. Probably
some wtr. in bottom 60'.
B HP 1220 p.s.i. (30 min.)

Sample 3400 to T.D.

Page 2.

RECEIVED
STATE CORPORATION COMMISSION
JAN 16 1967
CONSERVATION DIVISION
Wichita, Kansas

Page 2.