To:	•	API NUMBER 15- 047-27	1.162→0000
STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202		NE <u>NW NW</u> , SEC. 22	T 25 S, R 16 WXXX  SE Corner of from NXXX section line
TECHNICIA	N'S PLUGGING REPORT	feet	V SE Corner of from WAXX section line
Operator License # 6393 Lease Name Mohler Well # 2			Well #_2
Name&	Brougher Oil, Inc.	County Edwards	3
	P. O. Drawer 1367	Well Total Depth	4746 154.25 feet
	Great Bend, KS 67530	Conductor Pipe: Size_	feet
		Surface Casing: Size	3 5/8 feet 405
Abandoned	Oll Well X Gas Well	SWD	WellD&A
Other well as hereinafter indicated			
Plugging Contractor Kelso Casing Pulling License Number 6050			
Address P. O. Box 347, Chase, KS 67524			
Company to plug at: Hour: 12:00 noon Day: 10 Month: October Year: 19 84			
Plugging proposal received from Neil Peddicord			
(company name) Kelso (phone) 316-938-2457			
were: 4 1/2" set at 4745' Perfs at 4326, 4332-35, 4382-86, 4392-94'			
1st plug sand back to 4275' and dump 4 sx cement on top of sand through bailer			
2nd plug pump 3 sx hulls, 10 sx gel, 50 sx cement, 10 sx gel, 1 sack hulls, release			
8 5/8" rubber plug and pump 125 sx cement.			
Plugging Proposal Received by Alexe Quinout (TECHNICIAN)			
	Operations attended by Agent?: A	•	
Operations Completed: Hour: 12:45 pm Day: 10 Month: October Year:19 84			
ACTUAL PLUGGING REPORT 4 1/2" set at 4745' Perfs at 4326, 4332-35, 4382-86, 4392-94'			
1st plug sanded back to 4275' and dumped 4 sx cement on top of sand through bailer,			
2nd plug squeezed well with 3 sx hulls, 10 sx gel, 50 sx cement, 10 sx gel, PI(sacki)			
hulls, released 8 5/8" rubber plug and pumped 125 sx cement. STATE CORPORATION COMMISSION			
Maximum pressure 350 psi and shut in pressure		sure 200 psi	FOCT 1 2 1984
		<del></del>	CONSERVATION DIVISION Wichita, Kansas
Remarks: Recovered 2400' of 4 1/2" casing. Used 60/40 Pozmix 2% gel 3% cc by Halliburton  (If additional description is necessary, use BACK of this form.)			
North Signed Stone Chemnet So			

FORM CP-2/3 Rev.01-84