## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  |              |   |  |  | (-   | See Instruct                  | ions on Reve                               | rse Side   | )                                      |   |                               |                                      |   |
|--|--------------|---|--|--|--|-------------------------------|--|--|--|---|-------------------------------|--------------------------------------|---|
| Open Flow     Deliverabilty  |              |   |  |  | Test Date:<br>9-15-2015  |                               |  |  |  | No. 15<br>'-21351-000   | 0                             |                                      |   |
| Company<br>R & B Oil & Gas, Inc.                                     |              |   |  | Lease<br>Clark   |  |                               |  |  |  |   | Well Number<br>1              |                                      |   |
| County Location Harper NWSE-SW                                       |              |   | on   | Section<br>18  |  | TWP<br>32S                    |  | RNG (E/W)<br>9W  |  |   | Acres A                       | ttributed                            |   |
| Field<br>Sharon  |              |   |  |  |  | Reservoir<br>Mississippi      |  |  |  | hering Conne  | ection                        |                                      |   |
| Completion Date 8-2-1998   |              |   |  |  | Plug Back<br>4500  | Plug Back Total Depth<br>4500 |  |  | Packer Set at                          |   | _                             |                                      | _   |
| Casing Size 5 1/2  |              |   | Weight<br>14                                       |  | Internal Diameter  |                               | Set at<br>4422                             |  | Perforations<br>4312                   |   | то<br><b>43</b> 20            |                                      |   |
| Tubing Size 2 7/8  |              |   | Weight<br>6.5                                      |  | Internal Diameter  |                               | Set at<br>4436                             |  | Perforations                           |   | То                            |                                      |   |
| Type Con<br>Perf.  | npletion     | n (De   | escribe)   |  | Type Fluid Production Oil & Water  |                               |  |  | Pump Unit or Traveling Pl<br>Pump Unit |   | lunger? Yes / No              |                                      |   |
| Producing<br>Annulus   | _            | (Anr  | nulus / Tubing                                     | % C  | % Carbon Dioxide   |                               | % Nitroge                                  |  | en                                     | Gas Gı  | Gas Gravity - G               |                                      |   |
| Vertical D   | epth(H       | l)  |  |  |  | Pres                          | sure Taps                                  |  |  |   | (Meter                        | Run) (Pi                             | rover) Size                                   |
| Pressure Buildup:  |              |   |  |  |  |                               |  |  |  |   |                               |                                      |   |
| Well on L  | .ine:        |   | Started <u>9-16</u> 20 1                           |  |  | 15 at 8:15 (AM) (PM           |  | aken   | en 20 _                                |   | at                            | it (AM) (PM)                         |   |
|  |              |   | 0:-1   | 1-   |  | OBSERVE                       | D SURFACE                                  |  |  | 1   | Duration of Shut-             | in 24                                | Hours   |
| Static /<br>Dynamic<br>Property                                      | Dynamic Size |   | Circle one:<br>Meter<br>Prover Pressu<br>psig (Pm) | Pressure Differential in Inches H <sub>2</sub> 0   | Flowing<br>Temperature<br>t  | Temperature Temperature       |  | Casing Welihead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia |  | rubing<br>ad Pressure<br>r (P <sub>t</sub> ) or (P <sub>c</sub> )<br>psia | •                             |                                      | d Produced<br>Barrels)                        |
| Shut-In  | nut-In       |   |  |  |  |                               | 120  |  |  | pu.u  |                               |                                      |   |
| Flow   |              |   |  |  |  |                               |  |  |  |   |                               |                                      |   |
|  | 1            |   |  |  |  | FLOW STR                      | EAM ATTRIE                                 | UTES   |  |   |                               |                                      | í   |
| Plate<br>Coefficcient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd |              | Pro   | Circie ons:<br>Meter or<br>over Pressure<br>psia   | Press<br>Extension  P <sub>m</sub> xh  | Extension Fact   |                               | Flowing Temperature Factor F <sub>II</sub> |  | iation<br>ctor<br>:<br><sub>P</sub> v  | Metered Flov<br>R<br>(Mcfd)   | y GOR<br>(Cubic Fe<br>Barrel) |                                      | Flowing<br>Fluid<br>Gravity<br>G <sub>a</sub> |
|  |              |   | _  |  | (ODEN EL   | OUN (DELIV                    | ERABILITY)                                 | 241 0111   | ATIONS                                 |   |                               |                                      |   |
| (P <sub>c</sub> ) <sup>2</sup> =                                     |              | _:  | <del></del>  | :  | P <sub>a</sub> =   |                               | -  |  | 14.4 =                                 | :   | (P <sub>a</sub> )             | <sup>2</sup> = 0.2<br><sup>2</sup> = | 07<br>  |
| $(P_c)^2 - (P_a)^2$<br>or<br>$(P_c)^2 - (P_d)^2$                     |              | (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> |  | Choose formula 1 or 2  1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$ | 1. P <sub>a</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> LOG of formula 2. P <sub>a</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 1. or 2. and divide |                               | Backpressur Slope = or Assign Standard     |  | l n x                                  | LOG   | Antilog                       | Antilog Ope<br>Deliv<br>Equats I     |   |
|  |              |   |  |  |  |                               |  |  |  | _   |                               |                                      | _   |
| Open Flo   | w            |   |  | Mcfd @ 14.   | 65 psia  |                               | Deliverabili                               | ty   |  |   | Mcfd @ 14.65 ps               | ia                                   |   |
|  |              | -   | •  |  |  |                               | •  | _  |  | •   | rt and that he ha             |                                      | -   |
| the facts s  | stated ti    | herei   | in, and that sa                                    | id report is true  | and correc   | t. Executed                   | this the                                   |  |  | <u> </u>  | <u> </u>                      | , :                                  | 20 15 .                                       |
|  |              |   | Witness (if  | any)   | Kansas   | Receive<br>CORPORATION        | ed<br>N COMMISSION                         | Ţ  | Pere                                   | 5 /er   | Company                       |                                      |   |
|  |              |   | For Commi  | ssion  |  | DEC 04                        | 2015 -                                     |  |  | Chec  | cked by                       |                                      | -   |

CONSERVATION DIVISION WICHITA, KS

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator R&B Oil & Gas, Inc.  and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the D. Clark #1  gas well on the grounds that said well: |
|---|
| (Check one)   is a coalbed methane producer   is cycled on plunger lift due to water   is a source of natural gas for injection into an oil reservoir undergoing ER   is on vacuum at the present time; KCC approval Docket No   is not capable of producing at a daily rate in excess of 250 mcf/D    I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.   |
| Received KANSAS CORPORATION COMMISSION  DEC 0 4 2015  CONSERVATION DIVISION WICHITA, KS   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.