KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | t: | | | | (| See Instruct | ions on Reve | erse Side |) | | | | | |
|---|-------------------|--|---|--|-------------------------------|------------------|---|-----------------------------|---|--------------------------------|---------------------------------------|--|-------------------------|--|
| Op | en Flov | N | | | | | | | | N. an | | | | |
| Deliverabilty | | | | | Test Date: 09/02/2015 | | | | No. 15 175-22042-(| 0000 | | | | |
| Company MERIT E | | 3Y (| COMPANY | | 00/02/24 | | Lease ANTHON | IY B | | | | Well Nu | mber | |
| County Location SEWARD 330 FNL & 1250 FWL | | | Section 32 | | | | RNG (E/W) 33W | | Acres Attributed 640 | | Attributed | | | |
| Field | | | | | Reservoir | | | | Gas Gat | hering Conn | ection | | | |
| | | | | | CHESTER/MORROW | | | ONEOK | | | | | | |
| | | | | Plug Bac 6491 | Plug Back Total Depth 6491 | | | Packer 5 | Set at | | | | | |
| Casing Size Weight 5.5 17.0 | | | Internal E 4.892 | Diameter | Set at 6543 | | Perforations 5941 | | то 6187 | | | | | |
| Tubing Size Weight | | | Internal D | Internal Diameter | | Set at | | rations | То | | | | | |
| 2.375 | | /D | 4.7 | | | 1.995 6213 | | | Pump Unit or Traveling Plunger? Yes / No | | | | | |
| Type Con | NGLE | ΞĎ- | GAS | | WATE | | | | YES - | BEAM PU | MP | | | |
| Producing Thru (Annulus / Tubing) | | | | | % Carbon Dioxide | | | % Nitrog 5.524 | | | Gas Gravity - G _g 0.690 | | | |
| ANNULUS Vertical Depth(H) | | | | 0.2146 | 0.2146% Pressure Taps | | | | D76 | | | rover) Size | | |
| 6064 | op.i.i(i i | • | | | | FLAN | • | | | | 3.068 | | over, elec | |
| Pressure | Buildup | o: : | Shut in09/0 | 2 2 | o 15 at 10 | 0:00 AM | (AM) (PM) 1 | aken_09 | /03 | 20 | .15 at 10:00 A | AM_ | AM) (PM) | |
| Well on L | ine: | | | | 0 at | | (AM) (PM) 1 | aken | | 20 | at | (| AM) (PM) | |
| | | | | | | OBSERVE | D SURFACE | DATA | | | Duration of Shut- | _{in} 24 | Hours | |
| Dynamic Sia | | ifice | | Pressure Differential | Flowing | Well Head | | Casing Wellhead Pressure | | lubing ad Pressure | Duration | Liqui | Liquid Produced | |
| | | | | | Temperature 1 | Temperature t | (P _w) or (P ₁) or (P _c) | | (P _w) or (P _t) or (P _c) | | (Hours) | (Barrels) | | |
| Shut-In | | | haid (1 m) | | | | 22.0 | psia | psig | psia | 24 | | | |
| Flow | ! | | | | | | | | | | | | | |
| | | | | | | FLOW STR | EAM ATTRIE | BUTES | | | | | | |
| Plate Coefficient (F _b) (F _c) | | Circle one: Meter or Prover Pressure | | Press | Grav | oity | Flowing Dev | | viation Metered Flor | | v GOR | | Flowing | |
| | | | | Extension | Fact | tor T | emperature Factor | Fa | ctor | R | (Cubic Fe | et/ | et/ Fluid Gravity | |
| Mcfd | | | psia | $\sqrt{P_m x h}$ | F _s | , | F _{ti} | F _{pv} | | (Mcfd) | Barrel) | | G _m | |
| | | | | | | | · · · · · | | | | | _ | | |
| | | | | | (OPEN FLO | OW) (DELIV | ERABILITY) | CALCUL | ATIONS | | (P.): | 2 = 0.2 | 07 | |
| (P _c) ² = | | _: | (P _w) ² =_ | : | P ₀ = | 9 | % (Р _с | - 14.4) + | 14.4 = _ | : | (P _a): | | | |
| | | | | hoose formula 1 or 2 | : [| | Backpress | ure Curve | | | | Or | en Flow | |
| (P _c) ² - (F | ,)° | ()- | (P _w) ² - (P _w) ² | 1. P _c ² - P _s ² | LOG of fermula | | Slope | | n x | LOG | Antliog | Del | iverability | |
| (P _c)2 - (F | o _d)² | | | 2. P _c ² - P _d ² ivided by: P _c ² - P _c ² | 1. or 2. and divide by; | P2-P2 | Assi Standar | gned | | | | • | : R x Antilog (Mcfd) | |
| <u> </u> | | | | wideo by. 1 c - t w | | | | - | | | | | - | |
| | -+ | | - | | | | | | | | . | | | |
| S | | | | | <u></u> | | Dalling we half | . | <u> </u> | | Marid @ 14 CE noi | | | |
| Open Flor | | | | Mcfd @ 14. | • | | Deliverabili | | | | Mcfd @ 14.65 psi | | | |
| | | _ | • | | | | • | | | • | rt and that he ha | | - | |
| the facts s | tated th | erei | n, and that sa | d report is true | and correc | t. Executed | this the 30t | <u>n</u> | day of _N | ovember | | | 20 <u>15</u> . | |
| | | | | | К | | COIVED RATION COMM | ISSION | Mie | rit Energy (| | | , | |
| | | | Witness (if | any) | | ner. | 0 2 2015 | | k | _{For C} atherine M | Company IcClurkan | | | |
| | | | For Commi | sion | | | 0 6 (1119 | | <u> </u> | | cked by | | | |

CONSERVATION DIVISION WICHITA, KS

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Merit Energy Company and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the Anthony B 3 |
|---|
| gas well on the grounds that said well: |
| is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. |
| Date: _November 30, 2015 |
| Received KANSAS CORPORATION COMMISSION DEC 0 2 2015 CONSERVATION DIVISION WICHITA, KS Signature: Katherine McClurkan Youther McClurkan |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front-side as though it was a verified report of annual test results.