

FORM MUST BE TYPED

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Approx. 80' N of

API NO. 15- 155-21460-00-00

ORIGINAL

County Reno

E/2 SW NE SE Sec. 34 Twp. 22S Rge. 7 X W

Operator: License # 33031

Name: Mako Operating Company, LLC

Address PO Box 931

City/State/Zip Andover, KS 67002

Purchaser:

Operator Contact Person: Joe M. Baker

Phone (316) 733-5826

Contractor: Name: Berentz Drilling Company Inc.

License: 5892

Wellsite Geologist: Joe M. Baker

Designate Type of Completion  
 New Well  Re-Entry  Workover

Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, USW, Expl., Cathodic, etc)

If Workover/Reentry: Old Well Info as of **RECEIVED**  
KANSAS CORPORATION COMMISSION

Operator:

Well Name: 11-7-02 NOV 07 2002

Comp. Date Old Total Depth

Deepening  Re-perf.  CONSERVATION DIVISION  
 Plug Back  PBDT  
 Commingled  Docket No.  
 Dual Completion  Docket No.  
 Other (SWD or Inj?)  Docket No.

7-26-02 8-03-02 8-3-02

Spud Date Date Reached TD Completion Date

1730 Feet from (S)N (circle one) Line of Section

735 Feet from (E)W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, (SE), NW or SW (circle one)

Lease Name White Farms Well # 1-34

Field Name Wildcat

Producing Formation

Elevation: Ground 1586 KB 1591

Total Depth 3682 PBDT

Amount of Surface Pipe Set and Cemented at 237 Feet

Multiple Stage Cementing Collar Used? Yes  No

If yes, show depth set Feet

If Alternate II completion, cement circulated from

feet depth to w/ sx cmt.

Drilling Fluid Management Plan P&A'd On 11-14-02  
(Data must be collected from the Reserve Pit)

Chloride content 49000 ppm Fluid volume 1000 bbls

Dewatering method used hauled

Location of fluid disposal if hauled offsite:

Operator Name G&C Tank Service, Inc

Lease Name Roach SWDW License No. 30708

SE Quarter Sec. 14 Twp. 23 S Rng. 9 E/W

County Reno Docket No. 22208

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 207B, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature *[Signature]*

Title MANAGING MEMBER Date 11-7-2002

Subscribed and sworn to before me this 7<sup>th</sup> day of November, 2002

Notary Public Carolyn J. Gore

Date-Commission Expires 9-5-04

CAROLYN J. GORE  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 9-5-04

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)

Form ACO-1 (7-91)

Operator Name Amako Operating Company, LLC. SIDE TWO Lease Name White Farms Well # 1-34  
 Sec. 34 Twp. 22S Rge. 7  East County Reno  West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets.)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy.)  
 List All E.Logs Run:

Log Formation (Top), Depth and Datums  Sample  
 Name Top Datum  
 Lansing 2982 (-1190)  
 Mississippi 3544 (-2049)  
 Kinderhook 3662 (-2071)  
*on the*  
 Dist # 3548-3565 45-45-60-60  
 Strong Throughout Rec: 3' Clean Oil, 542' saltwater  
 IFP/FFP 61-182/190-265  
 ISP/FSP 844/844#  
 IHP/FHP 1640/1610# Temp: 116F

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	23	237'	60/40 Poz	250	3% CC

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	Depth

TUBING RECORD Size Set At Packer At Liner Run  Yes  No

Date of First, Resumed Production, SMD or Inj. Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas: METHOD OF COMPLETION Production Interval  
 Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
 (If vented, submit ACD-18.)  Other (Specify) \_\_\_\_\_

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

ORIGINAL Great Basin

DATE <u>07-26-02</u>	SEC. <u>34</u>	TWP. <u>22S</u>	RANGE <u>7W</u>	CALLED OUT <u>6:30 AM</u>	ON LOCATION <u>8:30 AM</u>	JOB START <u>10:30 AM</u>	JOB FINISH <u>11:00 AM</u>
LEASE <u>FLAIDE WHITE FARMS</u>		WELL # <u>1-34</u>	LOCATION <u>NKMERSON 3S 3 1/4 E 1/4 N</u>	COUNTY <u>KEND</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)							

CONTRACTOR BEAENTZ D.C. Co.

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 237'

CASING SIZE 8 5/8" DEPTH 237'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 14 BLS

OWNER MARO OPERATING CO LLC.

CEMENT AMOUNT ORDERED 2500# 60/40 3% CC 2 1/2" GA

COMMON	<u>150</u>	@	<u>6.65</u>	<u>997.50</u>
POZMIX	<u>100</u>	@	<u>3.55</u>	<u>355.00</u>
GEL	<u>4</u>	@	<u>10.00</u>	<u>40.00</u>
CHLORIDE	<u>8</u>	@	<u>30.00</u>	<u>240.00</u>

HANDLING	<u>262</u>	@	<u>1.10</u>	<u>288.20</u>
MILEAGE	<u>45</u>			<u>471.00</u>

TOTAL \$ 2392.30

EQUIPMENT

PUMP TRUCK CEMENTER BUD

# 181 HELPER John W

BULK TRUCK DRIVER LARRY

# 344 DRIVER \_\_\_\_\_

BULK TRUCK DRIVER \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

SERVICE

8 5/8" AT 237' BROKE CEMENT AT JACK

Mixed 2500# 60/40 3% CC 2 1/2" GA

DETAKE TUB TO 222'

CEMENT GRADUATED

DEPTH OF JOB	<u>237'</u>			
PUMP TRUCK CHARGE				<u>570.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>HS</u>	@	<u>3.00</u>	<u>135.00</u>
PLUG	<u>1-8 5/8" TOP 1100</u>	@	<u>45.00</u>	<u>45.00</u>

TOTAL \$ 700.00

CHARGE TO: MARO OPERATING CO LLC.

STREET P.O. Box 931

CITY ANDOVER STATE KS ZIP 67002

FLOAT EQUIPMENT

RECEIVED

KANSAS CORPORATION COMMISSION

NOV 07 2002

CONSERVATION DIVISION WICHITA, KS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX	<u>- 0 -</u>			
TOTAL CHARGE	<u>4</u>		<u>3092.30</u>	
DISCOUNT	<u>B</u>	<u>309.23</u>		IF PAID IN 30 DAYS

SIGNATURE [Signature] Cl. Ford/CAMP

PRINTED NAME

Net # 2783.07

# ALLIED CEMENTING CO., INC. 13121

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

ORIGINAL

Great Bend

DATE <u>8-3-02</u>	SEC. <u>34</u>	TWP. <u>22s</u>	RANGE <u>7w</u>	CALLED OUT <u>11:00 am</u>	ON LOCATION <u>12:30 am</u>	JOB START <u>12:45 am</u>	JOB FINISH <u>2:00 am</u>
LEASE <u>White-Farms</u>		WELL # <u>1-34</u>	LOCATION <u>4th street rd + #14 - E East</u>		COUNTY <u>Reo</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>2 north - 3/4 East - North into</u>				

CONTRACTOR Berentz

TYPE OF JOB Rotary plug

HOLE SIZE 7 7/8 TSP.

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER Mako Exploration

CEMENT

AMOUNT ORDERED 145 sy 60/40 4 20 gal

COMMON	<u>87</u>	@	<u>6.65</u>	<u>578.55</u>
POZMIX	<u>58</u>	@	<u>3.55</u>	<u>205.90</u>
GEL	<u>5</u>	@	<u>10.00</u>	<u>50.00</u>
CHLORIDE		@		
		@		
		@		
		@		
		@		
HANDLING	<u>150</u>	@	<u>1.10</u>	<u>165.00</u>
MILEAGE	<u>45</u>			<u>270.00</u>
<b>TOTAL</b>				<u>\$1269.45</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Jack

# 120 HELPER Steve

BULK TRUCK

# 341 DRIVER Honnie

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

1st plug @ 1050' with 35 sy cement

2nd plug @ 550' with 35 sy cement

3rd plug @ 290' with 35 sy cement

4th plug @ 60' with 25 sy cement

Rathole 125 sy cement

Hole stayed full

**SERVICE**

DEPTH OF JOB 1050'

PUMP TRUCK CHARGE \_\_\_\_\_ 520.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 45 @ 3.00 135.00

PLUG \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**TOTAL** \$1655.00

Thanks

Mako

CHARGE TO: Mako Exploration

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**RECEIVED**

KANSAS CORPORATION COMMISSION

**FLOAT EQUIPMENT**

NOV 07 2002

CONSERVATION DIVISION

WICHITA, KS

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**TOTAL** \_\_\_\_\_

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Neal Cepuch

TAX - 0 -

TOTAL CHARGE \$ 1924.45

DISCOUNT \$ 192.45 IF PAID IN 30 DAYS

PRINTED NAME

Net \$1732.00