## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test                           | :  |            |  |   | (                             | See Instruct   | tions on Rev                         | erse Side                              | ;)             |  |                     |                            |   |
|-------------------------------------|--|------------|--|---|-------------------------------|--|--------------------------------------|--|----------------|--|---------------------|----------------------------|---|
|                                     | en Flo   |            |  |   | Test Date                     | ·  |                                      |  | ΔΡΙ            | No. 15                                   |                     |                            |   |
| Del                                 | liverab  | ilty4      | Hr. Gu   | ut in Test  | 10/15/1                       |  |                                      |  |                | 033-21202 -                              | 0000                |                            |   |
| Company<br>Americal                 | '  |            |  | <del></del>   |                               |  | Lease<br>Thies                       |  |                |  | #1                  |                            | lumber  |
| County<br>Comand                    | he   |            | Locati<br>C-NW-S                                 |   | Section<br>1                  |  | TWP<br>32                            |  | RNG (E.        | (W)                                      |                     |                            | Attributed                                    |
| Field<br>NA                         |  |            | ·  |   | Reservoir<br>Swope            | •  |                                      |  | Gas Gat<br>WPS | thering Conne                            | ection              | Å.                         | CC WICE                                       |
| Completic<br>06/17/03               |  | е          |  |   | Plug Bac<br>4900'             | k Total Dept   | h                                    |  | Packer S       | Set at                                   |                     | DE                         |   |
| Casing Si<br>51/2                   | ze   |            | Weigh<br>15.5                                    | t   | Internal E<br>4.950           | Diameter   | Set a<br>5617                        |  | Perfo<br>481   | rations<br>6'                            | To<br>48            | 20' RE                     | C 8 2015                                      |
| Tubing Si<br>23/8                   | ze   |            | Weigh<br>4.70                                    | t   | Internal D<br>1.995           | Diameter   | Set a<br>4856                        |  | Perfo          | rations                                  | То                  |                            | CIVED   |
| Type Con<br>Gas & c                 |  | n (De      | escribe)   |   |                               | d Production<br>ormation \                               |                                      |  |                | nit or Traveling<br>ing unit             | Plunger?            | Yes / No                   |   |
| _                                   | •  | (Anr       | rulus / Tubing                                   | 1)  | % C                           | arbon Dioxí  | de                                   |  | % Nitrog       | jen                                      | Ga                  | s Gravity -                | G <sub>o</sub>                                |
| Annulus                             |  | Δ.         |  |   |                               | <u> </u>   | <del></del>                          |  |                |  |                     | . 5                        | D 10:   |
| Vertical D                          | epth(F   | 1)         |  |   |                               | Pres   | sure Taps                            |  |                |  | (Me                 | eter Run) (                | Prover) Size                                  |
| Pressure                            | Buildu   | p: -       | Shut in 10/                                      | 15 2  | 0 15 at 3                     | :00pm  | (AM) (PM)                            | Taken_10                               | 0/16           | 20                                       | 15 at 3:3           | 0PM                        | . (AM) (PM)                                   |
| Well on L                           | ine:   |            | Started  | 2   | 0 at                          |  | (AM) (PM)                            | Taken                                  |                | 20                                       | at                  |                            | . (AM) (PM)                                   |
|                                     |  |            |  |   |                               | OBSERVE  | D SURFACE                            | DATA                                   |                |  | Duration of S       | Shut-in_24                 | 1 Hours                                       |
| Static /<br>Dynamic                 | Orifi<br>Siz   |            | Circle one:<br>Meter<br>Prover Pressu            | Pressure<br>Differential<br>in  | Flowing<br>Temperature        | Well Head<br>Temperature                                 | Casi<br>Welihead I                   | Pressure                               | Wellhe         | Tubing<br>ead Pressure                   | Duration<br>(Hours) |                            | uid Produced<br>(Barrels)                     |
| Property                            | (inch  | es)        | psig (Pm)  | Inches H <sub>2</sub> 0   | t                             | t  | (P <sub>w</sub> ) or (P <sub>e</sub> | psia                                   | psig           | r (P <sub>1</sub> ) or (P <sub>c</sub> ) | (110013)            |                            | (Dallels)                                     |
| Shut-In                             |  |            |  |   |                               |  | 50                                   | •                                      |                |  |                     |                            |   |
| Flow                                |  |            |  |   |                               |  | 45                                   |  |                |  |                     |                            |   |
|                                     |  |            |  |   |                               | FLOW STR   | REAM ATTRI                           | BUTES                                  |                |  |                     |                            |   |
| Coeffied<br>(F <sub>b</sub> ) (F    | Plate<br>Coeffiecient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd |            | Circle one:<br>Meter or<br>over Pressure<br>psia | Press<br>Extension<br>√ P <sub>m</sub> x h  | Grav<br>Fac<br>F              | tor Temperature  |                                      | Deviation<br>Factor<br>F <sub>pv</sub> |                | Metered Flow<br>R<br>(Mcfd)              | (Cut                | GOR<br>pic Feet/<br>arrel) | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |
|                                     |  |            |  |   |                               |  |                                      |  |                |  |                     |                            |   |
| (D.)2                               |  |            | /D \2  |   |                               | - •  | ERABILITY)                           |  |                |  |                     | $(P_a)^2 = 0$              |   |
| (P <sub>c</sub> ) <sup>2</sup> =    |  | <u>-</u> - | (P <sub>w</sub> ) <sup>2</sup> =                 | Choose formula 1 or 2   |                               | <del></del> `  |                                      | · - 14.4) +                            |                | ;  |                     | (P <sub>d</sub> )² =       |   |
| (P <sub>c</sub> ) <sup>2</sup> - (I | P <sub>a</sub> )²  | (F         | )2 - (P <sub>w</sub> )2                          | 1. P <sub>a</sub> <sup>2</sup> -P <sub>a</sub> <sup>2</sup>   | LOG of formula                |  | Slop                                 | ssure Curve<br>ne ≕ "n"                | n x            | LOG                                      | 4-4:1               |                            | Open Flow<br>eliverability                    |
| (P <sub>c</sub> ) <sup>2</sup> - (F | P <sub>d</sub> )²  |            |  | 2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> | 1. or 2.<br>and divide<br>by: | P <sub>c</sub> <sup>2</sup> -P <sub>y</sub> <sup>2</sup> | Ass                                  | or<br>signed<br>ard Slope              | -              |  | Antilog             |                            | als R x Antilog<br>(Mcfd)                     |
|                                     |  |            | +  | _   | <u> </u>                      |  |                                      |  |                |  |                     | -                          |   |
| Open Flo                            | w  |            |  | Mcfd @ 14   | .65 psia                      |  | Deliverab                            | ility                                  |                |  | Mcfd @ 14.6         | 5 psia                     |   |
|                                     |  | inne       | d authority o                                    | n behalf of the   | •                             | etatae that h  |                                      |  | to make 4      |  |                     |                            |   |
|                                     |  |            |  | aid report is tru   |                               |  |                                      |  |                |  | it and that f       |                            | , 20 <u>15</u> .                              |
|                                     |  |            |  |   |                               |  | _                                    |  | <u> </u>       | hulle                                    | u Cas               | SL_                        |   |
|                                     |  |            | Witness (  | f any)  |                               | ·  |                                      |  | ·              | For C                                    | Company             |                            |   |
|                                     |  | -          | For Comn   | nission   |                               |  | -                                    | <del></del>                            |                | Chec                                     | cked by             |                            |   |

|            | are under penalty of perjury under the laws of the state of Kansas that I am authorized to request atus under Rule K.A.R. 82-3-304 on behalf of the operator American Warrior Inc. |
|------------|--|
|            | he foregoing pressure information and statements contained on this application form are true and   |
| correct to | the best of my knowledge and belief based upon available production summaries and lease records  |
|            | ent installation and/or upon type of completion or upon use being made of the gas well herein named.   |
| I here     | by request a one-year exempti <del>e</del> n from open flow testing for the  |
| gas well c | n the grounds that said well:  |
|            | (Check one)  |
|            | is a coalbed methanesproducer  |
|            | is cycled on plunger lift due to water   |
|            | is a source of natural gas for injection into an oil reservoir undergoing ER   |
|            | is on vacuum at the present time; KCC approval Docket No   |
|            | is not capable of producing at a daily rate in excess of 250 mcf/D   |
|            |  |
| I furth    | er agree to supply to the best of my ability any and all supporting documents deemed by Commission   |
|            | ecessary to corroborate this claim for exemption from testing.   |
| staff as n |  |
|            |  |
|            | 7/2015   |
|            | 7/2015   |
| staff as n |  |
|            | Signature: WELL OPERATIONS ASSISTANT   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.