


STATE OF KANSAS  
STATE CORPORATION COMMISSION

All Information Completely  
Made Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above  
Section Plat

Stafford County, Sec. 16 Twp. 24S Rge. 15W (E) (W)  
Location as "NE/CNW/SW" or footage from lines CNW NW  
Lease Owner Ray Law & LARRY MOORE RANCH, INC.  
Lease Name O'Connor Well No. 1  
Office Address Box 188 - McPherson, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole)  
Date well completed 19  
Application for plugging filed 19  
Application for plugging approved July 27 19 56  
Plugging commenced August 16 19 56  
Plugging completed August 26 19 56  
Reason for abandonment of well or producing formation Well was making 3 bbl per Day  
If a producing well is abandoned, date of last production August 19 56  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Brundage  
Producing formation K.C. Lame Depth to top Bottom Total Depth of Well 3650 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE   | PUT IN | PULLED OUT |
|-----------|---------|------|----|--------|--------|------------|
|           |         |      |    | 8-5/8" | 270    | None       |
|           |         |      |    | 5-1/2" | 4063   | 2143'      |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |
|           |         |      |    |        |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled the hole with sand from 3650' to 3637' and ran 5 sacks of cement. Mudded the hole to 275', set a 15' rock bridge and ran 25 sacks of cement. Mudded the hole to 25', set a rock bridge and ran 10 sacks of cement to base of cellar. Plugging completed.

RECEIVED  
STATE CORPORATION COMMISSION  
10-21-56  
OCT 21 1956  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor West Supply Co., Inc.  
Address Chase Kansas

STATE OF Kansas COUNTY OF McPHERSON, ss.  
FLOYD E LIETZ (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.  
(Signature) Floyd E Lietz

SUBSCRIBED AND SWORN TO before me this 26 day of October, 1956  
Carroll D. Winslow  
Notary Public.  
My commission expires Jan. 17, 1957


PLUGGING  
FILE SEC. 16 T. 24 R. 15W  
BOOK PAGE 84 LINE 14

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY  
412 Union National Bk. Bldg., Wichita, Kansas

Company - J. M. HUBER CORP.  
Farm - O'Connor No. 1

SEC. 16 T. 24 R. 15 W  
CNW NW

Total Depth. 4072'  
Comm. 3-28-47 Comp. 4-16-47  
Shot or Treated.  
Contractor. Coppinger & Southern  
Issued. 6-7-47



CASING:  
10 3/4" 290' Cem. w/165 Sx.  
5 1/2" 4064' Cem. w/125 sx.

Elevation. \_\_\_\_\_

Production. 26,000,000 G.

Figures Indicate Bottom of Formations.

|                   |      |
|-------------------|------|
| sand & clay       | 120  |
| clay              | 180  |
| shale & shells    | 300  |
| shale             | 450  |
| water sand        | 502  |
| red bed           | 550  |
| shells & shale    | 845  |
| shale             | 975  |
| anhydrite         | 995  |
| shale & shells    | 1780 |
| lime              | 1875 |
| lime & shale      | 2125 |
| lime & shells     | 2230 |
| lime & shale      | 2395 |
| lime & shale brks | 2505 |
| lime & shale      | 2805 |
| shale & shells    | 2915 |
| lime & shale      | 2993 |
| shale             | 3075 |
| lime & shale      | 3150 |
| lime              | 3365 |
| lime & shale      | 3425 |
| lime              | 3565 |
| lime & shale      | 3597 |
| shale             | 3665 |
| lime              | 3742 |
| lime & shale      | 3784 |
| shale             | 3789 |
| lime              | 3950 |
| shale             | 3999 |
| cherty shale      | 4030 |
| shale             | 4060 |
| lime              | 4064 |

Total Depth Rotary  
lime 4072  
Total Depth (Cable)

Tops:

|          |      |
|----------|------|
| Lansing  | 3647 |
| Viola    | 3996 |
| Simpson  | 4027 |
| Arbuckle | 4061 |

PLUGGING  
FILE SEC 16 T 24 R 15 W  
BOOK PAGE 84 LINE 14