KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:			(See Instruc	ctions on Re	verse Side)				
✓ Op	en Flow			Test Date	·-			ADI	No. 15			
Del	Deliverabilty		12/9/15					API No. 15 187-20387 0000				
Company BEREXC				·		Lease G & G					Well Number	
County STANTON		SWNE	tion NWNE	Section 28			TWP 30S		V)	Acres Attributed		
Field BEAUCHAMP		,	·	Reservoi U. MO	RROW		Gas Gathering DUKE ENE					•
Completion Date 9/25/85				Plug Bac 5253'	Plug Back Total Depti 5253'		h		et at			•
Casing Size 4 1/2"		Weight 10.5		Internal Diameter 4.090		Set at 5649 '		Perforations 5092'		то 5106'		
Tubing Si 2 3/4"	ubing Size Weight 4.7		jht	Internal Diameter 1.995		Set at 5050'		Perforations		То		•
Type Completion (D		Describe)		Type Flui N/A	d Production	on	Pump Unit or T NO		it or Traveling	aveling Plunger? Yes / No		•
Producing		nnulus / Tubi	ng)	% (Carbon Diox	ride		% Nitroge	en	Gas G .758	ravity - G _g	•
Vertical Depth(H) 5099'					ssure Taps NGE		'		•	Meter Run) (Prover) Size 4.026		
Pressure Buildup:		Shut in 12	12/8 20		15 _{at} 8 AM		(AM) (PM) Taken 12		20	15 _{at} 8 AM	(AM) (PM)	
Well on Li	ine:	Started		20 at		_ (AM) (PM)	Taken		20	at	(AM) (PM)	.
		- Circle		T	OBSERV	ED SURFAC			· ·	Duration of Shut	-in_24Hours	
Static / Dynamic Property	Orifice Size (inches)	Meter Prover Pres	Pressure in Temperature t (P_w) or (P_1) or (P_c) (P_w) or (P_1) or (P_c)		Duration (Hours)	KANGHID PROPRISED TO THE CONTROL OF	ed V Cour					
Shut-In		poig (y Indica 1120			psig	psia	psig 180	psia	24	DEC 28	2015
Flow					<u> </u>						CONSERVATION DIV.	ISION
					FLOW ST	REAM ATTR	IBUTES				1	1
Plate Coefficeient (F _b) (F _p) Mcfd		Circle one: Meter or over Pressure psia Press Extension P _m X h		Fac	Gravity Factor F _g		Fa	riation actor	Metered Flo R (Mcfd)	w GOR (Cubic Fo Barrel	eet/ Fluid	
(P _c)² =		: (P _w) ²		(OPEN FL P _d =:		VERABILITY % (F) CALCUL c - 14.4) +		•	· a) ² = 0.207) ² =	
(P _c) ² - (F or (P _c) ² - (F	-	(P _c) ² - (P _w) ²	Choose formula 1 or 1. P _c ² - P _c ² 2. P _c ² - P _d ² divided by: P _c ² - P	LOG of formula 1. or 2. and divide		Backpre Slo 	ssure Curve pe = "n" - or signed lard Slope	, n x 1	og []	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
			200				•					1
		.	N (1.0.4)			D. F. cook	-174			M-44 @ 44 05		
Open Flor	W		Mcfd @ 14	i.65 psia		Deliverat	onity			Mcfd @ 14.65 ps	sia .	•
	_	•	on behalf of the said report is tre					o make th	•	ort and that he h	as knowledge of, 20	
						-	B	At 6	gh_			_ ,
		Witness	s (if any)						For	Company		
		For Con	nmission			-			Che	ecked by		-

	e under penalty of perjury under the laws of the state of Kansas that I am authorized to request								
	us under Rule K.A.R. 82-3-304 on behalf of the operator Berexco LLC								
	e foregoing pressure information and statements contained on this application form are true and								
correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.									
as well on	the grounds that said well:								
('Check one)								
	is a coalbed methane producer								
	is cycled on plunger lift due to water								
	is a source of natural gas for injection into an oil reservoir undergoing ER								
	is on vacuum at the present time; KCC approval Docket No								
	✓ is not capable of producing at a daily rate in excess of 250 mcf/D								
l furthe	r agree to supply to the best of my ability any and all supporting documents deemed by Commission								
	essary to corroborate this claim for exemption from testing.								
ate: 12/22	2/15								
u.o	NANSAS CORPORATION DEC 20								
	Dr.								
	DEC 28								
	MI NO I WICHTON D								
	Signature:								
	Title: Petroleum Engineer								

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.