KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	•				•	000 11101111	chons on ho	0.00	"				
= '	en Flow Iiverabil			•	Test Date 09/25/19				API	No. 15	'-20002 – 0	000	
Company BEREXC					•		Lease PARKI	N			4	Well Nu	ımber
County KIOWA			Locatio C SW N		Section 9		TWP 30S		RNG (E/ 18W	W)		Acres /	Attributed
Field		<u> </u>	Reservoir MISS				Gas Gat	hering Conne	ection				
Completion Date 1/29/1967				k Total De	pth		Packer S						
		Weight	Internal Diamete		Diameter	Set at 4986		Perforations 4986		To 4996			
ubing Size Weigh		Internal Diameter		Diameter	Set at 4985		Perforations OPEN		То				
2 3/8 Type Completion (Describe) SINGLE GAS				id Production		,			g Plunger? Yes / No				
			ulus / Tubing)	···	WTR % C	Carbon Dio	xide		% Nitrog	en	Gas G	Bravity - (G _g
NNUL ertical D)				Pre	ssure Taps				(Meter	r Run) (P	rover) Size
	Puildun		Shut in	4 2	, 15 _. , 1	:00 pm	/ANA\ /DNA\	Takan 09	9/25	20	15 _{at} 1:00	 pm	(AM) (PM)
ressure /ell on L			strut III								at		
					. <u>. </u>	OBSERV	ED SURFACE	E DATA			Duration of Shu	ıt-in_24	Hour
Static / Orifice ynamic Size roperty (Inches)		,	Circle one: Meter Prover Pressure		Flowing Temperature t	Well Head Temperatur	Wellhead	Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		fubing ad Pressure r (P _c) or (P _c)	Duration H		ideroeused Earlich Comm
Shut-In	(IIIOIIO	:0)	psig (Pm)	Inches H ₂ 0		<u> </u>	psig 68	psia	psig 35	psia	<u> </u>		2 8 2015
Flow)NSERVA	TION DIVISIO
				<u></u>		FLOW ST	REAM ATTR	BUTES				 WICI	HTA, KS
Plate Coeffiecient (F _b) (F _p) Mofd			Circle one: Meter or ver Pressure psia	Press Extension ✓ P _m x h	Grav Fac F	or Temperature		Fa	viation actor = pv	Metered Flov R (Mcfd)	(Cubic F	GOR (Cubic Feet/ Barrel)	
				·	(OPEN FL	OW) (DELI	VERABILITY	CALCUL	ATIONS		/5		
'c)2 =		_:	(P _w) ² =_	:	P _d =	, ,	,	, , - 14.4) +		<u></u> :		$\binom{1}{6}^2 = 0.2$:07
$(P_e)^2 - (P_a)^2$ or $(P_e)^2 - (P_d)^2$		(P	,)° - (P _w)°	hoose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ wided by: $P_c^2 - P_a^2$	LOG of formula 1, or 2. and divide	P _c ² -P _w ²	Backpressul Slope = or- Assign Standard		l n x	LOG	Antilog	De	pen Flow liverability s R x Antilog (Mcfd)
		-			<u> </u>							 	
Open Flow			Mcfd @ 14.65 psia				Deliverability			Mcfd @ 14.65 psia			
The	undersi	•	authority, on							ne above repo	ort and that he I		vledge of 20 <u>15</u> .
			Witness (if a	any)			-			For C	Company		
			For Commis	sion			-			Chec	cked by		

L declare	under penalty of perjury under the laws of the state of Kansas that I	am authorized to request
	s under Rule K.A.R. 82-3-304 on behalf of the operator Berexco LLC	an admoness to request
	foregoing pressure information and statements contained on this app	olication form are true and
	best of my knowledge and belief based upon available production sum	
of equipment	installation and/or upon type of completion or upon use being made of t request a one-year exemption from open flow testing for the Parkin #4	the gas well herein named.
	ne grounds that said well:	
(C	heck one)	
,-	is a coalbed methane producer	
	is cycled on plunger lift due to water	
	is a source of natural gas for injection into an oil reservoir underg	going ER
	is on vacuum at the present time; KCC approval Docket No	
	is not capable of producing at a daily rate in excess of 250 mcf/L)
I further a	agree to supply to the best of my ability any and all supporting docume	ents deemed by Commission
staff as nece	ssary to corroborate this claim for exemption from testing.	Received KANSAS CORPORATION COM
- 40/45/	45	DEC 28 20
Date: <u>12/15/</u>	<u>15 </u>	CONSERVATION DIVIS WICHITA, KS
	Signature: 12 Al	
	Title: Petroleum Engineer	

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.