MAR PAGE 25

STATE OF KANSAS
STATE OF KANSAS
STATE CORPORATION COMMISSION
Give &1 Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission

WELL PLUGGING RECORD

State Corporation Commission 800 Bitting Building Wichita, Kansas	Sta	efford	Coun	ty. Sec. 15	Twp. 24 R	tge 12 (E).	W(W
NORTH	Location as "N	E/CNW¼SW¼	" or footage fro	om lines	C N/2, SE	1/4. SE/4	
	Lease Owner	 р сь	Stanoling	Ull and G	as Company		
	Lease Name	R. Ch Box 16	54. Oklah	oma City.	Oklahoma	Well No	
		Vell (completed					
i i		pleted					
		r plugging filed					19 5]
		plugging approv					19 <u>5]</u>
	Plugging comm	ienced leted		***************************************	·····	6-1- 6-5-	19 51
<u> </u>		andonment of w					
		andonnient of w					
		well is abandon					
	Was permission	n obtained from	the Conserva	tion Division o	r its agents be	fore plugging	was com
Locate well correctly on abov Section Plat	menced?Y		A 72		ð- ++±000 0000000000000000000000000000000	***************************************	
Vame of Conservation Agent who roducing formation Viols	supervised plugging of th	nis well	A. RIVES	2828	/D.4.1 TS 11 6	282 4	
how depth and thickness of all w			4 Botton		Total Depth of	Well2929	Fee
_	,)A\$.					
OIL, GAS OR WATER REC	ORDS	•	_			CASING RI	ECORD
Formation	Content	From	То	Size	Put In	Pulled	Out
Viola	Oil	3814	3838	8-5/8	257	Non	е
•				5-1/2	3831	291	7
		/					==
,,+1,4414, _{1,4} ,,1444,,,,,,4,1,,,,,4,1,,,,,,,,,,		•					
			1				
						·	
15 sx cement Hvy. mud C/Rock Capped w/10 sx ce 30 - Bottom of Ce	195 - 35 35 - 30 ment	*******************************					
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						******************************)+P\$more na mas and mer

,			·	E a Los	6 *0, [*** 1] X A		·····
<u></u>						HMISSION	
				11	JN 2 6 1951	6-26	5 1
	······				yarısı el	4421 0 11	***************************************
	(If additions	1 description is neces	same was RACK of	this sheet)	chita, Kans		
Correspondence regarding th	is well should be addresse	ed to.	G. A. You	nie	**************************************	*****	
ddress	Box 7, Ellinwood	, Kansas		***************************************		********************************	************
				***************************************		*********************	
TATE OF Kansas	, COUN	NTY OF	Barton		. SS.		
	unie					the above-desc	ribed well
eing first duly sworn on oath, sa escribed well as filed and that th	ys: That I have knowled	dge of the facts,	statements, an				
		(Signature)	JUL	Jan	un.	Field Su	pt.
			() ()		Ellinwood	, Kansas	*****************
SUBSCRIBED AND SWORN TO be	fore me this 20th	day of	Jı		, 19.	50	
				Z N	y		
			K	- Martraka	e) Dea	Notari	Public.
Iy commission expires	2-6-54	23-5091-s	8-50—10M			=: = : # # #	
, Dile	CLORED FOR		*				

FORM 90 4-48

STÁNÖLIND OIL AND GAS COMPANY WELL RECORD

WATER SANDS NAME FROM TO WATER LEVEL LINER-SCREEN RECORD CASING RECORD (OVERALL MEASUREMENT) WHATHOUGH WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED) WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? FEAT AND RESULTS OBTAINED WE					_					PPLEMENTAL		
BEAST THE WEST THE WE						EASE ROS	scoe C.	Charles		 -	-WELL NO	5
SECTION BOTTONISHIP 22 SOUTH ARROES 12 WEST TOWNSHIP 22 WEST TOWNSHIP 25 W					₫,							
Stafford ELEVATION Detrick Fig. 1868 - Ground 1865! COMPLETED AS 30 OF WILL GAS WELL WATER WELL GRY HOLE COMPLETED AS 30 OF WILL GAS WELL WATER WELL GRY HOLE COMPLETED AS 30 OF WILL GAS WELL WATER WELL GRY HOLE COMPLETED AS 30 OF WILL GAS WELL WATER WELL GRY HOLE COMPLETED AS 30 OF WILL GAS WELL WATER WELL GRY HOLE COMPLETED AS 30 OF WILL GAS WELL WATER WELL GRY HOLE COMPLETED AS 30 OF A TO A TO A WATER WELL GRY HOLE COMPLETED AS 30 OF A TO A WATER WELL GRY HOLE COMPLETED AS 30 OF A TO A WATER WATER WELL GRY HOLE AND TO WATER SANDS OF A TOWN TO WATER WATER WATER SANDS WA						SEAST WEST OF THE	□EAST	INE OF THE	C N/2	m SE	_ ¼ _ SE	¼.
COMPLETED AS IN QUIL WELL GRAS WELL		 	15									
COMPLETED AS GOOL WELL GAS WEL		 -					Stafford			Kans	38 9	
COMMERCE AS GOIL WELL GARRY AND COMMENCED 6-28-10.41 DIRECTION OF COMPANY SERROLING OLD AND GARRY ADDRESS BOX 591, Tules, Oklahome OLL OR GAS SANDS OR ZONES NAME FROM TO MAKE FROM TO MAKE FROM TO WATER LYNE. AND SAND RECORD GREAT MAKE FROM TO WATER LYNE. CASING RECORD GREAT MAKE WELL GARRY GARRY GARRY GARRY WELL GARRY WELL GARRY			.		E	LEVATION:	Derrick	Flr. 186	<u> - 88</u>	Ground :	1865 '	
DECENTING COMPANY SERDITION OIL OR OAS SANDS OR ZONES OIL OR OAS SANDS OR ZONES FROM 10 OIL OR OAS SANDS OR ZONES FROM 10 Anhydrite 650' VOTAT SANDS WATER SANDS OF SANDS OR ZONES FROM 10 WATER SANDS WATER SANDS WATER SANDS CASING RECORD COVERAL MEASUREMENT) CASING RECORD MAKE COVERAL MEASUREMENT) CASING RECORD MAKE COVERAL MEASUREMENT COVERAGE OF THE METICAL TOOLS OF				•	_ c	OMPLETED AS:	Ø OIL WEL	.L □GA	SWELL [WATER WEL	LL DRYH	łOLE
DECENTING COMPANY SERDITION OIL OR OAS SANDS OR ZONES OIL OR OAS SANDS OR ZONES FROM 10 OIL OR OAS SANDS OR ZONES FROM 10 Anhydrite 650' VOTAT SANDS WATER SANDS OF SANDS OR ZONES FROM 10 WATER SANDS WATER SANDS WATER SANDS CASING RECORD COVERAL MEASUREMENT) CASING RECORD MAKE COVERAL MEASUREMENT) CASING RECORD MAKE COVERAL MEASUREMENT COVERAGE OF THE METICAL TOOLS OF							_		_	_	_	
OLORGAS SANDS OR ZONES MAME FROM TO MAME FROM TO Anhydrite 650' VATER SANDS OR ZONES WATER SANDS OR ZONES LINER.SCREEN RECORD CASING RECORD COVERAL HAAUMENING CASING RECORD CASING RECORD THAA TOUR PACKET RECORD CASING RECORD CASING RECORD THAA TOUR PACKET TOUR SAND TOUR TOUR PACKET RECORD TOUR COURS TOUR PACKET RECORD TO THE SECOND OF THE SAND TOUR PACKET R												
Anitydrite 6501 Pylola Lime 3814; 3838; 0 SWATER RANDS WASTER RANDS LINER SCREEN RECORD WASTER LEVEL CASING RECORD DEVEAU, MANUFACTURE STATE WASTER WASTER RECORD STATE WASTER WASTER RECORD STATE WASTER RECORD STATE WASTER RECORD STATE WASTER RECORD MANUFACTURE PACKER RECORD MANUFACTURE STATE MANUFACTURE MANUFACTURE MANUFACTURE MANUFACTURE MANUFACTURE MANUFACTURE MANUFACTURE MANUFACTURE WERE BOTTOM HOLE PLUGS USEDOT WASTER LEVEL TO THE MANUFACTURE WASTER LAND FROM THE MANUFACTURE WASTER WASTER WASTER WASTER WASTER WASTER BOLS. PASS WELL, CUBIC PEET FOR 24 HOURS SHOTTIN PRESSURE SHOTTIN PRESSURE SHOTTIN PRESSURE LAND FROM THE MECORDS OF THE MECORD OF THE MECORDS OF THE MECO	OPERATING	COMPANY	Stanol	lind Uil					30x 591,	<u>luisa, Ol</u>	<u>clahoma</u>	
AND STATE KIND, DEPTH SET, AND RESULTS OBTAINED WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE FULLED? WERE BOTTOM HOLE PLUGS USED? FEET TO SANDS WAS USED TO PROTECT SANDS WAS USED. PEET TO SANDS WAS USED. BILL. THE METHOD WAS USED. TO THE SANDS WAS USED. BILL. THE METHOD WAS USED. TO THE SANDS WAS USED. BILL. TO SANDS WAS USED. BILL. THE METHOD WAS USED. TO THE SANDS WAS USED. BILL. THE METHOD WAS USED. BILL. THE METHOD WAS USED. TO SANDS WAS USED. TO PROTECT ACCOUNT OF THE SANDS WAS USED. BILL. THE METHOD WAS USED. TO TH	•		NAME					. NA	ME		FROM TO	
WATER SANDS MAME PRON TO WATER LEVEL LINER SCREEN RECORD OUNTING LEVEL CASING RECORD COMMAL MAMUNICHENTY CASING RECORD COMMAL MAMUNICHENTY CASING RECORD COMMAL MAMUNICHENTY LINER SCREEN RECORD OUNTING FRACKER RECORD MUDDING RECORD OUNTING OUNTING FRACKER RECORD MUDDING RECORD OUNTING OUNTING OUNTING FRACKER RECORD MUDDING RECORD MUDDING RECORD OUNTING FRACKER RECORD MITHOD FRAL FRESS MITHOD MITHOD MENUTS CEMENTY CEMENT FRANCE OUNTING OUNTING OUNTING FRANCE OUNTING OUNTING FRANCE OUNTING FRANCE OUNTING	Anhyd	rite			650							
NAME FROM TO WATER LAVE NAME PROM TO WATER LEVEL 2 CASING RECORD IOVERAL MEASUREMENT) 2 CASING RECORD IOVERAL MEASUREMENT) 2 CASING RECORD IOVERAL MEASUREMENT) 3-5/80D 28# 8-VT Used 26318# Thde off landed 25918# MAKE AND TYPE 3-5/80D 28# 8-VT Used 26318# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 14# 8-RT Pitt. 3816*8# Thde off landed 382311# 5-1/2 1831 100 Common Dowell Set of landed 382311# 5-1/2 1831 100 Common Dowell	² Viola	Lime		<u> </u>	3814	1 38381	5					
CASING RECORD (COURACL MEASUREMENT) CASING WATER LEVEL SET AT SET AT MAKE AND TYPE PACKER RECORD CAME (COURT) PACKER RECORD CAME (COURT) CAME (COUR	3 							<u> </u>		,		
CEMENTING RECORD SIZE WEIGHT THREEDS MARE SHADE PRITE SIZE OLD STATE TO SET AT SOTTON MARE AND TYPE 3-5/80D 28# 8-VT Used 26318# Thds. off landed 25918# 3-1/2 14# 8-RT Pitt. 381618# Thds. off landed 382311# PACKER RECORD SIZE LENGTH SET AT MAKE AND TYPE CEMENTING RECORD SIZE LENGTH SET AT MAKE AND TYPE SIZE LENGTH SET AT MAKE AND TYPE SIZE WHERE SET CEMENT METHOD FINAL PRESS METHOD RESULTS -5/80D 257 130 Ideal quickset Dowell DOWell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEO. STATE KIND, DEPTH SET, AND RESULTS OBTAINED SIZE NOTARY TOOLS WERE USED FROM 0 FEET TO 3838 FEET. AND FROM CHEET TO FEET T		NAME	·	FROM	то			NAME		FROM	TO WATER L	EVEL
CEMENTING RECORD SIZE WEIGHT THREEDS MARE SHADE PRITE SIZE OLD STATE TO SET AT SOTTON MARE AND TYPE 3-5/80D 28# 8-VT Used 26318# Thds. off landed 25918# 3-1/2 14# 8-RT Pitt. 381618# Thds. off landed 382311# PACKER RECORD SIZE LENGTH SET AT MAKE AND TYPE CEMENTING RECORD SIZE LENGTH SET AT MAKE AND TYPE SIZE LENGTH SET AT MAKE AND TYPE SIZE WHERE SET CEMENT METHOD FINAL PRESS METHOD RESULTS -5/80D 257 130 Ideal quickset Dowell DOWell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEO. STATE KIND, DEPTH SET, AND RESULTS OBTAINED SIZE NOTARY TOOLS WERE USED FROM 0 FEET TO 3838 FEET. AND FROM CHEET TO FEET T	1						3					
CEMENTING RECORD SIZE WEIGHT THREEDS MARE SHADE PRITE SIZE OLD STATE TO SET AT SOTTON MARE AND TYPE 3-5/80D 28# 8-VT Used 26318# Thds. off landed 25918# 3-1/2 14# 8-RT Pitt. 381618# Thds. off landed 382311# PACKER RECORD SIZE LENGTH SET AT MAKE AND TYPE CEMENTING RECORD SIZE LENGTH SET AT MAKE AND TYPE SIZE LENGTH SET AT MAKE AND TYPE SIZE WHERE SET CEMENT METHOD FINAL PRESS METHOD RESULTS -5/80D 257 130 Ideal quickset Dowell DOWell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEO. STATE KIND, DEPTH SET, AND RESULTS OBTAINED SIZE NOTARY TOOLS WERE USED FROM 0 FEET TO 3838 FEET. AND FROM CHEET TO FEET T	2						4					
3-5/80D 28# 8-VT Used 26318# Thds. off landed 25918# 3-1/2 14# 8-RT Pitt. 381618# Thds. off landed 3823*11# PACKER RECORD SIZE LENGTH SET AT MAKE AND TYPE CEMENTING RECORD SIZE LENGTH SET AT MAKE AND TYPE GEARLY OF SET OF SET OF SET AT MAKE AND TYPE SIZE LENGTH SET AT MAKE AND TYPE GEARLY OLD SIZE LENGTH SET AT MAKE AND TYPE SIZE LENGTH SET AT MAKE AND TYPE GEARLY OLD SIZE LENGTH SET AT MAKE AND TYPE WHITE SET OF SET OLD SIZE LENGTH SET AT MAKE AND TYPE WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WHEN BOTTOM HOLE PLUGS USED? FEST TO 3838 FEET AND FEDNAL SANDS S		CASING			EASUREMENT							
PACKER RECORD SIZE LENGTH SET AT MARE AND TYPE SIZE LENGTH SET AND RESULTS SIZE LENGTH SET AND RESULTS SIZE LENGTH SET AND RESULTS OBTAINED WERE BOTTOM HOLE PLUGS USED? WERE BOTTOM HOLE PLUGS USED? SIZE LENGTH SET TO PEET	CSG, SIZE	WEIGHT	THREADS	MAKE	GRADE		SIZE		TOP	BOTTOM	MAKE AND TYP	PE
PACKER RECORD SIZE LENGTH SET AT MARK AND TYPE CEMENTING RECORD SIZE WHERE SET CEMENT FET SACKE BRAND TYPE METHOD FINAL PRESS (CASLE TOOLS) 1-5/80D 257 130 Ideal quickset Dowell 1-1/2 3831 100 Common Dowell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? FSO. STATE KIND, DEPTH SET, AND RESULTS OBTAINED OTARY TOOLS WERE USED FROM 0 FEET TO SASS FEET, AND FROM LET TO FEET TO	3-5/80D	28#	8 -v t	Used		26318"	Thds	. off	_landed	2591811		
CEMENTING RECORD CEMENTING RECORD CEMENT CEMENT CEMENT SAGIS STRE WHERE STY CEMENT CEMENT CEMENT CEMENT CEMENT METHOD FINAL PRESS METHOD FINAL PRESS METHOD RESULTS RE	5-1/2	14#	8-rt	Pitt.		381618#	Thds	. off	landed	3823'11"		
CEMENTING RECORD CEMENTING RECORD CEMENT CEMENT CEMENT SAGIS STRE WHERE STY CEMENT CEMENT CEMENT CEMENT CEMENT METHOD FINAL PRESS METHOD FINAL PRESS METHOD RESULTS RE									BACKED B	CORD		
WHERE SET CAME TOUS BRAND TYPE METHOD FINAL PRESS METHOD RESULTS 1-5/80D 257 130 Ideal quickset Dowell 1-1/2 3831 100 Common Dowell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEET TO PEET TO FEET TO SANDWAY WATER BBLS. F GAS WELL, CUBIC FEET PER 24 HOURS SHOWN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS FORCE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF. S/ C. B. SNYder Ass't. Field Sup 18 NY THE SET TO FEED ASS't. Field Sup 19 NY THE SET TO FEED ASS't. Field Sup 19 NY THE SET TO FEED ASS'T. Field Sup 19 NY THE SET TO FEED ASS'T. Field Sup 19 NY COMMISSION EXPIRES September 14, 1942 S/ L. I. Young							SIZE	LENGTH		-	E AND TYPE	
WHERE SET CAME TOUS BRAND TYPE METHOD FINAL PRESS METHOD RESULTS 1-5/80D 257 130 Ideal quickset Dowell 1-1/2 3831 100 Common Dowell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEET TO PEET TO FEET TO SANDWAY WATER BBLS. F GAS WELL, CUBIC FEET PER 24 HOURS SHOWN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS FORCE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF. S/ C. B. SNYder Ass't. Field Sup 18 NY THE SET TO FEED ASS't. Field Sup 19 NY THE SET TO FEED ASS't. Field Sup 19 NY THE SET TO FEED ASS'T. Field Sup 19 NY THE SET TO FEED ASS'T. Field Sup 19 NY COMMISSION EXPIRES September 14, 1942 S/ L. I. Young		<u>,</u>										
WHERE SET CAME TOUS BRAND TYPE METHOD FINAL PRESS METHOD RESULTS 1-5/80D 257 130 Ideal quickset Dowell 1-1/2 3831 100 Common Dowell WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEET TO PEET TO FEET TO SANDWAY WATER BBLS. F GAS WELL, CUBIC FEET PER 24 HOURS SHOWN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS FORCE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF. S/ C. B. SNYder Ass't. Field Sup 18 NY THE SET TO FEED ASS't. Field Sup 19 NY THE SET TO FEED ASS't. Field Sup 19 NY THE SET TO FEED ASS'T. Field Sup 19 NY THE SET TO FEED ASS'T. Field Sup 19 NY COMMISSION EXPIRES September 14, 1942 S/ L. I. Young	<u>. </u>			, 	<u> </u>							
SET SACKS BRAND TYPE METHOD RESULTS 1-5/80D 257 130 Ideal quickset Dowell 1-1/2 1831 100 Common Dowell WERE BOTTOM HOLE PLUGS USED? FEET TO FEET PLUGS USED? WERE BOTTOM HOLE PLUGS USED? FEET TO FEET BOTTOM HOLE PLUGS USED? WATER BBLS. FASS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LIBS. PER SQUARE IN. ST. THE UNDERSIONED, BEING PIRST DULY SWORN UPON GATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS FOLIC AND TO THE BEST OF MY KNOWLEDGE AND BELIEF. ST. THE UNDERSIONED, BEING PIRST DULY SWORN UPON GATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS FOLIC AND TO THE BEST OF MY KNOWLEDGE AND BELIEF. ST. THE UNDERSIONED AND SWORN TO BEFORE ME THIS 29th DAY OF JULY STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS STATE AND THE BEST OF MY KNOWLEDGE AND BELIEF. ST. NAME AND TITLE		WHERE SET			ING RECO	1	-		N			
WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? WERE BOTTOM HOLE PLUGS USED? FEST TO SET TO SASSE FEET. AND FROM CORPORTING USED? WERE BOTTOM HOLE PLUGS USED? FEET TO	SIZE	FEET	SACKS	BRAND	TYPE	METHO		FINAL PRESS	METH			
WERE BOTTOM HOLE PLUGS USED? PEET TO PEET TO PEET TO FEET	3-5/80D	257	130	Ideal (uickset	Dowe	11				<u> </u>	
WERE BOTTOM HOLE PLUGS USED? WERE BOTTOM HOLE PLUGS USED? FEET TO 3838 FEET AND FROM DELT TO FEET T	5-1/2	3831	100	Common		Dowe	11					
WERE BOTTOM HOLE PLUGS USED? WERE BOTTOM HOLE PLUGS USED? FEET TO 3838 FEET AND FROM DELT TO FEET T												
WERE BOTTOM HOLE PLUGS USED? WERE BOTTOM HOLE PLUGS USED? FEET TO 3838 FEET AND FROM DELT TO FEET T		,							-	,		
ABLE TOOLS WERE USED FROM U FEET TO SO FEET AND FROM LINE CORRECT TO FEET TO F	WHAT METH	OD WAS US	SED TO PROJ	TECT SANDS	WHEN OUT	ER STRINGS W	ERE PULLEC				····	
ABLE TOOLS WERE USED FROM U FEET TO SO FEET AND FROM LINE CORRECT TO FEET TO F								T	WERE BO	TTOM HOLF B	II UGE LIEED?	
ABLE TOOLS WERE USED FROM U FEET TO SO FEET AND FROM LINE CORRECT TO FEET TO F	IF SO. STAT	E KIND, DEF	TH SET, AN	D RESULTS	OBTAINED	00	1		WERE BO			
ABLE TOOLS WERE USED-FROM to drill TEEF TO Plug and PEER MOSTAL CORSET. FEET TO FEET T	OTARY TO	OLS WERE I	JSED FROM	0	FEE	то 3838	FFFT	AND FROM	7	(Fret +3)		
after acidizing test showed an average of 50.87 bbls. oil per whichita, Karicas water bbls. F GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN. I. THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS S/C. B. Snyder Ass't. Field Supsubscribed and sworn to before me this 29th day of July 19 NAME and Title S/C. B. Snyder Ass't. Field Supsubscribed and sworn to before me this 29th day of July 19 NAME and Title S/L. I. Young				+	1	กไมด	and	R	I Li	การไฟเรอเป	·	EEI
after acidizing test showed an average of 50.87 bbls. oil per whichita, Karicas water bbls. F GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN. I. THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS S/C. B. Snyder Ass't. Field Supsubscribed and sworn to before me this 29th day of July 19 NAME and Title S/C. B. Snyder Ass't. Field Supsubscribed and sworn to before me this 29th day of July 19 NAME and Title S/L. I. Young	CABLE TOO	LS WERE US	SED•FROM	CO GF11	<u> </u>	pros / prug	allu Peer			`feet to 951	F	EET
SHUT IN PRESSURE LBS. PER SQUARE IN. I. THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS S/C. B. Snyder Ass't. Field Supsup Subscribed and sworn to before me this 29th day of July 19 NAME and Title S/C. B. Sptember 14, 1942 S/L. I. Young	24-HOUR P	RODUCTION	OR POTEN	TIAL TEST_	on 8 h	r. test we	ell flow	red 146 b	bis. oii	់ក្នុង (១ ស	water.	
SHUT IN PRESSURE LBS. PER SQUARE IN. I. THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS S/C. B. Snyder Ass't. Field Supsup Subscribed and sworn to before me this 29th day of July 19 NAME and Title S/C. B. Sptember 14, 1942 S/L. I. Young	after a	<u>cidizin</u>	g test :	showed a	n avera	ge of 50.8	87 bbls.	oil per	whichita, K	andes WATER	≀B£	BLS.
S/C.B. Snyder Ass't. Field Sup Supsecribed and sworn to before me this 29th day of July 19 NAME and title Sylve Commission expires September 14, 1942 S/L. I. Young						· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·		. '	Ξ IN.
S/C.B. Snyder Assit. Field Supsus Subscribed and sworn to before me this 29th day of July 19 NAME and Title S/L. I. Young	I, THE	UNDERSIGNE	D, BEING FIRE	T DULY SWOR	N UPON OAT	H, STATE THAT T	HIS WELL RE	CORD IS TRUE	AND CORRECT A	CCORDING TO	THE RECORDS OF	THIS
ry commission expires September 14, 1942 S/ L. I. Young								s/ c	B. Snyd	er A	ss't. Field	<u>i Sup</u>
NOTARY PUBLIC				eptember	14, 19	42	ourh	s / :	L. I. You	ng		

FORMATION RECORD

FORMATION	TOP	BOTTOM	T AND WHETHER DRY, OR OIL, GAS, OR WAT	TOP	воттом
Cellar Surface sand Red Rock Anhydrite Shale and shells Shale Shale salt Shale	0 5'2" 200 65 0 677 1131 1210	5'2"	7		
Shale and shells Shale and lime Lime and broken shale Lime Shale and lime Shale and shells Lime Shale and shells Broken lime Shale and lime shells	1516 1568 1761 1854 1911 2080 2250 2304 2360 2408	1568 1761 1854 1911 2080 2250 2304 2360 2408 2538			
Lime broken Shale and shells Lime Shale and shells Shale and lime Shale and shells Lime Lime Lime Broken lime	2538 2600 2709 2735 2878 2982 3008 3098	2600 2709 2735 2878 2982 3008 3098 3204			
Shale and lime Shale and shells Lime Broken lime Lime Shale Lime	3204 3280 3367 3492 3603 3676 3800 3814	3280 3367 3492 3603 3676 3800 3814 3838			
POTAL DEPTH		3838 3 O I			
•				, v	
				,	
	*			,	

