STATE OF KANSAS STATE CORPORATION COM

Give All Information Completely

Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Building Wichita, Kansas

RT/	ጎጉ	TV	ш

	<u></u>	
 	 	

Locate well correctly on above Section Plat Name of Conservation Agent who supervise Producing formation Arbuckle 1:

Show depth and thickness of all water, oil OIL, GAS OR WATER RECORDS

WELL PLUGGING RECORD

FORMATION PLUGGING RECORD

Strike out upper line	
when reporting plug-	•
cine off formations	

Stafford	County.	11 Sec	Twp.	24	Rge	12	(E)	(W)	9 9 0
Location as "NE¼NW¼SW¼" or	footage from l	ines. Cent	er	S. 🛓	NW.	SE.			
Lease Owner Transwes									
Lease Name Schneider	***************************************	•			W	ell N	o. 1		
Office Address Milam Bl	dg. Sa	ı Anton	io,	Tex	as				
Character of Well (completed as O	il, Gas or Dry	Hole)	\mathtt{Dr}	у Но	le				
Date well completed May	5 1944						19		
Application for plugging filed	lay 5 19	44					19		
Application for plugging approved.	Мау 5	1944					19		
Plugging commenced May 5	1944	7:30	am.				19		
Plugging completed May 5	1944						19	•••••	
Reason for abandonment of well or	producing for	mation	Dry	z ho	le			********	
	producing ro		,					•••••	
If a producing well is abandoned, d	ate of last pro	duction			*******		19		
Was permission obtained from the menced? Yes							_		
menced? Pet	tit								
ime Depth to top 4030									
and gas formations.		*							
•					CA	SING	RECOI	RD	
				•					

Formation	Content	From	То	Size	. Put In	Pulled Out
		0	265!	9"0.d	put_ir	none
Top K.C. Lime 3465	! 3675! (Ap	erox)				
" Viola " 3859	3986'					***************************************
" Simpson sand 39	864-4030					*
" Arbuckle lime 40	30 - 4050 •		· ·			

				,		
	<u> </u>		***************************************			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from...... feet for each plug set. Ciculated hole on bottom 2 hrs. Mud tested 33 Vis. 10.2 wt. Circulated hole every seven- hundred feet, coming out of hole with drill, pipe. 252 with 15 sacks cement on top. Set Bottom bridging plug at qoTSurface tasing torthe toplor cellar. STATE CONFAMILION COMMISSION MAY 9-1944 V CHRENCHM (If additional description is necessary, use BACK of this sheet) Charles H. Keevert

Correspondence regarding this well should be addressed to... Stafford, Kansas 356,

STATE OF Kansas , COUNTY OF DIAILORO , ...
Employee, of Transwestern Oil Co. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters berein contained and the log of the abovedescribed well as filed and that the same are true and correct. So help me God

Kansas

Stafford Box 356.

(Address)

SUBSCRIBED AND SWORN TO before me this.

My commission expires My Commission Expires Feb. 1, 194 /

Notary Public.

.,	FARM S	cheneider				WEL	_L NO	#1
	SEC. 11	_ TWP. 24	_ RANGE_	12w_	COUNTY_5	tafford	STATE_	Kans.
	COMPANY -	Transwes	stern 6	il C	0.		ACRE	s 60_
Ì		0 Q1 1	तास द्वास					

	'		

CASING RECORD							ELEVATION	
<u></u>	AMT.		REM.	ARK	5] :	L865 '	
151/2						F	T. FROM LINE	
121/2						N.	9901	
10						s.		
9 🕳	2651	OD	40#	8	V-Th	dΕ.	6601	
81/4	Cemen	ted	w/14	0	Sks.	w.		
6%								
s 3/10	6							

LOCATIONS MADE-DATE

FORMATIONS

FORMATION	DEPTH	REMARKS 1/0
K.C.Lime	3465' t	o 3675' STATE CONTRACT
<u>Viola Lime</u>	3859' t	CONTRACT CONTRACTOR
Simpson Sand	3986' t	4030' Z. MAY 22 1944'
Arbuckle Lime	4030' t	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Set Halliburto	n Packer	@ 3852' w/21' Anchor.
		w/Salt Water
Dry and Abondo		
Set Btm.Bridgi	ng Plug (252' w/15 Sks.Cement on top.
" Top "	• .	36' w/15 Sks.Cement on top-
-		to top of cellar.
(No Surface Ca	•	
	, , , , , , , , , , , , , , , , , , ,	
		THE CING
,		PI_UGGING
· .	FII	F 161.1624
•	80	OK PAGE 116: INE 24

contractorIron	Drilling Co.	· · · · · · · · · · · · · · · · · · ·
drilling com. $3/3/4$	4DRILLING C	омр. 5/5/44 *·
FUEL FOR DRILLING-GA	SMI. 1	FT
GAS FURNISHED BY		
WELL SHOT	PRODUCTION RECOR	D GAS
QTS.		
		3RD MO
4тн мо	. 5TH MO	6ТН МО
7ТН МО,	втн мо	- 9ТН МО,
10ТН МО	11ТН МО	. 12TH MO
1ST YR	2ND YR	3RD YR,
	·	
	, .	
· · · · · · · · · · · · · · · · · · ·		•
,	51891011121314/5787	
	25 12 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
	60.20 M.	
		