## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test                                 | t:                |       |  |  | (  | See Instruct             | tions on Reve  | erse Side           | )                |  |                        |  |
|---|-------------------|-------|--|--|--|--------------------------|--|---------------------|------------------|--|------------------------|--|
| Op  | en Flo            | W     | X Shut-In  | Pressure   | <b>T D</b> .                             |                          |  |                     |                  | NI Am  |                        |  |
| De  | liverat           | oilty |  |  | Test Date<br>12/2/20                     |                          |  |                     |                  | No. 15<br>-20676-000   | 0                      |  |
| Company<br>Running                        |                   | s Pe  | etroleum, Inc  | <b>c</b> .   |  |                          | Lease<br>Cecilia So  | chneide             | г                |  | 1                      | Well Number                              |
| County Location Leavenworth NW NE NE      |                   |       | Section<br>23  |  |  |                          | RNG (E/W)<br>22E   |                     |                  | Acres Attributed 80  |                        |  |
| Field i                                   |                   |       |  | Reservoir<br>McLouth/Burgess                                 |  |                          | Gas Gathering Connection COG Transmission Corporation          |                     |                  |  |                        |  |
| Completion Date 7/18/86                   |                   |       | Plug Bac   | Plug Back Total Depth  |  |                          | Packer Set at N/A  |                     |                  |  |                        |  |
| Casing Size Weight 4-1/2" 9.5#            |                   |       | t  | Internal E   | Diameter                                 | Set at                   | Set at Perf<br>1193 114  |                     | ations           | To<br>1152   |                        |  |
| Tubing Size Weigh                         |                   |       | t  | Internal Diameter  |  | Set at 1170              |  | Perforations        |                  | To   |                        |  |
| Type Con                                  | npletio           | n (De | 4.7#<br>escribe)   |  |  | d Production             |  | ,                   |                  | it or Traveling  | Plunger? Yes           | / No                                     |
| Gas<br>Producing                          | Thru              | (Anr  | nulus / Tubing   | 9)   | Water<br>% 0                             | arbon Dioxi              | de   | <del></del>         | Pump<br>% Nitrog | en   | Gas Gr                 | avity - G                                |
| Annulus                                   | S                 |       |  |  | Nil                                      |                          |  |                     | Nii              |  |                        |  |
| Vertical D                                | epth(i            | H)    |  |  |  | Pres                     | sure Taps  |                     |                  |  | (Meter I               | Aun) (Prover) Size                       |
|   | Buildu            | ıp:   | Shut in  | 1 2  | 15 at 7                                  | :45AM                    | (AM) (PM) T  | 12                  | 2/2              | 20   | 15 <sub>at</sub> 11:45 | AM (AM) (PM)                             |
| Well on L                                 | .ine:             |       | Started  | 2  | 0 at                                     |                          | (AM) (PM) T  | aken                |                  | 20   | at                     | (AM) (PM)                                |
|   |                   |       |  |  |  | OBSERVE                  | D SURFACE  | DATA                |                  |  | Duration of Shut-      | inHours                                  |
| Static /<br>Dynamic                       | Orif<br>Siz       | ze    | Circle one:<br>Meter<br>Prover Pressu                          | Pressure<br>Differential                                     |  | Well Head<br>Temperature | Casin<br>Welihead Pi<br>(P <sub>w</sub> ) or (P <sub>1</sub> ) | ressure             | Wellhea          | ubing<br>ad Pressure<br>(P <sub>1</sub> ) or (P <sub>c</sub> ) | Duration<br>(Hours)    | Liquid Produced<br>(Barrels)             |
| Property<br>Shut-in                       | (inch             | 18S)  | psig (Pm)  | Inches H <sub>2</sub> 0                                      | t  | t                        | psig   | psia                | psig             | psia   |                        |  |
| Flow                                      |                   |       | <u></u> .  | -  | <u> </u>                                 |                          | 8  |                     |                  |  | 24+                    |  |
| 11047                                     | L                 |       |  |  |  | FLOW STR                 | <br>REAM ATTRIE  | BUTES               |                  |  |                        |  |
| Plate                                     | ,                 |       | Circle one:  | Press  |  |                          | Flowing  |                     |                  |  |                        | Flowing                                  |
| Coefficcient                              |                   |       | Meter or   | Extension  | , diav                                   |                          | Temperature  | Deviation<br>Factor |                  | Metered Flov   | y GOR<br>(Cubic Fe     | et/ Fluid                                |
| (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd  |                   | Pro   | v <i>er Pressure</i><br>psia                                   | √ P <sub>m</sub> xħ  | F  |                          | Factor<br>F <sub>tt</sub>                                      | F <sub>pv</sub>     |                  | (Mcfd)   | Barrel)                | Gravity G                                |
| Wicio                                     | '                 |       |  |  |  |                          | ' 11   |                     |                  |  |                        | G <sub>m</sub>                           |
|   |                   |       |  |  | (OPEN FL                                 | OW) (DELIV               | ERABILITY)   | CALCUL              | ATIONS           |  | (P.)                   | <sup>2</sup> = 0.207                     |
| (P <sub>c</sub> ) <sup>2</sup> =          |                   | _:    | (P)2 =   | <u> </u>   | P <sub>d</sub> =                         | ¢                        | % (P <u>.</u>  | - 14.4) +           | 14.4 =           | :  | (P <sub>d</sub> )      |  |
| (P <sub>c</sub> ) <sup>2</sup> - (I       | P_) <sup>2</sup>  | (F    | P <sub>o</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | Choose formula 1 or 2  | LOG of                                   |                          | Backpress  | ure Curve           | ,                |  | İ                      | Open Flow                                |
| or<br>(P <sub>c</sub> ) <sup>2</sup> - (I | P <sub>d</sub> )² |       |  | 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> | formula<br>1, or 2.<br>and divide<br>by: | P. 2 - P. 2              | ,  | or<br>gned          | - nxi            | .06  | Antilog                | Deliverability Equals R x Antilog (Mcfd) |
|   |                   |       |  |  |  |                          |  |                     |                  |  |                        |  |
|   |                   |       |  |  |  |                          |  |                     |                  |  |                        |  |
| Open Flo                                  | w                 |       |  | Mcfd @ 14.   | .65 psia                                 |                          | Deliverabili   | ity                 |                  |  | Mcfd @ 14.65 ps        | ia                                       |
|   |                   | -     | •  |  | , ,                                      |                          | •  |                     |                  | •  | rt and that he ha      | ū  |
| the facts s                               | stated            | there | in, and that s   | aid report is tru  |  |                          |  | in                  | day of L         | ecember  |                        | , 20                                     |
|   |                   |       | Witness (  | if any)  | KC                                       | C WIC                    | _ATIHC   | Jo                  | Je               | For  | Company                |  |
|   |                   |       | For Comm   | nission  | D  | EC 17                    | 2015   | <u>//</u>           |                  | Che  | cked by                |  |

**RECEIVED** 

| exempt status under Rule K.A.R. 82-3-30 and that the foregoing pressure information correct to the best of my knowledge and of equipment installation and/or upon type.  I hereby request a one-year exemption | ander the laws of the state of Kansas that I am authorized to request 24 on behalf of the operator Running Foxes Petroleum, Inc.  ation and statements contained on this application form are true and belief based upon available production summaries and lease records be of completion or upon use being made of the gas well herein named. From open flow testing for the Cecilia Schneider 1 |
|--|--|
| gas well on the grounds that said well:  |  |
| is on vacuum at the p is not capable of prod I further agree to supply to the best staff as necessary to corroborate this cl   | lift due to water  I gas for injection into an oil reservoir undergoing ER  oresent time; KCC approval Docket No  ducing at a daily rate in excess of 250 mcf/D  of my ability any and all supporting documents deemed by Commission   |
| Date: 12/11/2015   |  |
| KCC WICHITA  DEC 17 2015  RECEIVED   | Signature:  Title: Seologist   |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.