RECEIVED

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:					(See Instruct	tions on Re	verse Sid	le)				
Op	en Flov	V			Tool Day	7-2	2-15		4.00)	N- an			
De	liverabi	lty			Test Dat			1 _ 7 1	API	No. 15 -119	-2(095-	-0000	
Company	<u>-</u>		· <del>-</del>	_ <del>_</del>		<u> (0000</u>	ら <u></u> らし Lease	(- 51				Moll	Number
		· G	PORATIO	2 ~			COLDE	- 'R'					- 2-l
EAGLE CREEK GEPORATION  County Location			Section		TWP			RNG (E/W)		Acres Attributed			
MEADE NE NW NW		21		34		280				160			
Field				Reservoir			Gas Gathering Connection						
1 RISH						il Geove				DCP MI	OSTREA	<u>m</u>	
Completic					_	k Total Dept	h		Packer S	et at			
	0.200	<u> </u>	100 2.1	<del></del> -		<u> 238</u>		<del></del>					
Gasing Size Weight 4'/z" 10.5 4/FT			Internal I	Diameter ໄດ້ທ່າ		Set at ろころも		Perforations 3 I		T0 5195 3198			
Tubing Size Weight					<del></del>		Set at		Perforations		To		
23/8"			u u	".7 <i>#/e</i> r		Internal Diameter いううち ″		3233		returations		10	
Type Con		(Des		. / / 1		id Production			Pump Un	it or Traveling	Pluncer?	Yes /(N	<del>مر</del>
	gle G		,		• .	None				·· · · · · · · · · · · · · ·			
Producing	Thru	(Annı	lus / Tubing	g)		Carbon Dioxid	de ·		% Nitroge	en .	G	as Gravity	- G,
TuB	ins												•
Vertical D	epth(H)	)					sure Taps			<del></del>	(1/1	leter Run)	Prover) Size
	319	حا				F	lange_				_		3.068"
Proceuro	Buildus		hut in	7-22	on 15 or	11:00	(AM) (BM)	Takan	7-2	3 20	ا به کا	1:00	(AM)(PM)
Fiessule	Outtoup												
Well on L	ine:	S	tarted	7-23	20 <u>13</u> at	11:00	(AM)(PM)	Taken		20	at	<del>-</del>	_ (AM) (PM)
								<del></del>				<del></del> _	
				<del></del>		OBSERVE	D SURFAC				Duration of	Shut-in	Hour
Static /	Orific		Circle one: Meter	Pressure Differential	Flowing	Well Head	Vellhead	•		ubing ad Pressure	Duratio	en L	Iquid Produced
Dynamic   Property	Size (Inche	12	Prover Pressi	ure in	temperature	Temperature	(P, ) or (F			(P,) or (Pc)	(Hours	j j	(Barrels)
			psig (Pm)	Inches H <sub>2</sub> 0	ļ	<del>  `</del> -	pslg	psia	psig	psla			
Shut-In									1	İ			
Flow							30	44.4	30	44.4	24		
	L					<del></del>	·	<u>_</u>	1 30	1 77.7			
	<del>- ,</del>			<del></del>	<del></del> -	FLOW STR	REAM ATTR	IBUTES	<del></del>				<del></del>
Plate			Brole one; Meter or	Press Extension	1	ıvity .	Total Control Control		viation			GOR	Flowing Fluid
Coefficient (F <sub>b</sub> ) (F <sub>b</sub> )			er Pressure	✓ P <sub>m</sub> xh		ctor	Factor	L .	actor F	R (Mcfd)		ubic Feet/ Barrei)	Gravity
Mcfd			psla	V Fmx"		•	F <sub>It</sub>		F <sub>pv</sub> (Mofd)		G		G <sub>m</sub>
					1								
				<u> </u>									
					,	-OW) (DELIV		-				(P <sub>a</sub> )² ≈	0.207
(P <sub>c</sub> )² =	==-	<u>-:</u> _	(P <sub>w</sub> ) <sup>2</sup> =		P <sub>d</sub> =	<u>'</u>	<del>%(</del>	P <sub>c</sub> - 14.4)	+ 14.4 = <u>-</u>	<del></del> :		_(P <sub>d</sub> ) <sup>2</sup> ≈_	<del></del>
(P \2-1	P }2	(P	)²- (P <sub>w</sub> )²	1. P <sub>c</sub> <sup>2</sup> · P <sub>s</sub> <sup>2</sup>	LOG of			essure Curv		Γ٦		1	Open Flow
(P <sub>a</sub> ) <sup>2</sup> - (P <sub>b</sub> ) <sup>2</sup> or (P <sub>a</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup>		٠.	' ` w'	2. P <sub>a</sub> <sup>2</sup> • P <sub>a</sub> <sup>2</sup>	formula 1, or 2,	formula 1. or 2.		Slope = "n"		n x LOG		נו נ	Deliverability uals R x Antilog
(P <sub>s</sub> ) <sup>2</sup> - (	P <sub>d</sub> ) <sup>2</sup>			divided by: P.2 - F	and divide	P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> <sup>2</sup>		signed dard Slope		LJ			(Mcfd)
<del></del>				c i	<del>*  </del>	<u> </u>	<del> </del>	<del></del> -				<del></del>	
									-				
1	}		1				}				<b>J</b>		
				V-64 6 1			Dalimate	hilita:			Meta @ 14	65 nein	
Open Flo				Mcfd @ 1	4.00 psia		Delivera	Juny	<u> </u>		Mcfd @ 14	no hara	
The	undersi	gned	authority, o	on behalf of th	e Company,	states that h	ne is duly a	uthorized	to make th	e above rep	ort and that	he has kr	nowledge of
the feete c	stated th	nosolo	and that e	aid report is tr	ue and corre	ct Evacuted	thic the	1847	day of	Decem	bec		120_15
ine lacis s	stateu ti	10190	i, and mai s	aid Topott is ti	ue and come	CI. EXCOURSE	1 1113 1110	<del></del>		$\Omega$	4	=	
									N	للكالكيب	M		
			Witness	(if any)						For	Company	11-	
											cked by	_KC	2 Mine
			For Com	TH2S10f1						Une	ound by	ערי	C WICH:
												UEL	· 28 2016
												_	. हात्तरी

exempt status und and that the fore	er penalty of perjury u der Rule K.A.R. 82-3-30 going pressure informa t of my knowledge and	04 on behalf of the ation and stateme	operatorents containe	EAGLE CREE	on form are true and
l hereby requ	allation and/or upon typ est a one-year exempti ounds that said well:	•	•	•	B 1-21
•	is a coalbed methans is cycled on plunger is a source of natural is on vacuum at the o is not capable of prod e to supply to the best y to corroborate this ci	lift due to water agas for injection in present time; KCC ducing at a daily refer to fine and a daily refer to fine ability any ability any against the control of the cont	approval Do ate in excess and all suppo	cket No s of 250 mcf/D orting documents d	
Date: 12-	18-15				
			$\wedge$	and A	

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.