


WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY
412 Union National Bk Bldg., Wichita, Kansas

PORTER-CARPENTER & LAY
Volker No. 1.

SEC. 6 T. 24 R. 10 W
CSE SW
125' S of CSE SW

Total Depth. 3742 $\frac{1}{2}$ '
Comm. 12-2-42 Comp. 1-27-43
Shot or Treated.
Contractor.
Issued. 4-10-43

County. Reno



CASING:
8" 308'
5" 3736'

Elevation.

Production. Pot. 3000 B.

Figurs Indicate Bottom of Formations.

shale & gravel	200
red rock	262
shale	335
red rock	375
anhydrite	395
shale	1400
shale & lime	1575
lime brkn	1905
lime	2035
lime brkn	2130
shale & lime shells	2595
lime brkn	2800
shale	2860
lime	3055
lime brkn	3110
lime	3195
shale	3295
lime brkn	3310
shale	3320
lime brkn	3350
lime	3460
lime hd	3470
shale	3475
lime	3605
lime brkn	3685
shale	3715
shale sdy green, s.s.o.	3721-24
sand medium, g.s.o.	3726 $\frac{1}{2}$
sand, cherty cong, s.o.	3727
lime med. cryst. cherty, s.s.o.	3731
lime wh sdy, s.o.	3732
SIM Corr.	3732=3737
limey dolo. F.S.O.	3741
limestone wh to tan, s.s.o.	3742 $\frac{1}{2}$
Total Depth.	

Handwritten notes:
#1 100
13

Handwritten notes:
Cement 100 cap
30 ft left in pipe

RECEIVED
Conservation Div.
JAN 24 1949
STATE CORPORATION
COMMISSION
KANSAS

Sample Tops:
Misener 3729
Viola 3732

PLUGGING
FILE SEC. 6 T. 24 R. 10 W
BOOK PAGE 76 LINE 43


WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY
412 Union National Bk Bldg., Wichita, Kansas

PORTER-CARPENTER & LAY
Volker No. 1

SEC. 6 T. 24 R. 10 W
CSE SW
125' S of CSE SW

Total Depth. 3742½'
Comm. 12-2-42 Comp. 1-27-43
Shot or Treated.
Contractor.
Issued. 4-10-43

County. Reno



Rotary O-3738
Cable 3738-42½

CASING:
8" 308'
5" 3736'

Elevation.

Production. Pot. 3000 B.

Figures Indicate Bottom of Formations.

shale & gravel	200
red rock	262
shale	335
red rock	375
anhydrite	395
shale	1400
shale & lime	1575
lime brkn	1905
lime	2035
lime brkn	2130
shale & lime shells	2595
lime brkn	2800
shale	2860
lime	3055
lime brkn	3110
lime	3195
shale	3295
lime brkn	3310
shale	3320
lime brkn	3350
lime	3460
lime hd	3470
shale	3475
lime	3605
lime brkn	3685
shale	3715
shale sdy green, s.s.o.	3721-24
sand medium, g.s.o.	3726½
sand, cherty cong, s.o.	3727
lime med. cryst. cherty, s.s.o.	3731
lime wh sdy, s.o.	3732
SIM Corr.	3732=3737
limey dolo. F.S.O.	3741
limestone wh to tan, s.s.o.	3742½
Total Depth.	

*Cement: 100 bags
30 ft left in pipe*

RECEIVED
Conservation
JAN 26 1943
STATE CORPORATION
COMMISSION
KANSAS

Sample Tops:
Misener 3729
Viola 3732

PLUGGING
FILE SEC. 6 T. 24 R. 10 W
BOOK PAGE 76 LINE 43