

STATE OF KANSAS
STATE CORPORATION COMMISSION
130 S. Market, Room 2078
Wichita, KS 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 15-185-230180000

LEASE NAME Asher B

WELL NUMBER 2 - B

3538 Ft. from S Section Line

4486 Ft. from E Section Line

SEC. 13 TWP. 24 SRGE. 14 (N) or (W)

COUNTY Stafford

Date Well Completed _____

Plugging Commenced 6-17-97

Plugging Completed 6-18-97

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

LEASE OPERATOR J F W Inc.

ADDRESS 1014 N. Huntsville Road Plevna, Ks. 67568

PHONE#(316) 286-5318 OPERATORS LICENSE NO. 9324

Character of Well Oil

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on _____ (date)

by _____ (KCC District Agent's Name).

Is ACO-1 filed? _____ If not, is well log attached? _____

Producing Formation _____ Depth to Top _____ Bottom _____ T.D. _____

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put in	Pulled out
				8 5/8"	307'	
				5 1/2"	4235'	2015'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plug were used, state the character of same and depth placed, from _____ feet to _____ feet, each set Sanded to 3527'. Bailed 5 sks cement. Shot at 2617' & 2417'. Shot 2234' & 2015'. Pulled all the pipe out. Allied mixed 300 # hulls / 10 gel / 50 sks cement / 10 gel / 100 # hulls. Released the plug. 125 sks cement. Max. pressure 500 #. Shut in 200.

Name of Plugging Contractor Quality Well Service, Inc. License No. 31925

Address 249 East Beth Drive Sterling, Ks. 67579


NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: J F W Inc. 7-30-97

STATE OF Kansas COUNTY OF Reno, ss. _____

Elsie L. McNamee (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained and the log of the above-described well as filed the same are true and correct, so help me God.

(Signature) Elsie L. McNamee

(Address) Therma Ks



SUBSCRIBED AND SWORN TO before me this 28th day of July, 19 97

Janet F. Menke
Notary Public

My Commission Expires: 9-22-98

USE ONLY ONE SIDE OF EACH FORM



**COMPENSATED DENSITY
DUAL SPACED NEUTRON LOG**

OPEN HOLE

COMP. JFW INC. WELL ASHER "B" NO. 2-B FIELD N/A COUNTY STAFFORD ST. KANSAS	COMPANY	JFW INC.		
	WELL	ASHER "B" NO. 2-B		
	FIELD	N/A		
	COUNTY	STAFFORD	STATE	KANSAS
	API NO.	15-185-230,180	OTHER SERVICES	
	LOCATION	3538FT. FSL 4480FT. FEL	CAL CDL/DSN DUAL IND.	
SEC. 13	TWP. 24S	RGE. 14W		
PERMANENT DATUM	GROUND LEVEL	ELEV. 1920.0	ELEV.: K.B. 1925.0	
LOG MEASURED FROM	KELLY BUSHING	5.0 FT. ABOVE PERM. DATUM	D.F. N/A .0	
DRILLING MEASURED FROM	KELLY BUSHING		G.L. 1920.0	
DATE	11/22/95			
RUN NO.	TW0			
DEPTH-DRILLER	4250			
DEPTH-LOGGER	4254			
BTM. LOG INTER.	4252			
TOP LOG INTER.	2800			
CASING-DRILLER	8.625 @ 307			
CASING-LOGGER	305			
BIT SIZE	7.875			
TYPE FLUID IN HOLE	CHEMICAL			
DENS. : VISC.	9.1 : 50			
PH : FLUID LOSS	10 : 12.0 ML		ML	ML
SOURCE OF SAMPLE	MUD PIT			
RM @ MEAS. TEMP.	0.50 @ 66 F		F	F
RMF @ MEAS. TEMP.	0.60 @ 42 F		F	F
RMC @ MEAS. TEMP.	0.70 @ 42 F		F	F
SOURCE RMF RMC	MEAS. : MEAS.			
RM @ BHT	0.29 @ 117 F		F	F
TIME CIRC. STOPPED	05:00AM			
TIME ON BOTTOM	08:45AM			
MAX. REC. TEMP.	117 @ T.D.		Fe	Fe
EQUIP. : LOCATION	51540 : GTBEND			
RECORDED BY	ROWE			
WITNESSED BY	MR. MUSGROVE			

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 13 1997

CONSERVATION DIVISION
WICHITA KS



COMPENSATED DENSITY DUAL SPACED NEUTRON LOG

OPEN HOLE

WELL NO.	ASHER 15 200 100
WELL NAME	ASHER 15 200 100
FIELD NO.	N40
COUNTY	STEELE CO. MO.
WELL NO.	15 200 100
LOCATION	3538 E. 150 4480 E. 111
STATE	MO.
PERMANENT DATUM	GROUND LEVEL
LOG MEASURED FROM	FELLY BUSHING
DRILLING MEASURED FROM	FELLY BUSHING
DATE	11/22/95
RUN NO.	120
DEPTH DRILLER	425.0
DEPTH LOGGER	425.4
BTM LOG INTER	425.0
TOP LOG INTER	380.0
CASING DRILLER	425.0
CASING LOGGER	405.0
REEL SET	2.00
TYPE OF FL. IN HOLE	WATER
DENS. UNIT	GM/CC
PH. UNIT	GM/CC
SOURCE OF SAMPLE	MUD PIP
DM - MERS. TEMP	0.00
DM - MERS. TEMP	0.00
DM - MERS. TEMP	0.00
DM - MERS. RMI	MERS. MUD
DM - MERS.	0.00
DM - MERS. STADDER	05.00PM
DM - MERS. STADDER	06.30PM
DM - MERS. TEMP	11.00
DM - MERS. LOCATION	11.00
DM - MERS. TEMP	DM
DM - MERS. TEMP	ME MERS.