

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

Stafford County, Sec. 36 Twp. 24 Rge. (E) 14 (W)

Location as "NE/CNW/SW" or footage from lines NW/4 NE/4 SE/4

Lease Owner Stickle Drilling Co.

Lease Name Bowker Well No. 1

Office Address 507 Bitting Bldg., Wichita 2, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 12 June 19 56

Application for plugging filed 12 June 19 56

Application for plugging approved 12 June 19 56

Plugging commenced 12 June 19 56

Plugging completed 12 June 19 56

Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production None 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well R. M. Brundage, Hoisington, Kansas

Producing formation None Depth to top Bottom Total Depth of Well 4325 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT |
|-----------|---------|------|-----|-------|--------|------------|
| Surface | Water | 0 | 150 | 8 5/8 | 202 | None |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mixed mud in pits thoroughly with jets and placed heavy rotary mud from total depth to 240 feet through drill pipe placed on bottom, then pushed 1 sack hulls to 240 ft.

A Halliburton plug and 1/3 sack of hulls were placed at 240 feet with 40 sacks cement placed on top of this through the drill pipe.

Heavy rotary mud was placed to 40 feet.

A Halliburton plug and 1/3 sack of hulls were placed at 40 feet with 10 sacks of cement placed on top of this through the drill pipe.

6-28-56

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Stickle Drilling Company
Address 507 Bitting Building, Wichita 2, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
R. B. Parriott (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) R. B. Parriott

(Address)

SUBSCRIBED AND SWORN to before me this 27th day of June, 19 56

My commission expires August 22, 1957

Gladys Denary
Notary Public.

PLUGGING
FILE SEC 36 T 24 R 14W
BOOK PAGE 71 LINE 15

Stickle Drilling Co., et al
Tulsa, Oklahoma

Tulsa, Oklahoma
June 18, 1956

CONTRACTOR: Stickle Drilling Company
Drilling Commenced: May 31, 1956
Drilling Completed: June 12, 1956

Bowker #1 - NW NE SE
Section 36-24S-14W,
Stafford County, Kansas

DRILLERS LOG

Depth Figures Indicate Base of Formation

| | |
|----------------------|---------|
| Sand | 130 |
| Shale & Clay | 203 |
| Shale & Shells | 850 |
| Anhydrite | 870 |
| Shale & Shells | 1740 |
| Lime & Shale | 2010 |
| Sandy Lime | 2120 |
| Lime & Shale | 2405 |
| Lime | 2565 |
| Shale & Lime | 2700 |
| Lime & Shale | 2890 |
| Broken Lime | 3025 |
| Shale & Lime | 3175 |
| Lime & Shale | 3780 |
| Kansas City Lime | 3830 |
| Lime | 3880 |
| Lime & Shale | 3950 |
| Marmaton | 4015 |
| Shale & Lime | 4085 |
| Lime & Shale | 4095 |
| Viola | 4115 |
| Lime & Shale & Chert | 4150 |
| Cherty Lime & Shale | 4170 |
| Viola Chat | 4182 |
| Chert & Lime | 4209 |
| Lime & Shale | 4250 |
| Simpson Sand - Shale | 4325 TD |

I, Frank E. Stickle, hereby certify the above to be a true and complete Driller's Log of Stickle Drilling Company, et al, Bowker #1 - NW NE SE - Section 36-24S-14W, Stafford County, Kansas.

Frank E. Stickle
Frank E. Stickle

Lillian T. Bonham
Notary Public

February 13, 1960

My Commission Expires

PLUGGING

FILE SEC 36 T 24 R 14W
BOOK PAGE 71 LINE 15

COMMISSION

6-28-56

CONSERVATION DIVISION