KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | t: | | | | (| See Instruct | tions on Re | verse Side | e) | | | | |
|--|--------------|-------|--|--|--|---|---|--|---|--|---------------------|--------------------------------|---|
| Op | en Flo | w | | | Tool Date | | | | A DI | No. 15 | | | |
| Deliverabilty | | | | Test Date: November 16, 2015 | | | | | No. 15 5 - 21487 - (| 0000 | | | |
| Company Trans Pa | | Oil 0 | Corp. | | | | Lease English | | | | | | lumber 2 |
| County Pawnee | | | Location NW NE SW | | Section 36 | | TWP 23S | | RNG (E/W) 15W | | | Acres Attributed | |
| Field Hearn | | | | | Reservoii Viola | Reservoir Viola | | | | Gas Gathering Connection Lumen Energy | | | |
| Completion Date 9/20/03 | | | | - | Plug Bac 4215' | Plug Back Total Depth 4215' | | | Packer S None | Set at | | | |
| Casing Size 5-1/2" | | | Weigh 15.5# | | Internal Diameter 5" | | Set at 4239' | | Perforations 4061' | | То | то 4077' | |
| Tubing Size 2-3/8" | | | Weigh 4.7# | | Internal Diameter 1.995" | | Set at 4022' | | Perforations None | | То | _ | |
| Type Completion (De Single | | | escribe) | | Type Fluid Production Salt Water | | | | Pump Unit or Traveling Plunger? Yes / N Pumping Unit | | | | |
| • | - | (An | nulus / Tubing | g) | % C | arbon Dioxi | de | | % Nitrog | jen | Gas | Gravity - | G _g |
| Annulus | | | | | | | | | | | | | |
| Vertical D | Depth(| H) | | | | Press Flan | sure Taps ge | | | | (Me 2" | ter Run) (I | Prover) Size |
| Pressure | Buildo | ıp: | Shut in Nov | v 15 2 | 15 at 1 | :00 PM | (AM) (PM) | Taken_N | ov 16 | 20 | 15 at 1:00 |) PM | (AM) (PM) |
| Well on L | ine: | | Started | 2 | 0 at | | (AM) (PM) | Taken | | 20 | at | | (AM) (PM) |
| | | | | | | OBSERVE | D SURFAC | E DATA | | | Duration of S | hut-in _24 | Hours |
| Static / Dynamic Property | Dynamic Size | | Circle one: Meter Prover Pressu psig (Pm) | Pressure Differential in Inches H ₂ 0 | Flowing Well Head Temperature Temperature | | (P _w) or (P _t) or (P _c) | | Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) | | Duration (Hours) | , . | uid Produced (Barrels) |
| Shut-In | | | paig (Filit) | inches 11 ₂ 0 | | | ^{psig} 55.0 | ^{psia} 69.4 | psig | psia | 24 | | |
| Flow | | | | | | | | | | | | | |
| | | | | | | FLOW STR | EAM ATTR | IBUTES | | | · | | |
| Plate Coeffiecient (F _b) (F _p) Mcfd | | Pro | Circle one: Meter or over Pressure psia | Press Extension ✓ P _m x h | Extension Fact | | Tomografica | | iation ctor pv | Metered Flov R (Mcfd) | (Cubi | GOR (Cubic Feet/ Barrel) | |
| | | | | | | | | | | | | | |
| (P _c) ² = | | _: | (P _w)² = | : | (OPEN FLO | OW) (DELIVI | |) CALCUL ² c - 14.4) + | | : | | $(P_a)^2 = 0.1$ $(P_d)^2 =$ | 207 |
| (P _c) ² - (F or (P _c) ² - (F | | (F | P _c) ² - (P _w) ² | Choose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$ | LOG of formula 1. or 2. and divide | P _c ² - P _w ² | Backpre Slop As | ssure Curve pe = "n" - or signed ard Slope | n x | roe | Antilog | De | open Flow diverability is R x Antilog (Mcfd) |
| | | — | | | | | | | | | | | |
| Open Flow | w | 1 | | Mcfd @ 14. | 65 psia | | Deliverab | ility | | | Mcfd @ 14.65 | psia | |
| | | igned | d authority, or | n behalf of the | <u> </u> | tates that h | | | o make th | | | · | wledge of |
| | | - | • | aid report is true | | | · - | | | ecember | | | 20 15 |
| | | _ | WEL *** | fanul | KANS | Rece | | SION | San | a fee | hoel L | | |
| | | | Witness (il | | | | | | | √ For C | опрану | | |
| | | | For Comm | ission | | DEC 1 | 4 ZUID | - | | Chec | cked by | | |

| correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. |
|--|
| I hereby request a one-year exemption from open flow testing for the English #2 |
| gas well on the grounds that said well: |
| is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. Date: December 2, 2015 |
| Signature: Jane Lechou S Received KANSAS CORPORATION COMMISSION Title: Operations Manager DEC 14 2015 |
| CONSERVATION DIVISION WIGHITA, KS |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.