## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	ι.				(See manuci	ions on nev	8188 3100	3)					
	oen Flow eliverabili			Test Dat 12-29-2				API No. 15 15-119-00059-00-0 <b>©</b>					
Company Rama Operating							.ease Hockett			Well Number 1			
County Meade				Section 8			TWP RNG (E 31 29w		≣/W)		Acres Attributed 640		
Field Hockett			Reservo Kinderh			······································	Gas Gathering Connect Oneok		lon				
Completi 9-27-19				Plug Bad	ck Total Dept	h ·		Packer S	et at				
Casing S			Internal	Internal Diameter		Set at 5490		Perforations 5420		то 5430			
Tubing Size Weight 2.375			Internal	Internal Diameter		Set at 5419		Perforations		То			
Type Completion (Describe)					Type Fluid Production WATER			Pump Unit or Traveling Plunger? Yes / No Flowing					
Producing Thru (Annulus / Tubing)			% (	% Carbon Dioxide			% Nitrog	Gas Gra	Gas Gravity - G				
Tubing Vertical D	Depth(H)				Press	sure Taps				(Meter F	Run) (Pr	over) Size	
Pressure	Buildup:	Shut in	2-29	20_15_at_		(AM) (PM)	Taken		20	at	(	 АМ) (PM)	
Well on Line:		Started 1	2-30	20 <u>15</u> at _		(AM) (PM) Taken_			20	_ at	(	AM) (PM)	
			-	<del> </del>	OBSERVE	D SURFACE	DATA		Di	uration of Shut-	in_24	Hour	
Static / Dynamic Property	Orifice Size (inches	Prover Pres	Differenti	Temperature	Temperature Temperature		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		Duration Liquid Prod (Hours) (Barrel		
Shut-In					<del> </del>	300	psia	paig	psia	24			
Flow													
<u> </u>					FLOW STR	EAM ATTRI	BUTES			<del>                                     </del>			
Plate Coeffied (F <sub>b</sub> ) (F	eient p)	Circle one: Meter or Prover Pressure psia	Press Extension ✓ P <sub>m</sub> x I	гас	· 1 T	Flowing Temperature Factor F <sub>tt</sub> Deviation Factor F <sub>pv</sub>		actor	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G <sub>m</sub>	
							<u> </u>		<del></del>				
(P <sub>c</sub> ) <sup>2</sup> =		: (P <sub>w</sub> ) <sup>2</sup>	²=:		OW) (DELIV	-		.ATIONS · 14.4 =	:		2 = 0.20 2 =	07	
	P <sub>a</sub> ) <sup>2</sup>	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose farmula 1  1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2$	formula 1. or 2.		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x L		Antilog	Deli Equals	en Flow verability R x Antilog Mcfd)	
								KUU	WICHIT				
												<del></del>	
Open Flo	<u>w</u>		Mcfd @	4.65 psia	<del></del> -	Deliverabil	ity		ECEIVED	fd @ 14.65 psi	<u>a</u>		
									e above report			-	
_ <del>-</del>		Witnes	s (if any)						For Com	pany			
		For Cor	mmission	<del></del>		_			Checke	i by			

exempt status un	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rama Operating Co
	going pressure information and statements contained on this application form are true and
	st of my knowledge and belief based upon available production summaries and lease records
	tallation and/or upon type of completion or upon use being made of the gas well herein named.
	lest a one-year exemption from open flow testing for the Hockett
gas well on the g	rounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D se to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.
	Signature: Vice President

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.