

Locate well correctly.

MATERIAL REPORT

AND

PLUGGING RECORD

15-155-19179-0000

Mail To: STATE CORPORATION COMMISSION
 Conservation Division
 800 Bitting Building
 Wichita, Kansas

NOTICE: All questions on this form must be answered.

Company Operating..... Shell Oil Company, Inc.

Office Address..... Box 110, McPherson, Kansas.

County..... Reno Sec. 2 Twp. 23-S Rge. 4-W

Farm Name..... H. T. Ratzlaff Well No. 1 Field Burrton Pool

Well Location..... SE- SW- SE

Name of Producing Sand..... Mississippi Chat Total Depth..... 3397 FB

Commenced Plugging..... 1-18-44 Finished..... 2-3-44

DAILY AVERAGE PRODUCTION:

Initial Production: Oil..... 629 Gas..... Water..... 471

Production when Plugged: Oil..... 3 Gas..... Water..... 2½

Estimated Total Remaining Reserves Attributable to Well at Time Abandoned..... none

INFORMATION ON MATERIALS RECLAIMED FROM WELL

CASING, TUBING AND ROD DATA

| Description | Size | Recovered | | Junk | | Reusable | | Disposition Made Or To Be Made Of Usable Material |
|-------------|------|-----------|------|------|------|----------|------|---|
| | | Ft. | Tons | Ft. | Tons | Ft. | Tons | |
| Casing | 7"OD | 2316' | 28 | | | 2316' | 28 | Operations in Kansas. |
| Tubing | 3" | 3407' | 16 | | | 3407' | 16 | Operations in Kansas. |
| Rods | 7/8" | 3425' | 3½ | | | 3425' | 3½ | Operations in Kansas. |

SURFACE EQUIPMENT

| Quantity | Description | *Condition | Est. Tons | Disposition Made Or To Be Made Of Reclaimed Material |
|----------|----------------------|------------|-----------|--|
| 585' | 2½" Line Pipe | Usuable | 2 | Operations in Kansas. |
| 1264' | 4" Line Pipe | Usuable | 6 | Operations in Kansas. |
| 2 | 110-Bbl. Steel Tanks | Usuable | 2 | Operations in Kansas. |
| 1 | 85-E OCS Rig Front | Junk | 4 | District Junk |
| 1 | 7½-H.P. Elect. Motor | Usuable | | Operations in Kansas. |
| 1 Lot, | Miscl. Material | Junk | 8 | District Junk |

* Usable, Usable with minor repairs, or junk.

Date: February 17, 1944

Signed:


R.M. Kelly

Supt.
(For Operating Co.—Title)

FORM—FP-1

(See note on reverse side)

PLUGGING
 FILE SEC 2 23-S 4W
 BOOK PAGE 127 LINE 13



It is very important that all questions on this form be answered, as this Department has been asked by the Petroleum Administration for War to supply data on well abandonments undertaken during the war.

This information is very essential in aiding the war effort; therefore, this Department is requiring this report to be mailed within 5 days after the abandonment of your well.

19-6756

WELL LOG

H. T. RATZLAFF

15-15519179-0000


CASING RECORD

| SIZE | WEIGHT | BOTTOM |
|------|--------|--------|
| 16" | 70# | 168 |
| 13" | 50# | 599 |
| 7" | 24# | 3605 |

COMPLETED: 10-8-34.
 ELEVATION: 1482'
 TOTAL DEPTH: 3397'

| DEPTH FROM | TO | FORMATION | DEPTH FROM | TO | FORMATION |
|---------------------|---------------------|--|------------|--------|-----------|
| 0 | 150 | Sand | 3609 | = 3607 | SLC |
| 150 | 171 | Sand & shale | 3607 | = 3609 | Lime |
| 171 | 310 | Surface clay | | | |
| 310 | 390 | Shale & shells | TD | 3609 | Lime |
| 390 | 448 | Sand | | | |
| 448 | 819 | Shale & sheels | | | |
| 819 | 958 | Sdy shale & shel. | | | |
| 958 | 1250 | Shale & shells | | | |
| 1250 | 1340 | Shale | | | |
| 1340 | 1526 | Shale & shells | | | |
| 1526 | 1560 | Red beds | | | |
| 1560 | 1722 | Shale | | | |
| 1722 | 1740 | Bkn lime | | | |
| 1740 | 1870 | Shale | | | |
| 1870 | 1902 | Bkn lime | | | |
| 1902 | 1952 | Shale | | | |
| 1952 | 1976 | Shale & sheells | | | |
| 1976 | 2020 | Lime & shale | | | |
| 2020 | 2050 | Lime | | | |
| 2050 | 2075 | Bkn lime & shale | | | |
| 2075 | 2112 | Lime | | | |
| 2112 | 2167 | Bkn lime | | | |
| 2167 | 2245 | Lime | | | |
| 2245 | 2260 | Sand | | | |
| 2260 | 2300 | Lime | | | |
| 2300 | 2343 | Bkn lime | | | |
| 2343 | 2348 | Lime | | | |
| 2348 | 2450 | Shale | | | |
| 2450 | 2453 | Lime | | | |
| 2453 | 2605 | Bkn lime | | | |
| 2605 | 2648 | Lime | | | |
| 2648 | 2700 | Lime | | | |
| 2700 | 2737 | Lime & shale | | | |
| 2737 | 2746 | Shale | | | |
| 2746 | 2796 | Lime | | | |
| 2796 | 2919 | Lime | | | |
| 2919 | 2934 | Hard lime | | | |
| 2934 | 2971 | Lime & shale | | | |
| 2971 | 2991 | Lime | | | |
| 2991 | 3027 | Lime | | | |
| 3027 | 3088 | Bkn lime | | | |
| 3088 | 3130 | Sticky shale & shells | | | |
| 3130 | 3260 | Shale | | | |
| 3260 | 3262 | Chat | | | |
| 3262 | 3347 | Chat | | | |
| 3347 | 3373 | Chat & lime | | | |
| 3373 | 3379 | Lime | | | |
| 3379 | 3385 | Chat | | | |
| 3385 | 3482 | Lime | | | |
| 3482 | 3532 | Shale | | | |
| 3532 | = 3534 | SLC | | | |
| 3534 | = 3593 | Shale | | | |
| 3593 | = 3597 | SLC | | | |
| 3597 | 3599 | Shale | | | |
| 3599 | 3599 ^{1/2} | Sand | | | |
| 3599 ^{1/2} | 3600 | Shale, black & con- taining fossils | | | |
| 3600 | 3603 | Shale | | | |
| 3603 | 3607 | Shale | | | |
| 3607 | 3609 | Sand & sdy lime | | | |

DRILLING
 FILE 2-230-46
 BOOK PAGE 107 OF 13





STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION

800 BITTING BUILDING
WICHITA, KANSAS

15-155-19179-0000

IN REPLY PLEASE
REFER TO THIS
SUBJECT

February 10, 1944

Shell Oil Co. Inc.
McPherson, Kansas

Gentlemen:

Attached hereto find material report form to be
executed by you on your Ratzliff # 1 well,
located in the SE SW SE 2-23-4W,
Reno County, Kansas.

This new form has been requested by the Federal
Government and must be mailed to this office with-
in five days after plugging has been completed.
Will you please give this matter your immediate
attention.

Very truly yours,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

ha

Enc

BY: J. P. Roberts
J. P. Roberts H.A.