STATE OF KANSAN STATE CONFORATION COMMISSION Over All information Completely Make Required Affidavit Mattur Deliver Report tol Connervation Division State Comparation Commission

Form CP-4 15-155-02772-0000

WELL PLUGGING RECORD

Blate Gosphisation Commission 218 No. Market	\mathbf{R}	eno	Count	y. Seo. 11	Twp. 23 Rge	<u>l</u> (E) (W
Wichita, Kansas NOTITH		E/CNW¤SW¤" (or footage fro n Oil Cor	m lines.	NW SW NE	
· 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Losso Owner Losso Name	0.1	bin	ilparry	•	Well No. B-9
	Office Address_	70	0. Box	729 Gre	at Bend. K	ansas
		Vell (completed	as Oil, Gas o	r Dry Hole) _		
	Date well com					19
The second second	1	plugging filed_				
	Application for	plugging approv	/cd	-71		19 19
医乳毒性 医上颌畸形	Plugging commi	leted	1-18	3-71		19
		ndonment of well				
	ł					
		well is abandon				19
Locate well correctly on above Section Plat					or its agents be	fore plugging was con
Section Plat ame of Conservation Agent who super		e wall		bert Tomai	<u> </u>	
oducing formation						Well 3602 Fe
ow depth and thickness of all water,			Dotton		. Your Deput of	
OIL, CAS OR WATER RECORDS	3	•			,	CASING RECORD
		T	 			
. FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
		,	 	16 8 5/8	236 3579	None 604'.19
				1	7717	004.13
		STATE CORP	CEIVE DRATION E	·	 	<u> </u>
		- CORP	DRATION E	<u> </u>		
			L	VM:c.	<u> </u>	
Describe in detail the manner in		CONSERV	26197			-
	 	Wichin	111ON DIVI	- ط 2- (ج)	升/	.L. <u></u>
						
Pushed a pl	ug down to 35 Had 2" tensi	00 : dumpe	d 30 gal	lons of sa	ind and 8 s	
	0010' and 2902					ot 021
Shot casing	at 2204 72	4 and 604	Laid	down 25 j	oints of 8	5/8"
casing. La	id dówn 14 jo	ints of 8	5/8" cas	ing. Flui	d at 75',	couldn't
bail fluid	down. Pushed	l plug to 2	15'; dum	ped 10' ro	ck bridge	and
	cement for ov					•
Dumped 9 1/	2 yards of re	ady mix co	ncrete d	own 16" su	rface casi	ng.
						
	V					
			 		·····	
		* **			·	
				<u> </u>		
	(If additional :	description is necess orbes Casil	ary, we BACK	of this sheet)		, , , , , , , , , , , , , , , , , , , ,
me of Plugging Contractor						20
dress		0. Box 2	ZI, Gre	eat Bend,	nansas o/	530
		•				
ATE OF Kansas	COU	NTY OF Bar	rton	· · · · · · · · · · · · · · · · · · ·	, ss.	
James W. Ro		(e	mployes of o	wner) or (own	er or operator)	of the above-described
I, being first duly sworn on oath, say	s: That I have kno	wledge of the fa	acts, statemen	ats, and matter	s herein contain	ed and the log of the
we-described wellkas filed and that the	ne same are true and	correct. So he	1 .		D 11.11	' []]
		Signature)	Jam	es W. 7	ockho	Tal .
\$ 40.			// P. O.	Box 221	Great B	end, Kansas
0.00			·	. (/	Address)	
SUBSCRIBED AND SWORM TO before	me this 24	day of	F'6	bruary		<u>L</u> ;
commission expires Nav. 27, 19		1949年8月2月		lu 2	LIL)
commission expires Max.27 19	73	14.33.6				Notary Public.

STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market

WELL PLUGGING RECORD

212 No. Market		Reno	Count	y. Sec. 11	Twp.23 Rge	e $(E)_4_(W)$	
Wichita, Kansas NORTH	Location as "N	E/CNW%SW%"	or footage fro				
!!!!	Lease Owner_	0 1 . 1 . 1	ompany				
	Lease Name		729 Gra	at Rond	Kansas, 67	Well No. 9	
	Character of W						
0				i Diy Hole) _		1935	
i	O Date well completed April 19 1935 Application for plugging filed December 28 1970						
	Application for plugging approved December 30 197						
i i	Plugging comm	nencedJa	nuary 6				
	Plugging comp		nuary 18		D 1 1 1	1971	
	Reason for abar	ndonment of we	ell or producin	g formation	<u>Depleted</u>		
	70 7		1 1				
				_	or its agents he	efore plugging was com-	
Locate well correctly on above Section Plat	menced?		ii the Conserv	ation Division	or its agents be	Tote bingging was com-	
Name of Conservation Agent who sup			Gilbert T	Coman			
Producing formation Hunton					_ Total Depth o	of Well 3602 Feet	
Show depth and thickness of all water	r, oil and gas formation	ns.					
OIL, GAS OR WATER RECOR	DS					CASING RECORD	
		FROM	T	6176	T		
FORMATION	CONTENT	FROM	TO	16"	236 T	PULLED OUT	
				8-5/8"	3579'	None 600'	
				0-378	1.37.5		
			_				
Describe in detail the manner i							
Filled with sand from the bridge 215' to 200' 198' to surface with	rom 3602' to 3	x. cement	on top of				
					SIGHE CURPORA MAR 5 ONSERVATIO Wichitaz K	ETYED HON COMMISSION 1971 IN DIVISION	
Name of Plugging Contractor Fort	oes Casing Pul		essary, use BACl	K of this sheet)			
STATE OF KANSAS R. V. Foulke	, COT			owner) or 600	•) of the above-described	
well, being first duly sworn on oath,		nowledge of the	facts, statem	ents, and matt	ers herein conta	ined and the log of the	
above-described well as filed and that	at the same are true as	nd correct. So	help me God	1//			
		(Signature)_	R. V. Fou	Felle	De/		
					d, Kansas,	67530	
					(Address)		
SUBSCRIBED AND SWORN TO bef	ore me this 4tl	day of	March	- And	/, 19	<u>71</u>	
ee.		((deun	XU	(van)		
My commission expires January	12. 1974	P	eggy I/. C	livan		Notary Public.	
	· · · · · · · · · · · · · · · · · · ·	 (

Martha Sabin Vell No. B-9 Lock 900' North & 330' East of SW corner of TEV/4 of Section 11-235-47, Reno County, Kansas. Drilling Commenced: 3-29-35 Drilling Completed: 4-21-35 Drilled by: Kirk-Green-Way, Inc.

15-155-02772-0000

GASING RECORD

240.44' Set @ 256.44 w/ 415 sxs. cement 5573.53' " @ 3579.0' w/ 125 " " __55∳ 8 thd. Republic E.W. 12 jts. 240.447 128 " 8-5/8" 28# & 32# 8 thd. J&L Smls.

619 bbls/24 hrs.

Potential 1079 bbls/24 hrs. (4-26-35) after acidizing v/ 1000 gallons.

FORUM TION RECORD:

		•	
Shale & sand	0 .	241	
Salt & shalo	241	585	
Line & shale	565	786	
Shale & lime chells	786	846	
Shale & shells	846	1095	
Sandy lime & shale, broken	1095	1150	y.t.
Shale	1150	1700	
Shale & shells	1700	1756	
Shale	1756	1944	
hime, broken	1944	2064	RECEIVED
Lime .	2064	2224	STATE OUNTURATION COMMISSION
Lime & shale	2224	2400	SIMIL OUNTONATION
Sandy shale	2400: 11	2540	DEC 3 0 1970
Lîme	2540	2615	CONSERVATION DIVISION
nesord emil.	2615	2705	Wichita, Kansas
Sandy lime	2705	2760	At Other E
Lime	2760	2944	
Sandy lime	2944	2982	· · · · · · · · · · · · · · · · · · ·
Lime, shele & shells	2982	3006	
Shale & shells	3006	3295	
-Cha:	5295	5433	
Chat with chells	5433	. 3452	
Shale	5452	3481	
Shale & shells	3481	3568	
Shale	3568 -	3574	
Lime	3574	3577	. •
Lime	. 3577	3602	Total Depth
	•		Top of Hunton- 3580°

I, G. B. Hughes, being first duly sworn, state that I have knowledge of the facts and matter herein set forth and that same are true and correct.

Subscribed and sworn to before me this 10th day of May

My commission expires: