

LOG OF WELL

Form PO-214 Sheet 1 (3-47)20M

C
O
P
Y

EQUITABLE LIFE SHEET 3

OWNER The Texas Company DIVISION Oklahoma DATE MADE 6/27/44

DISTRICT Kansas LEASE Equitable Life WELL NO. 4

STATE Kansas COUNTY OR PARISH Stafford TWP. 24S RANGE 11W SEC. 15

LOCATION OF WELL W/2 NW NE

COMMENCED RIGGING UP COMMENCED DRILLING 10/23/40 COMPLETED DRILLING 12/31/40

DAY DRILLER NIGHT DRILLER CONTRACTOR

CABLE FROM 0 TO 3828 ROTARY FROM TO COMPANY RIG No.

TOTAL DEPTH 3828 MEASURED BY ELEVATION 1816

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS		
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT
267' 8-5/8" O.D.												FT.
3800' 6" 5-1/2" O.C.												FT.
												FT.
												FT.
												FT.
												FT.
												FT.
												FT.
												FT.
												FT.

WAS CASING CEMENTED? Yes IF SO, HOW MANY SACKS OF CEMENT USED?

LINER: STATE SIZE AND WEIGHT WHERE SET FT. AND INS. BLANK FT. AND INS. PERFORATED

HOW PUT TOGETHER COUPLING FLUSH JOINT INSERTED

REMARKS:

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.

FLOWING, PUMPING, GASSER OR DRY Pumping PRODUCTION FIRST 24 HOURS PRODUCTION SETTLED

IF GAS WELL, OPEN FLOW CAPACITY SHUT-IN PRESSURE ROCK PRESSURE

KIND OF SHOT SIZE OF SHOT, QUARTS

NUMBER OF SHELLS SIZE OF SHELLS

LENGTH OF SHELLS FEET INCHES

BOTTOM OF SHOT ANCHOR

TOTAL DEPTH OF WELL NUMBER OF SHOT PRODUCTION BEFORE SHOT BBLS. PER DAY

PRODUCTION AFTER SHOT BBLS. PER DAY SHOT FURNISHED BY

NAME OF SHOOTER SHOT INSPECTED BY (COMPANY EMPLOYEE)

COMMENCED DRILLING DEEPER COMPLETED DRILLING DEEPER

TOTAL DEPTH PRODUCTION FIRST 24 HOURS PRODUCTION SETTLED

REMARKS: Set 267' of 8-5/8" OD casing and cemented with 250 sacks of cement.
Set 3800' 6" of 5-1/2" OD casing and cemented with 200 sacks of cement.

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED.
STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG.
IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG.

PLUGGING
FILE SEC 15-195-19263-0000
BOOK PAGE 21 LINE 24

TOTAL NUMBER OF SHEETS

COPY

15-185-19263-0000

Form PO-214 Sheet 2 (7-44) 24M

LOG OF WELL

SHEET No. 2

District Kansas

Owner The Texas Company Farm Equitable Life

Well No. 4

FORMATION		AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
Surface sand & Red bed		270				
Red Bed & Shale	550	280				
Anhydrite	715	165				
Red Bed & Shale	995	280				
Shale	1010	15				
Salt	1260	250				
Grey Shale	1340	80				
Lime	1415	75				
Shale & Lime	1460	45				
Sandy Lime	1495	30				
Broken Lime	1585	90				
Lime	1675	90				
Lime & Shale	1840	165				
Sandy Lime	1890	50				
Lime	1990	100				
Lime & Shale	2070	80				
Lime	2185	115				
Lime & Shale	2310	125				
Shale	2340	30				
Lime	2380	40				
Lime & Shale	2515	135				
Lime	2555	40				
Lime & Shale	2625	70				
Shale	2650	25				
Lime	2670	20				
Lime & Shale	2720	50				
Lime	2750	30				
Broken Lime	2790	40				
Broken Lime & Shale	2890	100				
Lime	3115	125				
Shale	3125	10				
Hard Lime	3150	25				
Lime & Shale	3160	10				
Lime	3365	205				
Shale	3415	50				
Lime	3480	65				
Cherty Lime	3490	10				
Shale	3505	15				
Lime	3515	10				
Lime & Shale	3535	20				
Lime	3720	185				
Lime & Shale	3725	5				
Grey Shale	3750	25				
Shale	3773	23				
Misner Sand	3781	8				
Green Shale	3785	4				
Shale	3799	14				
Viola Lime	3838	29				
Total Depth	3828					