

15-135-19177-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bitting Building,
Wichita, Kansas

Reno County, Sec. 1 Twp. 23 Rge. (E) 4 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines

Lease Owner National Supply Co.

Lease Name Haury Well No. 1 C

Office Address Brown Bldg., Wichita, Kans.

Character of Well (Completed as Oil, Gas or Dry Hole)

Date, well completed 19

Application for plugging filed 193

Application for plugging approved 193


Plugging Commenced 6/18/1943 193

Plugging Completed 6/29/1943 193

Reason for abandonment of well or producing formation

If a producing well is abandoned, date of last production non produced 193

Was permission obtained from the Conservation Division or its agents before plugging was commenced?



Locate well correctly on above
Section Plat

Name of Conservation Agent who supervised plugging of this well

Producing formation Chat Depth to top 3373 Bottom 3374 Total Depth of Well 3374 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8 5/8"		2988'
				1 1/2"		287'
				20"		196'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

8 sacks of cement at 3250'
25 sacks cement at 300'
17 sacks cement at base of cellar.
Mud between plugs from top to bottom.

PLUGGING
FILE NO. 1 23 4W
BOOK PAGE-66 LINE-4

(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to

Address

STATE OF Kansas, COUNTY OF Sedgwick, ss.

D. L. Finney (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) D L Finney

712 Brown Bldg Wichita Ks (Address)

SUBSCRIBED AND SWORN to before me this 12 day of July 1943, 19

My commission expires 11/4/46 Mildred L. McDowell Notary Public.

Location. SEC NW

DEEPENING RECORD.


Sec., 1 T23 R. 4W

County Reno

Casing Record:

10" 2530
 20" 193 8 1/2" 3254
 15" 502 1 1/8" 1165/8"
 12 1/2" 1457 53/16"
 Total Depth. 3374
 Correspondence Regarding This Well Should Be Referred To.

Farn. Haurv No. 1-C
 Company. Lloyd, Frost, Study & Turner
 Contr. Frost Drilling Co.
 Comm. 10-28-50 Comp. 11-27-31
 Shot Quarts Between.



Elevation.

Figures Indicate Bottom of Formations.

Initial Production.

Flowed 25 B.C. 5 wtr 24 hrs.
 est 1 1/2 M.G. into air.

Date Issued. 3-14-31

Formation	Depth	Formation	Depth	Formation	Depth.
sand	200	shale brown	1110	lime	1900
slate	263	lime	1120	red rock	1905
clay yellow	270	shale white	1130	slate	1915
slate	285	shale white	1140	sand-NFW-1925	1933
shale blue	310	lime	1150	shale blue	1945
slate	360	shale blk	1165	slate	1960
shale blue	425	lime	1175	lime	1962
red rock	430	shale white	1200	slate	1970
shale blue	435	shale blue	1210	lime	1980
slate blk	475	lime	1215	shale blk	1990
shale blue	480	shale grey	1220	sdv lime	2010
lime	486	lime	1230	lime	2075
sand NFW 490	495	shale blue	1245	shale blue	2080
slate	500	lime	1255	lime	2100
shale blue	520	shale grey	1265	shale grey	2105
lime	540	lime	1270	shale blue	2140
shale blue	545	shale	1280	lime	2296
lime	555	sdv lime	1285	lime	
shale blue	560	shale	1295	LBW 2130	
lime	565	lime	1300	2 BW 2230	
slate	575	shale white	1310	slate	2308
lime	600	2 Bailers water 1390		shale-blue	2318
shale grey	610	lime	1335	lime	2323
lime	625	shale grey	1340	shale grey	2340
lime	630	lime	1360	sdv lime	2355
shale	645	shale blue	1400	sand	2379
lime	655	shale brown	1415	NFW 2340-2355	
slate	660	lime	1420	sdv shale	2435
lime	670	shale blue	1440	lime	2447
shale blue	695	lime	1450	shale	2485
lime	700	shale blue	1456	lime	2489
slate grey	710	lime	1467	slate blk	2495
red rock	715	shale grey	1485	shale	2509
shale grey	720	red rock	1490	red rock	2516
lime	760	shale grey	1520	slate blk	2525
slate grey	775	slate grey	1525	shale blue	2530
red rock	780	lime	1530	lime	2539
lime	785	red rock	1535	slate	2548
slate	790	slate blue	1575	lime	2625
lime	803	lime	1580	slate	2625
sdv lime	808	red rock	1585	lime	2751
lime	918	shale blue	1600	shale blue	2767
shale	923	lime	1616	lime	2780
red rock	928	slate blk	1625	shale blue	2784
lime	942	lime	1630	lime	2790
shale blue	962	slate	1635	slate	2794
lime	974	lime	1640	lime	2808
shale	980	slate blk	1675	slate blue	2812
lime	995	lime	1677	shale	2825
slate blk	1000	slate	1680	lime	2886
lime	1025	lime	1685	slate	2890
slate grey	1030	shale blue	1700	lime	2899
red rock	1040	broken lime	1710	shale blue	2907
lime	1050	shale	1723	sdv lime	2913
shale blue	1065	lime	1730	lime	2934
red rock	1070	shale grey	1740	shale blk	2938
lime	1080	red rock	1745	lime	2960
shale blue	1085	lime	1753	shale	2965
lime	1095	shale		broken lime	2980
red rock	1100	slate	1780	slate blue	2985
		shale blk	1840	OVER	

PLUGGING
 FILE NO. 1-23-4280
 1800 BLUE GE-66 LINE #

Haury # 10. Sec 1-23-47. Reno County,
Lloyd, Frost, Study and Turner.

Formation	Depth.
shale blue	3005
lime	3010
sd lime	3035
show of gas at 3015	
red rock	3040
shale	3070
lime	3092
shale blk	3110
sd lime	3127
slate	3132
lime	3137
shale blue	3167
slate blue	3175
shale blue	3187
Various colored shale	3198
sd shale	3203
lime	3205
shale	3230
Various colored shale	3247
red rock	3252
shale yellow	3254
chat	3335
lime hard	3342
oil sand	3364
1st oil 3342.	

1st gas 3280-3283 100,000 cu ft gas.
Second gas 3318 2,000,000 cu ft gas.
3rd gas 3327-3335. 3,000,000 cu ft gas

15 $\frac{1}{2}$ " casing 269. UR to 502'11.
10" casing 1670. UR 2530.
8" 2207. UR 3254

3564 equals 3373 C.C.M.
Chat 3373-3374 T.D.

East well



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

July 3, 1943

IN REPLY PLEASE
REFER TO THIS
SUBJECT

15-155-19177-0000

National Supply Company
712 Brown Building
Wichita, Kansas

Dear Sirs:

Attached hereto find material report form to be
executed by you on your No. 1 "C" Haury well,
located in ~~the~~ Sec. 1-23-4 West
Reno County, Kansas,

This new form has been requested by the Federal
Government and must be mailed to this office with-
in five days after plugging has been completed.
Will you please give this matter your immediate
attention.

Very truly yours,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

ha

BY: J. P. Roberts
J. P. Roberts

Enc

MATERIAL REPORT 15-155-1977-0000

AND
PLUGGING RECORD

Mail To: STATE CORPORATION COMMISSION
Conservation Division
800 Bitting Building
Wichita, Kansas

NOTICE: All questions on this form must be answered.

Locate well correctly.

Company Operating The National Supply Co.
Office Address 717 Brown Bldg Wichita 76

County Reno Sec. 1 Twp. 23 Rge. 4W

Farm Name Hawry Well No. 1C Field Burton

Name of Producing Sand Chok Total Depth 3374

Commenced Plugging 6-18-43 Finished 6-19-43

DAILY AVERAGE PRODUCTION:

Initial Production: Oil 25 Gas 1 1/4 m Water 5

Production when Plugged: Oil 0 Gas 0 Water 0

Estimated Total Remaining Reserves Attributable to Well at Time Abandoned ?

INFORMATION ON MATERIALS RECLAIMED FROM WELL

CASING, TUBING AND ROD DATA

Description	Size	Recovered		Junk		Reusable		Disposition Made Or To Be Made Of Usable Material
		Ft.	Tons	Ft.	Tons	Ft.	Tons	
Casing	8 5/8"	2988	47			47		To be used again
"	15 1/2"	287	10			10		✓
"	20"	196	9			9		✓
Tubing	2"	3300	7 3/4			7 3/4		✓

SURFACE EQUIPMENT

Quantity	Description	*Condition	Est. Tons	Disposition Made Or To Be Made Of Reclaimed Material
1	jack	good	1/2	To be used
3300'	3/4 std Rod	-	2 1/2	✓
1	Gas trap	✓	1	✓

PLUGGING
FILE 15-155-1977-0000
BOOK PAGE 66 LINE 4

* Usable, Usable with minor repairs, or junk.

Date: 7/8/43 Signed: A. L. Finney
(For Operating Co.—Title)

