


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plugging
off formations.

NORTH



Locate well correctly on above
Section Plat

Kingman County. Sec. 11 Twp. 27 Rge. (E) 10 (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. C NW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$
Lease Owner. Continental Oil Company
Lease Name. W. G. Deweese Well No. 1
Office Address. Drawer 1267, Ponca City, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole). Dry hole
Date well completed. April 18, 1948
Application for plugging filed. May 10, 1948
Application for plugging approved. April 21, 1948
Plugging commenced. April 20, 1948
Plugging completed. April 20, 1948
Reason for abandonment of well or producing formation. No show of oil was encountered.
If a producing well is abandoned, date of last production. - 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes (verbal)

Name of Conservation Agent who supervised plugging of this well. Mr. Ruel Durkee, McPherson, Kansas
Producing formation. None Depth to top. Bottom. Total Depth of Well. 4504 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Arbuckle lime	Dry	4470	4504	16"	408'10"	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled hole with heavy mud from total depth of 4504' to 225'; set plug at 225' cemented with 30 sacks cement; filled hole with heavy mud to 15' from surface and capped with 10 sacks cement.



05-15-48

(If additional description is necessary, use BACK of this sheet)


Correspondence regarding this well should be addressed to Mr. F. L. Dunn
Address. R. F. D. #1 Lyons, Kansas

STATE OF KANSAS, COUNTY OF RICE, ss.
F. L. Dunn (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *F. L. Dunn*
R. F. D. #1, Lyons, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 10th day of May, 1948.
Louis M. Cure Notary Public.

My commission expires October 21, 1948
FLD-WEG
State Corp Comm
LPC
File



WELL LOG ON W. G. DEWEES #1

Spudding date: 3-25-48
 Date casing set: Plugged
 Date rotary completed:
 Date cable completed:


Location:
 Section 11, Twp. 27S, Rge 10W
 Kingman County, Kansas

TOTAL DEPTH 4504'

15-095-00286-0000

FROM	TO	FORMATION
0	75	Sand
75	100	Shale
100	120	Sand
120	216	Shale
216	285	Red bed
285	400	Recessing surface hole
400	1145	Shale and shells
1145	1200	Sand and shale
1200	1340	Shale and shells
1340	1405	Salt and shale
1405	1470	Shale and shells
1470	1930	Line
1930	2105	Shale and line
2105	2230	Line and shale
2230	2350	Shale and shells
2350	2425	Line and shale
2425	2540	Shale
2540	2655	Shale and shells
2655	2720	Shale and line
2720	2930	Line
2930	2950	Shale
2950	2975	Line
2975	3005	Shale
3005	3455	Line
3455	3490	Shale
3490	3545	Line and shale
3545	4047	Line
4047	4078	Chert
4078	4123	Line and chert
4123	4303	Shale
4303	4311	Line
4311	4358	Line and chert
4358	4380	Line
4380	4410	Sand
4410	4446	Sand and shells
4446	4504	Line and shale
4504		TOTAL DEPTH

For 21 Stg. 15" O.D. Cag., pipe set
 @ 399' R.D., cemented w/ 400 lbs.



Subscribed and sworn to before me this
 24th day of April, 1948.

I certify the above and foregoing to be a
 true and exact copy of the original driller's
 log on the W. G. Dewees #1 well.

Ernie Steger
 Notary Public

W. G. Dewees

My commission expires: 6/23/51

PLUGGING
 FILE SEC-11 T-27 R-10W
 BOOK PAGE 24 LINE 4

NEW WELL COMPLETION AND/OR ABANDONMENT RECORD

A. F. E. No. 5185

Northeast

1 Dist. West Kansas Field Cunningham Jr. Lease W. C. Rowan Well No. 1
 2 Co. Kirchman State Kansas Contractor Harrison Trlg. Company T.D. 4504 P.D. _____ ft.
 3 Landing Flange Elev. + _____ ft. Depth Measured From DF; Height of Measuring Point from Landing Flange 8 1/2 ft.
 4 Date: Spudded 3-25-48 Drilling Completed 4-18-48 Plugged 4-22-48 Rig Released 4-22-48

CASING, LINER AND TUBING RECORD

SIZE O. D. IN.	WT. LB./FT.	THREADS NO. & TYPE	GRADE AND MAKE	NEW OR S. H.	E. L. L. W. SMLG.	DEPTH SET FT.	MEASUREMENTS INC. THREADS			TOP OF LINER	NO. OF JOINTS	HOLE SIZE
							QUANTITY SET	QUANTITY PULLED	QUANTITY LEFT IN HOLE			
16	70	8-V		SM	LG	400	408'10"	None	408'10"		21	18 3/4

CEMENTING RECORD

METHOD	MAKE AND TYPE CEMENT	SACKS USED	SQUEEZED AWAY	NO. OF BATCHES	FINAL PRESSURE	SLURRY WT. LB./GAL.	HOURS SET	DEPTH		REMARKS: TEMP. CALIPER, OTHER LOGS.
								FROM	TO	
None	Portland	400		1		14.5	48	0	400	Surface casing

ACIDIZATION AND SHOT RECORD


DATE	PRODUCTION OR P. I.		HOW TEST MADE	GAL. ACID	SHOT QTS.	DEPTH		NAME OF ZONE	TYPE FORMATION	REMARKS
	BEFORE	AFTER				FROM	TO			
None										

SECTION PERFORATED

NAME OF PAY	DEPTH		SIZE OF HOLE	HOLES PER FOOT	DATE	SERVICE CO. OR TYPE SLOTS	REMARKS
	FROM	TO					
None							

PRODUCING EQUIPMENT

29 RODS: Number None Size _____ in., Number _____ Size _____ in., Total Singles _____ Length _____ ft.
 30 PUMP: Size None Plunger Diam. _____ Make _____ Type _____
 31 PUMPING UNIT: Make None Type _____ Stroke _____ in. @ _____ SPM; Beam Capacity _____ lb.
 32 Torque @ 20 SPM _____ in. lbs.; Gear Box _____ H.P., Prime Mover Make None
 33 H.P. @ _____ RPM. Other Remarks _____
 34 GAS ANCHOR None
 35 OTHER LIFT EQUIPMENT None
 36 _____
 37 PACKER: Set at None ft. Make _____



ALSO SEE SKETCH }
ON REVERSE SIDE }

PRODUCING STRATA

NAME	TOP	BASE	POROSITY %	PERM. md.	NET THICKNESS ft.	REMARKS: STATE CONTENTS OF ALL PRODUCING STRATA, O. G & W., GIVING FLUID CONTACTS, D. S. T., ETC.
Mississippi	4027	4301				See #1 and #2 in remarks
Viola	4301	4380				See #3 in remarks
Simpson	4380	4470				No show
Arbuckle	4470	4504				No show

REMARKS: Drilled to depth of 4037' in Mississippi line; #1 took drill stem test from 4029' to 4037' with tool open 30 minutes, recovered 30' drilling mud with show of gas; deepened to 4047' in Mississippi line; #2 took drill stem test from 4042' to 4047' recovering 30' of mud with show of gas and oil; deepened to depth of 4311' in Viola line; #3 took drill stem test from 4302' to 4308', recovered 20' of rotary mud with stain of oil; deepened to total depth of 4504' in Arbuckle line; no show of oil was encountered; filled hole with heavy mud from 4504' to 225'; set plug at 225' cemented with 30 sacks cement; filled hole with heavy mud to 15' from surface and capped with 10 sacks cement. Plugged and abandoned April 20, 1948.

Material left in hole cleared on Material Transfer In, 40242

56 Estimate Total Cost \$ 23,275.00 Conoco Interest 100 % Operated by Continental Oil Company
 57 Potential Dry hole b/d/Mcf/d @ _____ *TP and *CP on _____ Hr. Test Meas. Est. Allowable _____ b/d
 58 Other Production or Well Test Results _____

59 _____
 60 Signed [Signature] District Superintendent
 61 Signed _____ Division Superintendent
 62 Signed _____ Region Manager
 63 Signed [Signature] District Engineer
 64 Prepared by W. E. Coaring Date 5-5-48

DISTRIBUTED TO
 Mgr. P. & D. [Signature] Acct'g [Signature]
 Region [Signature] District [Signature]
 Others State Comp Comm

Location: 990'N and 330'E of the Center of Section 11, T27S, R10W,
Ringask County, Kansas.