

1 060020

S-19

To: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15-083-21,341-0000  
50' W of C  
N/2 NW NWSEC. 3, T 24 S, R 21 W/X

4940 feet from S section line

4670 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 7567

Lease Name Gleason Well # 1

Operator: Jack Bowles

County Hodgeman 165.75

Name & Address P.O. Box 3285

Well Total Depth 5100 feet

Edmond, OK 73083

Conductor Pipe: Size \_\_\_\_\_ feet

Surface Casing: Size 8 5/8 feet 270

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Red Tiger Drilling Company License Number 5302

Address 1720 Kansas State Bank Building, Wichita, KS 67202

Company to plug at: Hour: 12 a.m. Day: 19 Month: 5 Year: 19 90

Plugging proposal received from Everett Higdon

(company name) Red Tiger Drilling Company (phone) 316-263-2371

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1428-42'

1st plug at Arbuckle with 40 sx cement, 2nd plug at 1450' with 50 sx cement,

3rd plug at 725' with 50 sx cement, 4th plug at 300' with 50 sx cement,

5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Case Morris  
(TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 1:45 a.m. Day: 19 Month: 5 Year: 19 90

ACTUAL PLUGGING REPORT 1st plug at 5100' with 40 sx cement,

2nd plug at 1450' with 50 sx cement,

3rd plug at 725' with 50 sx cement,

4th plug at 300' with 50 sx cement,

5th plug at 40' with 10 sx cement,

6th plug to circulate rathole with 15 sx cement, 7th plug to circulate mousehole with 10  
sx cement.

Remarks: Used 60/40 Pozmix 6% gel by Allied.  
(If additional description is necessary, use BACK of this form.)

**INVOICED**

DATE 5-30-90

5-29-90

Signed Case Morris  
(TECHNICIAN)

INV. NO. 28282

Must be approved by the K.C.C. five (5) days prior to commencing well

50' W of  
\* C N/2 NW NW Sec 3 Twp 24 S, Rg 21 East  
West

Expected Spud Date May 3, 1990  
month day year

\* 4940 feet from South line of Section  
\* 4670 feet from East line of Section  
(Note: Locate well on Section Plat Below)

OPERATOR: License # 07567  
Name: JACK BOWLES  
Address: P.O. Box 3285  
City/State/Zip: Edmonds, OK 73083  
Contact Person: Jack Bowles  
Phone: 405-348-4074

County: Hodgeman  
Lease Name: Gleason Well #: 1  
Field Name: Saw Log Creek SE

CONTRACTOR: License # 5302  
Name: RED TIGER DRILLING COMPANY

Is this a Prorated Field? yes X no

Well Drilled For: Well Class: Type Equipment:  
X. Oil ... Inj ... Infield X. Mud Rotary  
.. Gas ... Storage ... Pool Ext. ... Air Rotary  
.. OMO ... Disposal X. Wildcat ... Cable  
.. Seismic; ... # of Holes

Target Formation(s): MISS  
\* Nearest lease or unit boundary: 340  
Ground Surface Elevation: 2329 feet MSL  
Domestic well within 330 feet: yes X no  
Municipal well within one mile: yes X no

f OMO: old well information as follows:  
Operator:  
Well Name:  
Comp. Date: Old Total Depth

Depth to bottom of fresh water: 180  
Depth to bottom of usable water: 480  
Surface Pipe by Alternate: 1 X 2  
Length of Surface Pipe Planned to be set: 250  
Length of Conductor pipe required: N/A


Directional, Deviated or Horizontal wellbore? yes X no  
If yes, total depth location:

Projected Total Depth: 5100  
Formation at Total Depth: Miss  
Water Source for Drilling Operations:  
... well X farm pond ... other

S: C N/2 NW NW, 4620 FSL, 4620 FEL, 330 F lease boundary Exp. 10/30/ 200' Alt. II Req.  
AFFIDAVIT 90

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101

Pusher Evelyn Higdon INIT.  
SPUD DATE \_\_\_\_\_  
LENGTH SURFACE PLANNED \_\_\_\_\_  
RESERVE PIT STATUS- REMOVE FLUID LINED  
after salt sect. bbls. when done bbls.  
RATHOLED AHEAD? Y N SIZE HOLE \_\_\_\_\_  
SURFACE PIPE 8 5/8 @ 370 CONDUCTOR \_\_\_\_\_  
ANHYDRITE T- 1428 B- 1442 ELEVATION \_\_\_\_\_  
TD 5100 FORMATION \_\_\_\_\_  
RAN PIPE @ DV TOOL ALT II DONE  
@ SX SX Y N  
Arbuckle Plug @ 5100 Ft. W/ 40 SX  
Hug./Council @ Ft. W/ SX  
Anhydrite Base @ 1450 Ft. W/ 50 SX  
1/2 Base Anhy. @ 725 Ft. W/ 50 SX  
1/2, 1/2 Plug @ Ft. W/ SX  
Bottom Surface @ 300 Ft. W/ 50 SX  
40' Plug @ 40 Ft. W/ 10 SX  
RAT HOLE CIRC/W 15 SX MOUSE HOLE W/ 10 SX  
WATER WELL SX (Irr. Well Pond \_\_\_\_\_)  
Hauling \_\_\_\_\_  
TECHNICIAN C.M. DATE \_\_\_\_\_  
TYPE OF CEMENT 60/40  
STARTING TIME \_\_\_\_\_ (AM/PM) DATE \_\_\_\_\_  
COMPLETION TIME 1:45 (AM) PM DATE 5-19-90  
CEMENT COMPANY Allied



OKLAHOMA CITY, OKLAHOMA  
MAY 9 1990  
Wichita, Kansas