

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

Rev. 12-4-81
FORM CP-1

RECEIVED
STATE CORPORATION COMMISSION

NOV 22 1982

CONSERVATION DIVISION
Wichita, Kansas

WELL PLUGGING APPLICATION FORM

File One Copy

API NUMBER 15-155-~~30,773~~²⁰⁷⁸⁰-0000 (of this well)
(This must be listed; if no API# is available, please note drilling completion date.)

LEASE OWNER Africo Explorations Inc., LTD. (# 6838)

ADDRESS 2225 East 21st St. - Suite 205 @ Wichita, Ks. 67214 PHONE # (316)- 263-2981

LEASE (FARM NAME) Johnson "B" WELL NO. 4

WELL LOCATION SW SE NE SEC. 5 TWP. 24 S RGE. 4 W (~~East~~)(West)X

COUNTY Reno TOTAL DEPTH 3360' FIELD NAME _____

OIL WELL GAS WELL _____ INPUT WELL _____ SWD WELL _____ D&A _____

WELL LOG ATTACHED WITH THIS APPLICATION AS REQUIRED? Yes No ACO-1 filed?
(If not, state reason why)

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN immediately

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-128 OF THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Africo Explorations ADDRESS Wichita, Kansas

PHONE # (316)- 263-2981

PLUGGING CONTRACTOR Kelso Casing Pulling LICENSE NO. 6050

ADDRESS Box 347 Chase, Kansas, 67524 PHONE # (316)- 938-2457

INVOICE COVERING ASSESSMENT FOR PLUGGING THIS WELL SHOULD BE SENT TO:

NAME Africo Explorations Inc., LTD.

ADDRESS 2225 East 21st. St. - Suite 205 @ Wichita, Ks. 67214 PHONE # (316)- 263-2981

AND PAYMENT WILL BE GUARANTEED BY APPLICANT /OR ACTING AGENT.

SIGNED: *R. Daniel Galbraith*
Applicant /or Acting Agent

DATE: 11-18-82

State of Kansas



JOHN CARLIN
R. C. LOUX
JANE T. ROY
PHILLIP R. DICK
CAROL J. LARSON

Governor
Chairman
Commissioner
Executive Secretary

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
200 Colorado Derby Building
202 West 1st Street
WICHITA, KANSAS 67202

THIS PERMIT

November 24, 1982

FEB 24 1983

EXPIRES

WELL PLUGGING AUTHORITY

Johnson 'B' #4
SW SE NE
Sec. 5-24S-4W
Reno
T.D. 3360'
Kelso Casing Pulling

Africo Explorations, Inc. LTD.
2225 E. 21st St.
Suite 205
Wichita, KS 67214

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after ninety (90) days from the above date.

Yours very truly,

Carol J. Larson, Administrator

KCC-KDHE Dist. Office #2, 202 Century Plaza, 111 W. Douglas, Wichita, KS. 67202
(316)262-8330

is hereby assigned to supervise the plugging of the above named well

RECEIVED
STATE CORPORATION COMMISSION

NOV 22 1982

CONSERVATION DIVISION
Wichita, Kansas

11-22-82

KANSAS DRILLERS LOG

COMPANY Africo Explorations Inc., Ltd.
FARM Johnson NO. B-4

SEC. 5 T. 24S R. 4W
LOC. SW SE NE

ROTARY TOTAL DEPTH 3360'

COUNTY Reno

COMM. June 18, 1981 COMP. June 28, 1981

CONTRACTOR H-30, INC. - Rig No. 7

ISSUED July 8, 1981

CASING

12-3/4" - set at 295' cemented w/325 sxs cement
10 3/4"
8 5/8"
6 1/2" - set at 3356' cemented w/75 sxs cement
4 1/2"

ELEVATION

FIGURES INDICATE BOTTOM OF FORMATIONS

Sand	240'
Shale	304'
Sand	359'
Shale, Salt, Anhydrite, Lime Streaks	565'
Anhydrite and Lime	660'
Lime and Shale	3360'
RTD	3360'

I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.

H-30, INC.

[Signature]
Gary Younger


State of Kansas)
) ss
County of Sedgwick)

Subscribed and Sworn to before me, a Notary Public, in and for said county and state this 8th day of July, 1981.

[Signature]
Helen Pracht - Notary Public

My Commission Expires:

June 4, 1985



NOV 09 1982

CONSERVATION DIVISION
Wichita, Kansas

DAILY DRILLING REPORT
 FORM 43 BOX 800
 TULSA OK 74101

CONTRACTOR: H-30 Dng
 COMPANY: Africa Explorations Inc.
 WELL NO: #4
 RIG NO: #7
 DATE: 6-18-81
 COUNTY: Reno
 STATE: Kansas

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						Danny Woodral	8
						Bobby Woodral	8
						Daylon Wagner	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
0	FT.	(NO gell 2 lime)					
	DEG. OFF	(4 HULLS (Dry Watch mixed))				Jenny Crowford	8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD	DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING	SIZE D. P.	
SIZE		VISC.		CONING	SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER	JTS D. P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS	KELLY DOWN	FT.
DEPTH IN		PH.		TRIP	COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)			TOTAL	FT.

REMARKS: mix mud - HELP DRILL SURFACE HOLE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
0	235	Sand	120	111	650	Bill Burch	13
235	535	Shale & Limestones		30/35		Jack Morrow	13
535	550	Void				Brian Sellers	13
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
0	1M	PIT: { 24 gell 12 HULLS 2 lime		20 gell in premix tank		Had to Dump Premix to movetank. 180 miles	
	DEG. OFF					Rich Davis	13

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD	DRILL STEM RECORD	
RUN NO.	#1-A	WEIGHT	Water & gell	DRILLING	1 3/4	SIZE D. P.
SIZE	12/4	VISC.		CONING	4 1/4	SIZE COLL.
MAKE	5m O-T	WTR. LOSS-C.C.	WATER	OTHER		JTS D. P.
SERIAL NO.	RT	FILTER CAKE		REPAIRS		KELLY DOWN
DEPTH IN	0	PH.		TRIP		COLLARS
HOURS RUN	1 3/4	MTL. ADDED (REMARKS)				TOTAL

REMARKS: Change oil in #4 motor & mixed 7:00 to 7:45 Drill Rat hole 7:45 to 8:15 Spud 12 1/2 Hole @ 8:15 Mix More mud & Pull Plugged Bit, twice @ 70' Helly fell 12 @ 53:5" lost circ & Hole caved in try to lay down pipe stuck - Rig down to skid Rig. Skid Rig hinged down

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						E.L. Seward	8
						Gerald Lackin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
0	FT.						
	DEG. OFF					Curtis L. Uhl	8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD	DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING	SIZE D. P.	
SIZE		VISC.		CONING	SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER	JTS D. P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS	KELLY DOWN	FT.
DEPTH IN		PH.		TRIP	COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)			TOTAL	FT.

REMARKS: Help Tear Down & Skid Rig

RECEIVED
 STATE CORPORATION COMMISSION

Rich Davis

NOV 09 1982

DAILY DRILLING REPORT

NEW 43 PSL 880
OK 74101

CONTRACTOR

H-30 INC

DATE

6-19-81

COMPANY

AFRICO EXP

LEASE

JOHNSON

B

WELL NO.

324

RIG NO.

7

DISTRICT

COUNTY

RENO

STATE

KS

D.P. STRING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						DANNY WOODRAL	8
						BOBBY WOODRAL	8
						DAYLON WAGNER	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
①	FT.						
	DEG. OFF						

DAY WATCH
170 MILES

170 MILES
JERRY CRAWFORD 8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	SIZE	WEIGHT	WTR. LOSS-C.C.	DRILLING	OTHER	SIZE D.P.	FT.

REMARKS: WORK ON RIG

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						RONNIE DAVIS	12
						BILL BURCH	12
						BRAIN FELLAS	12
						MARVIN BURCH	12
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
①	FT.						
	DEG. OFF						

180 MILES
RICK DAVIS 12

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	SIZE	WEIGHT	WTR. LOSS-C.C.	DRILLING	OTHER	SIZE D.P.	FT.

REMARKS: General Rig Repair - Celler Detect. Build & Set Celler Box on Johnson #4
Move Rig from Johnson #3 to Johnson #4 & Rigging up -
(Changed oil & All filters in Premier Motors)

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						E.L. Seward	8
						Gerald Lockin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
①	FT.						
	DEG. OFF						

170 miles
CURRIE L. UHL 8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	SIZE	WEIGHT	WTR. LOSS-C.C.	DRILLING	OTHER	SIZE D.P.	FT.

REMARKS: Help move & Rig up mix mud - Change oil in Red oiler
Change oil & filters - pump motor

Richard Harris

TOOL
PUSHER

DAILY DRILLING REPORT

BOX 800
TULSA OK 74101

CONTRACTOR

H-30 Dng.

DATE

6-20-81

COMPANY

Africa Explorations Inc. Johnson 'B'

WELL NO.

#4

RIG NO.

#7

DISTRICT

COUNTY

Reno

STATE

Nevada

D.P. STRING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						DANNY WOODRAL	8
						BOBAY WOODRAL	8
						DAYLON WAGNER	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
Ø	FT.						
D.G. OFF							
BIT AND COREHEAD RECORD			MUD RECORD		TIME RECORD	DRILL STEM RECORD	
RUN NO.			WEIGHT		DRILLING	SIZE D.P.	
SIZE			VISC.		CORING	SIZE COLL.	
MAKE			WTR. LOSS-C.C.		OTHER	JTS. D.P.	FT.
SERIAL NO.			FILTER CAKE		REPAIRS	KELLY DOWN	FT.
DEPTH IN			PH.		TRIP	COLLARS	FT.
HOURS RUN			MTL. ADDED (REMARKS)			TOTAL	FT.

DEYNELL 170 MILES

170 MILES
JERRY CRAWFORD 8

REMARKS: HELP mix mud - + Run Pipe

20

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
0	240'	Sand	100	All	700	RONNIE DAVIS	8
240	304	Shale	120		1150	JACK MORROW	8
						BRIAN FELLERS	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
Ø	FT.	38 gell	30 gell	in Pit			
D.G. OFF		12 Hulls		2 \$ seal			
		2 \$ seal - 2 lime		180 MILES			
BIT AND COREHEAD RECORD			MUD RECORD		TIME RECORD	DRILL STEM RECORD	
RUN NO.	1-A		WEIGHT	Water & gell	DRILLING	SIZE D.P.	
SIZE	17 1/2		VISC.		CORING	SIZE COLL.	
MAKE	5m OT		WTR. LOSS-C.C.		OTHER	JTS. D.P.	FT.
SERIAL NO.	RT		FILTER CAKE		REPAIRS	KELLY DOWN	FT.
DEPTH IN	0		PH.		TRIP	COLLARS	FT.
HOURS RUN	1 HR		MTL. ADDED (REMARKS)			TOTAL	FT.

REMARKS: Startup - Mixing Mud Drill Rat Hole - spud 17 1/2" Hole @ 8:45 - Set Cellard CTSH. Pull Drill Collars Rig up to run Pipe - Run 8 Joints 12 1/2' casing - Set @ 291' - wait on Cementers 1:15 to 2:15 - Circ Hole & wait on Bull Truck 2:15 to 3:00

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
						E.L. Seward	8
						Gerald Lockin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
Ø	FT.	25 Gal / Soda Ash					
D.G. OFF				170 miles			
BIT AND COREHEAD RECORD			MUD RECORD		TIME RECORD	DRILL STEM RECORD	
RUN NO.			WEIGHT		DRILLING	SIZE D.P.	
SIZE			VISC.		CORING	SIZE COLL.	
MAKE			WTR. LOSS-C.C.		OTHER	JTS. D.P.	FT.
SERIAL NO.			FILTER CAKE		REPAIRS	KELLY DOWN	FT.
DEPTH IN			PH.		TRIP	COLLARS	FT.
HOURS RUN			MTL. ADDED (REMARKS)			TOTAL	FT.

REMARKS: Plug Down @ 4:55 pm Cement did circ. Change Oil-oil filters & fuel filters, Change Seats in pump, Get up pipe & Collars, Set Sample Box, Place Tank of Mud, & Engine Done. Move fuel Rock for Mechanic.

Walt Brown BOO PUSHER

DAILY DRILLING REPORT

WESTON 43 BOX 900 TULSA OK 74101

CONTRACTOR

H-30 INC

DATE

6-21-81

COMPANY

AFRICO EXP INC

LEASE

JOHNSON B

WELL NO.

4

RIG NO.

7

DISTRICT

COUNTY

RENO

STATE

KS

D.P. STRING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
304	359	SAND	85	ALL	800	DANNY WOODRAC	8
						BOBBY WOODRAC	8
						DAYLON WAGNER	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
@	FT.						
DEG. OFF						170 MILES	
						JERRY CRAWFORD	

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	1	WEIGHT		DRILLING	1/4	SIZE D. P.	
SIZE	11"	VISC.		CORING		SIZE COLL.	
MAKE	Sec. S-3-J	WTR. LOSS-C.C.	WATER	OTHER PUMP	2 1/2	JTS. D. P.	FT.
SERIAL NO.	229789	FILTER CAKE		REPAIRS TO	4 1/4	KELLY DOWN	FT.
DEPTH IN	304	PH.		TRIP	1/2	COLLARS	FT.
HOURS RUN	1/4	MTL. ADDED (REMARKS)		CONN	1/2	TOTAL	FT.

REMARKS: HELP MECHANIC W/ #4 ATK TO 3:15 - CLEAN SCREEN & GO THROUGH PUMP - CLEAN BIT - DRILL PLUG @ 5:30 NEW HOLE @ 5:55 - CHANGED POP OFF VALVE @ 359'

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
359	565	Shale salt & Limest	85	30	500	Ronnie Davis	8
565	660	Anhydrite & Lime	60	30	500	Jack Morrow	8
660	760	Lined shale	65	30	500	Brian Sellers	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
@	650 FT.						
DEG. OFF						180 Miles	
						Rick Davis	

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#1	WEIGHT	WATER	DRILLING	2 1/2 HR	SIZE D. P.	
SIZE	11"	VISC.		CORING	2 HR	SIZE COLL.	
MAKE	Sec. S-3-J	WTR. LOSS-C.C.	Natures	OTHER PUMP	CONN	JTS. D. P.	FT.
SERIAL NO.	229789	FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN	304	PH.		TRIP	1 1/4 HR	COLLARS	FT.
HOURS RUN	3 1/4	MTL. ADDED (REMARKS)		TOTAL		TOTAL	FT.

REMARKS: Rig - Repair fuel line on #1 Engine - Respool Block & Repair Totco @ 512' BIT TRIP @ 650 1100 to 1215 Drilling @ 1215 - Jetc. (pooling operations were commenced) 11:55 @ 650 @ 12:07 AM

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
760	1063	Lime & Shale	60	3000L	600	E.L. Seward	8
						Georgid Lockin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
@	IT.	used 80 BBL Premix					
DEG. OFF						170 miles	
						Curtis L. Uhl	

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#2	WEIGHT	G	DRILLING	7	SIZE D. P.	#1 1/2" 3/8"
SIZE	7 3/8"	VISC.	E	CORING	2	SIZE COLL.	
MAKE	SMF-2	WTR. LOSS-C.C.	L	OTHER PUMP	Rig	JTS. D. P.	FT.
SERIAL NO.	Shop RA	FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN	650	PH.		TRIP		COLLARS	FT.
HOURS RUN	10 1/2	MTL. ADDED (REMARKS)		TOTAL		TOTAL	FT.

REMARKS: 3:00 TO 11:00 Drlg
Set Premix @ 817' & 1033'

W. L. Davis

TOOL PUSHER

DAILY DRILLING REPORT

CONTRACTOR **H-30 INC** DATE **6-22-81**
 COMPANY **AFRICO EXP** LEASE **JOHNSON B** WELL NO **41** RIG NO. **7**
 DISTRICT COUNTY **RENO** STATE **NV** D.P. STRING NO SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1063	1325	LIME-SHALE	60	30	600	DANNY WOODRAC	8
						BILL BURCH (180 MILES)	8
						MARVIN BURCH	8
SLOPE TEST		ACCIDENT:-- (GIVE NAME)	GEL-50 SODAASH-9 CAUSTIC-4 LIC-NITE-2 DRISPAC-5			JERRY CRAWFORD	8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2	WEIGHT		DRILLING	6 3/4	SIZE D. P.	
SIZE	7 1/4	VISC.		CONING		SIZE COLL.	
MAKE	SM F2	WTR. LOSS-C.C.		OTHER		JTS. D. P.	FT.
SERIAL NO.	5NDP RK	FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN	650	PH.		TRIP		COLLARS	FT.
HOURS RUN	15 1/2	MTL. ADDED (REMARKS)		SET-COLL	1 1/4	TOTAL	FT.

REMARKS: SER RIG- JET #1 @ 1125 ADD PMS-mix - Jet Pit to ADD PMS-mix @ 1218
 ADDING 2ND PMS-mix tank @ 1281

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1325	1512	Lime & Shale	65 70	30/32	600 400	RONNIE DAVIS	8
						JACK MORROW	8
						BRIAN FELLERS	8
SLOPE TEST		ACCIDENT:-- (GIVE NAME)	65-gell 11-# scal. 21-Hulls 3-Lignite 3-Sodaash 3-Drispac 3-Caustic			RICK DAVIS (180 Miles)	8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#2	WEIGHT	919.08.9	DRILLING	7 1/2	SIZE D. P.	3 gallons
SIZE	7 7/8	VISC.	31 49 48	CONING	3 1/2	SIZE COLL.	
MAKE	Smith F-2	WTR. LOSS-C.C.	8.6	OTHER		JTS. D. P.	FT.
SERIAL NO.	Shop RR	FILTER CAKE	2 2 32	REPAIRS		KELLY DOWN	FT.
DEPTH IN	650	PH.	4000 4000 71510 AM	TRIP		COLLARS	FT.
HOURS RUN	2.0	MTL. ADDED (REMARKS)		TOTAL		TOTAL	FT.

REMARKS: Pump Water off top of pits 7:00 to 7:20 fill Pre-mix @ 1374 - lost Circ. @ 1380 - Pull 14 stands DP-Mix 1CM in Pit & Add Pre-mix - Regained Returns. Gabach in Hole - Blue 1105 losing fluid @ 1389' Mix 1CM in Pit 1115 to 1152 & Add Pre-mix @ 1152.

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1512	1576	Lime & Shale	60	3000	600	E.L. Seward	8
						Georald Lockin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT:-- (GIVE NAME)	170 miles			CURTIS L. UHL	8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#2	WEIGHT		DRILLING	2 1/2	SIZE D. P.	
SIZE	7 3/8	VISC.		CONING	1	SIZE COLL.	
MAKE	Smith F-2	WTR. LOSS-C.C.		OTHER		JTS. D. P.	FT.
SERIAL NO.	Shop RR	FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN	650	PH.		TRIP		COLLARS	FT.
HOURS RUN	2 1/2	MTL. ADDED (REMARKS)		TOTAL		TOTAL	FT.

REMARKS: 3:00 to 4:30 Dchg 4:30 to 5:30 CFS @ 1575' 5:30 to 9:10 Come out Strapping pipe, Pick up Core Burrell & find Bottom 9:10 to 10:00 Circ to clean hole 10:10 to 11:00 coning

DAILY DRILLING REPORT

NEW 43 401 SA OK 74101

CONTRACTOR H-30 Drlg Inc.

DATE 6-23-81

COMPANY Africo Explor. Inc.

LEASER Johnson B

WELL NO 4

RIG NO. 7

DISTRICT Reno

COUNTY STATE Kansas

D.P. SIKING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1576	1602	Lime & Shale	75	8/10 m	300	Marvin Burch	8
						Bobby Woodral	8
						Daylon Wagner	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)				180 miles	
°	FT.					Bill Burch	8
DEG. OFF							

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#1 Core	WEIGHT	82	DRILLING		SIZE D.P.	
SIZE	6 3/8	VISC.	62	CORING	7 3/4 hrs	SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER		JTS D.P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN	1575	PH.		TRIP		COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)		Conn	1/4	TOTAL	FT.

REMARKS: 11:00 To 7:00 Coring -

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1602	1626	Lime & Shale	55/65	10M	300	Ronnie Davis	8
						Jack Morrow	8
						Bryon Sellers	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)				180 Miles	
°	FT.	30 gell				Rick Davis	8
DEG. OFF		1 lignite 2 chustic					
		2 Soda ash					

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT	8.89.0 8.9	DRILLING	8 Hrs	SIZE D.P.	
SIZE	6 3/8	VISC.	52.48 53	CORING		SIZE COLL.	
MAKE	Diamond Core	WTR. LOSS-C.C.	8.6	OTHER		JTS D.P.	FT.
SERIAL NO.		FILTER CAKE	732	REPAIRS		KELLY DOWN	FT.
DEPTH IN	1575	PH.	5785-LCM	TRIP		COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Coring 7:00 to 3:00 Add 160BB1s Premix

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1626	1635	Lime & Shale	70/75	8/10 m	300	Gerald Harkin	8
						Jack Morrow	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)				180 miles	
°	FT.					Bill Burch	8
DEG. OFF							

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#1 Core	WEIGHT		DRILLING		SIZE D.P.	
SIZE	6 3/8	VISC.		CORING	3 1/4	SIZE COLL.	
MAKE		WTR. LOSS-C.C.		OTHER		JTS D.P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS	1/4	KELLY DOWN	FT.
DEPTH IN	1575	PH.		TRIP	4 1/2	COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)		Core Tool		TOTAL	FT.

REMARKS: Ser Rig- 3:00 To 6:12 Coring - Pull core out of hole 6:12 To 7:30 - dump Core & break & lay down Tool 7:30 To 10:00 - go in hole & Repair Rotary Valve 10:00 To 11:00

DAILY DRILLING REPORT

43 BOX 800 FULTON OK 74101

CONTRACTOR

H-30 INC

DATE

6-24-91

COMPANY

AFRICO Exp

LEASE

JOHNSON B

WELL NO.

4

RIG NO.

7

DISTRICT

COUNTY

RENO

STATE

Ks

D. P. STRING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1575	1635	REAMING CORE HOLE	45/30	5 m	500	DANNY WOODRAL	8
1635	1644	LIME-SHALE	60	2 1/2/30	600	BOBBY WOODRAL	8
						DAYLON WAGNER	8
SLOPE TEST		ACCIDENT: (GIVE NAME)		MORNING TOOL CHANGE (GIVE NAME)			
@	FT.	AFTER THIS TOOL CHANGE					
DEG. OFF						170 MILES	
						JERRY CRAWFORD	

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2	WEIGHT	8.8	DRILLING	1/2	SIZE D. P.	
SIZE	7 7/8	VISC.	45	OTHER	6 3/4	SIZE COLL.	
MAKE	SEC M-4-N	WTR. LOSS-C.C.		REPAIRS	1/2	JTS. D. P.	FT.
SERIAL NO.	Rig PR	FILTER CAKE		TRIP	1/4	KELLY DOWN	FT.
DEPTH IN	1575	PH.				COLLARS	FT.
HOURS RUN	3 1/2	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: FINISH GOING IN HOLE - REAMING 12:00 TO 3:35 - C-11 - PULL BIT & CHANGE TO BIT # 7 - C-11 -

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1644	1917	LIME & SHALE	60	32	600	RONNIE DAVIS	8
						JACK MORROW	8
						BRYON FELLERS	8
SLOPE TEST		ACCIDENT: (GIVE NAME)		20 Davis gell			
@	FT.	1 Soda ash					
DEG. OFF						180 miles	
						RICK DAVIS	

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#2	WEIGHT	8.2819	DRILLING	5 1/2	SIZE D. P.	RT. 1 gal.
SIZE	7 7/8	VISC.	34.36	OTHER	1 HR	SIZE COLL.	
MAKE	Smith F-2	WTR. LOSS-C.C.	12	REPAIRS		JTS. D. P.	FT.
SERIAL NO.	Shop PR	FILTER CAKE	2 1/2	TRIP	1/4	KELLY DOWN	FT.
DEPTH IN	650	PH.	21 BSLC			COLLARS	FT.
HOURS RUN	27 HRS	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Rig: CFS @ 1680 8:15 to 8:30 CFS @ 1745 10:06 to 7:26 CFS @ 1780 11:21 to 11:43 Jetc @ 1905' Adding 80 BBLs Premix - lost circ @ 1917' - Pulling out to mix mud. (Changed oil & All Filter in Light Plant (271))

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
1917	2030	LIME-SHALE	60	30.00	400	E.L. Seward	8
						Bill Burch	8
						Marvin Burch	8
SLOPE TEST		ACCIDENT: (GIVE NAME)		33 Halls Gel 90 S. Ash 3			
@	FT.	Dial's Seal 6					
DEG. OFF						170 miles	
						CURTIS L. UHL	

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#2	WEIGHT	8.7	DRILLING	2 3/4	SIZE D. P.	
SIZE	7 7/8	VISC.	43	CORING	WOO 1 1/2 HC	SIZE COLL.	
MAKE	Smith F-2	WTR. LOSS-C.C.		OTHER	Lost Circ 3 1/4	JTS. D. P.	FT.
SERIAL NO.	Shop PR	FILTER CAKE		REPAIRS	CONN	KELLY DOWN	FT.
DEPTH IN	650	PH.		TRIP		COLLARS	FT.
HOURS RUN	2 9/11	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Lost Circ @ 2:45 pm Pull on stands & Pump in 80 BBLs Mud & Lcm on Bottom @ Returns @ 6:30 pm Lost Returns on Bottom, Dry Drill 12' @ Gained Returns, Oil to Surface @ 1941' Wop 6:30 to 8:00 8:00 to 11:00 Dr/9 ahead

White N...

1000 NUMBER

DAILY DRILLING REPORT

HOX 43 POLS 8A 74101

CONTRACTOR

H-30 Inc

DATE

6-25-81

COMPANY

WELL NO

RIG NO.

4

7

Africa Inc

LEASE

Johnson B

DISTRICT

COUNTY

STATE

Reno

NS

D.P. STRING NO

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
2030	2175	LIME & SHALE	45/50	39000	500	KONNIE KENNEDY	8
						MARK KENNEDY	8
						JOHN MOFFIT	8
SLOPE TEST		ACCIDENT - (GIVE NAME)	40 Gel 2 Soda ash				
	FT.		10 Halls 2 Seal				
	DEG. OFF		170 miles Drive				
BIT AND COREHEAD RECORD						DRILLER	
MUD RECORD			TIME RECORD		DRILL STEM RECORD		
RUN NO.	2	WEIGHT	8.5	DRILLING	6 3/4	SIZE D.P.	
SIZE	7 7/8	VISC.	48	COILING	1/2	SIZE COLL.	
MAKE	S-F2	WTR. LOSS-C.C.		REPAIRS	3/4	JTS D.P.	FT.
SERIAL NO.	SHOP RIR	FILTER CAKE		TRIP		KELLY DOWN	FT.
DEPTH IN	650	PH.				COLLARS	FT.
HOURS RUN	36 1/2	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: S-R RICE Rig John Rig crew 12:25 max holes water mix 1/10 beer driving 170 miles 2 1/4 to 4 CONN 2 1/4 to APP Pre mix

170 miles Drive

RAY PATTON

170 Miles

Fill pre mix 2120

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
2175	2395	Lime & Shale	60	30/35	500	Bill Burch	8
						Jack Morrow	8
						Morvin Burch	8
SLOPE TEST		ACCIDENT - (GIVE NAME)	30 gel 2 Premix				
	FT.		4 seal				
	DEG. OFF		2 Halls				
BIT AND COREHEAD RECORD						DRILLER	
MUD RECORD			TIME RECORD		DRILL STEM RECORD		
RUN NO.	#2	WEIGHT	8.688 8.8	DRILLING	6 1/2	SIZE D.P.	1 gal #3
SIZE	7 7/8	VISC.	43 45 43	COILING	3/4	SIZE COLL.	Kit 1 gal
MAKE	Smith F-2	WTR. LOSS-C.C.	15.6	REPAIRS		JTS D.P.	FT.
SERIAL NO.	SHOP RIR	FILTER CAKE		TRIP		KELLY DOWN	FT.
DEPTH IN	650	PH.				COLLARS	FT.
HOURS RUN	43	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: S-R RIG Add Premix 2225 to 2330 Adding Premix 2360 to 3100

180 Miles

Rich Davis

Replace Rotary & Pullover long coated Valve P, 2331

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
2395	2605	Lime & Shale	60	30000	650	E.L. Seward	8
						Gerald Lockin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT - (GIVE NAME)	43 Gel 12 Halls				
	FT.		1 Dick's Seal 1 S. Ash				
	DEG. OFF		170 miles				
BIT AND COREHEAD RECORD						DRILLER	
MUD RECORD			TIME RECORD		DRILL STEM RECORD		
RUN NO.	#2	WEIGHT	8	DRILLING	6 1/2	SIZE D.P.	
SIZE	7 7/8	VISC.		COILING	Mix Lcm 1 Hr	SIZE COLL.	
MAKE	Smith F-2	WTR. LOSS-C.C.		REPAIRS	Rig Conn 1 Hr	JTS D.P.	FT.
SERIAL NO.	SHOP RR	FILTER CAKE		TRIP		KELLY DOWN	FT.
DEPTH IN	650	PH.				COLLARS	FT.
HOURS RUN	49 1/2	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: 3:00 to 11:00 Drlg

PRINTED IN U.S.A. APPROVED

Rich Davis

Set @ 2589'

TOOL PUSHER

DAILY DRILLING REPORT

WELLS 43 BOX 800 PULSA OK 74101

CONTRACTOR

H. Soine

DATE

6-26-81

COMPANY

AFRICO INC.

LEAD

Johnson

WELL NO.

4

RIG NO.

7

DISTRICT

COUNTY

Ren

STATE

15

D.P. STRING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
2605	2753	LIME & SHALE	60	3000	600	Lonnie Kennedy	8
						Earl Hall	8
						John Moffitt	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)		57 Gel, 3 Soda Ash			
@		FT.		6 Halls 2 Mix 265.0 to 27.25			
DEG. OFF				Drove 170 miles			

RAY PATTON 8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2	WEIGHT	8.9	DRILLING	6 3/4	SIZED P.	
SIZE	7 7/8	VISC.	45	CORING		SIZE COLL.	
MAKE	SMITH-F-2	WTR. LOSS-C.C.		OTHER	Mix Hall inhibitor 1/2 hr	JTS. D. P.	FT.
SERIAL NO.	Shop R.P.	FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN	650	PH.		TRIP		COLLARS	FT.
HOURS RUN	5 1/4	MTL. ADDED (REMARKS)		TRIP	1 Ct 3/4	TOTAL	FT.

REMARKS: Add. Premix 1 hr circ.

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
2753	2869	Lime & Shale	60	3500	550	Ronnie Davis	8
						Marvin Burch	8
						Brian Fellers	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)		180 miles			
@ 2795 FT.		FT.		Bill Burch 8			
DEG. OFF				1 Seal - 4 Mixed-in-mud already in Premix			

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	2	WEIGHT	9.0	DRILLING	4 1/4	SIZED P.	#4 1 gal
SIZE	7 7/8	VISC.	45	CORING	1/4	SIZE COLL.	
MAKE	SMITH-F-2	WTR. LOSS-C.C.		OTHER	CTCH	JTS. D. P.	4P 1/2 gal FT.
SERIAL NO.	Shop R.P.	FILTER CAKE		REPAIRS	4	KELLY DOWN	FT.
DEPTH IN	650	PH.		TRIP	1 Ct 3/4	COLLARS	FT.
HOURS RUN	5 1/4	MTL. ADDED (REMARKS)		TRIP	1 Ct 3/4	TOTAL	FT.

REMARKS: Ser Rig - Pull bit #2 @ 2795 pulled wet, float plugged up & work on breakout cathrod 8:10 to 11:25 - CTCH 11:25 to 11:40 - 11:40 to 3:00 drlg. Add 40 lbs premix 2800 to 2850

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
2869	3038	Lime & Shale	60	3500	550	E.L. Seward	8
						Gerald Larkin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)		170 miles			
@		FT.		Curtis L. Uhl 8			
DEG. OFF				34 Gel 1 S. Ash			
				6 Halls			

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	3	WEIGHT	8.8	DRILLING	7 1/4	SIZED P.	
SIZE	7 7/8	VISC.	40	CORING	Rig Conn & Jet	SIZE COLL.	
MAKE	HTC J-22	WTR. LOSS-C.C.		OTHER	Jet	JTS. D. P.	FT.
SERIAL NO.	Brooding R.P.	FILTER CAKE		REPAIRS	Last Circ 1/4	KELLY DOWN	FT.
DEPTH IN	2795	PH.		TRIP		COLLARS	FT.
HOURS RUN	1 1/2	MTL. ADDED (REMARKS)		TRIP		TOTAL	FT.

REMARKS: 3:00 to 11:00 Drlg. Lost Circ @ 3036' Jet @ 2996'

DAILY DRILLING REPORT

McGraw Hill 43 BOX 800 PULASKI OK 74101

COMPANY

PERICOLINE

CONTRACTOR

H.30 inc.

LEASE

JOHNSON B

DATE

6-27-81

WELL NO.

H

RIG NO.

7

DISTRICT

COUNTY

RENO

STATE

D.P. STRING NO.

SIZE

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
3038	3120	LIME & SHALE 110 gell 20-RUCON 38 gell 25H 4 cause	60	35000	500	LONNIE KENNEDY	8
						MIKE KENNEDY	8
						JOHN MOFFIT	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)	2 Light 3 Driller (3 3/4 HRS Co time)				
°	FT.		170 miles			RAY	
DEG. OFF						PATTON	8

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#3	WEIGHT	8.9	DRILLING	4	SIZE D.P.	
SIZE	7 3/8	VISC.		CONING		SIZE COLL.	
MAKE	HTC J-22	WTR. LOSS-C.C.		OTHER	Rig 1/4	JTS D.P.	FT.
SERIAL NO.	BREEDING RR	FILTER CAKE		REPAIRS	1 3/4	KELLY DOWN	FT.
DEPTH IN	2795	PH.		TRIP	3 3/4	COLLARS	FT.
HOURS RUN	14 1/2	MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Circ Band fast circ @ 3055' Mix Middle CM

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
3120	3348	Lime & Shale (Co time)	60 65	32/35	500 600	Ronnie Davis	8
						Jack Morrow	8
						Bryon Fellers	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)	66 gell 12 Halls 2500 dash				
°	FT.		170 Miles			Rich Davis	8
DEG. OFF							

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#3	WEIGHT	8.8 8.8 8.8	DRILLING	6.5 HRS	SIZE D.P.	R.T. 2 gal
SIZE	7 3/8	VISC.	65 63 61	CONING		SIZE COLL.	#1 1 gal
MAKE	HTC J-22	WTR. LOSS-C.C.	65 2	OTHER	Rig down 1 HR	JTS D.P.	2 gal
SERIAL NO.	Breeding RR	FILTER CAKE	2 1/2	REPAIRS		KELLY DOWN	#3 5 gal
DEPTH IN	2795	PH.	12.5	TRIP		COLLARS	2 gal
HOURS RUN	21 HRS	MTL. ADDED (REMARKS)				TOTAL	2 gal

REMARKS: Rig Adding 80 BBLs Premix 3144 to 3220 Adding 80 BBLs Premix 3250 to Circ wait on Geologist @ 3300' 12.40 to 1:00

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PRES.	NAME	HRS.
3348	3360					EL. Seward	8
						Geord Larkin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT: - (GIVE NAME)					
°	FT.		170 miles			Curtis L. Uhl	8
DEG. OFF							

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.	#3	WEIGHT		DRILLING	2	SIZE D.P.	
SIZE	7 3/8	VISC.		CONING		SIZE COLL.	
MAKE	HTC J-22	WTR. LOSS-C.C.		OTHER		JTS D.P.	FT.
SERIAL NO.	B.R. RR N.S.	FILTER CAKE		REPAIRS	2 1/4	KELLY DOWN	FT.
DEPTH IN	2795	PH.		TRIP		COLLARS	FT.
HOURS RUN	21	MTL. ADDED (REMARKS)			3 3/4	TOTAL	FT.

REMARKS: 3:00 to 5:00 CFS @ 3360 5:00 to 8:30 Lay Down pipe & collars Pipe wouldn't dry. 8:30 to 8:45 B.K Kelly Set collar 8:45 to 11:00 Welder in collar.

DAILY DRILLING REPORT

NEW 43 POLY 800 OK 74101

CONTRACTOR
H-30, Inc.

DATE
6-28-81

COMPANY
Africa

LEASE
Johnson's

WELL NO. 4 RIG NO. 7

DISTRICT
Keno

STATE
KS

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PHS.	NAME	HRS.
3360	RTD	Missi				LONNIE KENNEDY	8
						MARK KENNEDY	8
						JOHNY MOFFIT	8
SLOPE TEST		ACCIDENT - (GIVE NAME)					
@	FT.						
	DEG. OFF						

Drill 170

DRILLER
RAY PATTON

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING		SIZE D. P.	
SIZE		VISC.		CORING		SIZE COLL	
MAKE		WTR. LOSS-C.C.		OTHER		JTS D. P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN		PH.		TRIP		COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Weld Bumper Rd in Coker to 1:15. Rig up to 11:00. 93 JTS 5 1/2 IN. 8 BRCH Prod. Sat. 3356' 4' off bottom. Cane to Hm. Corrosion at 75 SRS. Corrosion Report. Plug down @ 5:00 AM. Plug held. Jet Coker + Pits + Rig down black 1 acre Rig Down.

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PHS.	NAME	HRS.
						RONNIE LOUIS	8
						Walt Menden	8
						Bryon Sellers	8
						Rex Harmon	8
SLOPE TEST		ACCIDENT - (GIVE NAME)					
@	FT.						
	DEG. OFF						

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING		SIZE D. P.	
SIZE		VISC.		CORING		SIZE COLL	
MAKE		WTR. LOSS-C.C.		OTHER		JTS D. P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN		PH.		TRIP		COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Rig down & cleaning up Rig.

FROM	TO	FORMATION	ROTARY SPEED	WEIGHT ON BIT	PUMP PHS.	NAME	HRS.
						Ed. Seward	8
						Gerald Larkin	8
						Paul Adams	8
SLOPE TEST		ACCIDENT - (GIVE NAME)					
@	FT.						
	DEG. OFF						

170 Miles

Curtis L. Ohl

BIT AND COREHEAD RECORD		MUD RECORD		TIME RECORD		DRILL STEM RECORD	
RUN NO.		WEIGHT		DRILLING		SIZE D. P.	
SIZE		VISC.		CORING		SIZE COLL	
MAKE		WTR. LOSS-C.C.		OTHER		JTS D. P.	FT.
SERIAL NO.		FILTER CAKE		REPAIRS		KELLY DOWN	FT.
DEPTH IN		PH.		TRIP		COLLARS	FT.
HOURS RUN		MTL. ADDED (REMARKS)				TOTAL	FT.

REMARKS: Help Rig down & cleaning up Rig.

RECEIVED JUL 6 1981
STATE CORPORATION COMMISSION
H-30, INC.

PRINTED IN U.S.A.

APPROVED

Richie Miller

NOV 09 1982
CONSERVATION DIVISION
Wichita, Kansas

[Signature]