## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | t:   | AST.  |   | (   | See Instruc       | tions on Re   | verse Side                                  | 9)   |                            |                             |                              |   |  |
|--|--|---|---|---|-------------------|---|---|--|----------------------------|-----------------------------|------------------------------|---|--|
|  | Open Flow  |   |   |   | Test Date:        |   |   |  | API No. 15                 |                             |                              |   |  |
| Ш  |  | y<br>   |   | 7/9/2015                                    | 5                 |   |   | 023  | 3-20632-00 <b>£</b>        | 00                          |                              |   |  |
| Company<br>Rosewo  |  | ources, Inc.  |   |   |                   | Lease<br>Alvin  |   |  |                            | 44-08                       | Well Nur                     | nber  |  |
| County Location Cheyenne SESE/4  |  |   |   | Section<br>8                                |                   | TWP<br>3S   |   | RNG (E/W)<br>41W   |                            |                             | Acres Attributed 80          |   |  |
| Field<br>St. Francis   |  |   |   | Reservoir<br>Niobrara                       |                   |   |   | Gas Gat<br>Branch  |                            |                             |                              |   |  |
| Completion 10/22/20  |  |   |   | Plug Back Total Depth<br>1537'              |                   |   | Packer 8                                    | Set at   | _                          |                             |                              |   |  |
| Casing S<br>2 7/8"   | ize  | Weigh<br>6.5#   | nt  | Internal Diameter 2.441                     |                   | Set at<br>1552'   |   | Perforations<br>1419'  |                            | то<br>1451'                 | To<br>1451'                  |   |  |
| Tubing S<br>NONE   | ize  | Weigt   | nt  | Internal Diameter Set at                    |                   |   | ıt  | Perfo  | rations                    | То                          |                              |   |  |
|  |  | (Describe)<br>ntional)  |   | Type Fluid Production                       |                   |   |   | Pump Ur<br>flowing   | nit or Traveling           | Plunger? Yes                | (No)                         |   |  |
| Producing  | • `  | Annulus / Tubin   | g)  | % Carbon Dioxide                            |                   |   |   | % Nitrog   | en                         | Gas G<br>.6                 | Gas Gravity - G <sub>g</sub> |   |  |
| Vertical D   | Depth(H)   |   |   | Pressure Taps<br>Flange                     |                   |   |   |  |                            | (Meter<br>2"                | Run) (Pr                     | over) Size                                    |  |
| Pressure   | Buildup:   | Shut in 7-9   | ) 2   | 20 15 at 10:20 (AM) (PM) Taken 7-           |                   |   | 10  | 20   | 15 at 10:35                | (                           | AM)(PM)                      |   |  |
| Well on L  | .ine:  | Started 7-1   | 020   |   |                   |   | 44 15 11.20                                 |  |                            | AM)(PM)                     |                              |   |  |
|  |  |   |   |   | OBSERVE           | D SURFACI   | E DATA                                      |  |                            | Duration of Shut            | -in_24                       | Hours   |  |
| Static /<br>Dynamic<br>Property  | Static / Oritice Meter Differe  Property (inches) Prover Pressure in |   | Pressure Differentiat in Inches H <sub>2</sub> 0  | Temperature Temperature                     |                   | (P <sub>*</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) |   | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) |                            |                             |                              | l Produced<br>sarrels)                        |  |
| Shut-In  |  | paig (i iii)  | monos ri <sub>2</sub> 0   |   |                   | 173   | psia<br>187.4                               | psig_  | psia_                      |                             |                              | <del></del>                                   |  |
| Flow   |  |   |   |   |                   | 48  | 62.4  |  |                            | 24                          | 0                            |   |  |
|  |  |   |   |   | FLOW STE          | REAM ATTR   | IBUTES                                      |  |                            |                             |                              |   |  |
| Plate<br>Coeffied<br>(F <sub>b</sub> ) (F<br>Mofd                                | eient<br>p)  | Circle one:<br>Meter or<br>Prover Pressure<br>psia              | Press<br>Extension<br>✓ P <sub>m</sub> x h  | Grav<br>Fact                                | tor               | Flowing<br>Temperature<br>Factor<br>F <sub>11</sub>         | Fa  | iation<br>actor<br>pv  | Metered Flo<br>R<br>(Mcfd) | w GOR<br>(Cubic F<br>Barrel | eet/                         | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |  |
|  |  |   |   |   | -                 |   |   |  | 9                          |                             |                              |   |  |
| (P <sub>c</sub> ) <sup>2</sup> =   |  | : (P <sub>w</sub> ) <sup>2</sup> =                              |   | •   |                   | /ERABILITY  | ) CALCUL                                    |  |                            |                             | )² = 0.20<br>)² =            | 07  |  |
| (P <sub>c</sub> ) <sup>2</sup> - (l<br>or<br>(P <sub>c</sub> ) <sup>2</sup> - (l | P <sub>a</sub> ) <sup>2</sup>  | (P <sub>o</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | Choose formula 1 or 2:<br>1. $P_c^2 - P_a^2$<br>2. $P_c^2 - P_d^2$<br>divided by: $P_c^2 - P_w^2$ | LOG of<br>formula<br>1. or 2.<br>and divide | P.2-P.2           | Backpre<br>Slop<br>   | ssure Curve  00 = "n"  or signed  ard Slope | , n x  | Г٦                         | Antilog                     | Op<br>Deli<br>Equals         | en Flow<br>verability<br>R x Antilog<br>Mcfd) |  |
| Open Flo   | w  |   | Mcfd @_14.  | 65 psia                                     |                   | Deliverab   | ility                                       |  |                            | Mcfd @ 14.65 ps             | sia                          |   |  |
|  | _  | -   | n behalf of the   | and correc                                  | t. Executed       | this the 2  | 8   | day of _C  | ecember                    | ort and that he h           |                              | edge of<br>20 <u>15</u> .                     |  |
|  |  | Witness   | (if any)  | KC  | <del>C WI</del> C | ATIHC   |   | an   | MUL For                    | MOJI<br>Company             | y                            |   |  |
|  |  | For Com   | mission   | Af  | PR 07             | 2016  |   |  |                            | ecked by                    |                              |   |  |

**RECEIVED** 

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request      |
|---|
| exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.                   |
| and that the foregoing pressure information and statements contained on this application form are true and    |
| correct to the best of my knowledge and belief based upon available production summaries and lease records    |
| of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. |
| I hereby request a one-year exemption from open flow testing for the Alvin 44-8                               |
| gas well on the grounds that said well:   |
| (Check one)   |
| is a coalbed methane producer   |
| is cycled on plunger lift due to water  |
| is a source of natural gas for injection into an oil reservoir undergoing ER                                  |
| is on vacuum at the present time; KCC approval Docket No  |
| is not capable of producing at a daily rate in excess of 250 mcf/D  |
|   |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commissio      |
| staff as necessary to corroborate this claim for exemption from testing.                                      |
|   |
| n . 19/90/45  |
| Date: 12/28/15  |
|   |
|   |
|   |
| Signature: Marting  |
| KIT AND HIV   |
| APR 0.7 2016  Title: Production Assistant   |
|   |
| RECEIVED  |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2087

Ajvih 4448 | 1

St. Francis

St. Francis

None

July-15

|           | Casing |           | HF | es T | REMARKS                         |
|-----------|--------|-----------|----|------|---------------------------------|
| DATE      | PSI S  | TATIC MCF | DC | ) WN | (Maximum length 110 characters) |
| 7/1/2015  | 46     | 59        | 8  | 0    |                                 |
| 7/2/2015  | 48     | 59        | 8  | 0    |                                 |
| 7/3/2015  | 48     | 59        | 8  | 0    |                                 |
| 7/4/2015  | 48     | 59        | 8  | 0    |                                 |
| 7/5/2015  | 48     | 59        | 8  | 0    |                                 |
| 7/6/2015  | 43     | 68        | 9  | 2    |                                 |
| 7/7/2015  | 43     | 58        | 8  | 0    |                                 |
| 7/8/2015  | 43     | 58        | 8  | 16   |                                 |
| 7/9/2015  | 58     | 138       | 2  | 24   |                                 |
| 7/10/2015 | 173    | 185       | 0  | 14   |                                 |
| 7/11/2015 | 87     | 130       | 12 | 0    |                                 |
| 7/12/2015 | 71     | 94        | 10 | 0    |                                 |
| 7/13/2015 | 50     | 80        | 9  | 0    |                                 |
| 7/14/2015 | 48     | 63        | 9  | 0    |                                 |
| 7/15/2015 | 48     | 59        | 9  | 0    |                                 |
| 7/16/2015 | 48     | 59        | 9  | 0    |                                 |
| 7/17/2015 | 48     | 59        | 8  | 0    |                                 |
| 7/18/2015 | 47     | 59        | 9  | 0    |                                 |
| 7/19/2015 | 47     | 59        | 9  | 0    |                                 |
| 7/20/2015 | 47     | 58        | 8  | 0    |                                 |
| 7/21/2015 | 44     | 71        | 9  | 2    |                                 |
| 7/22/2015 | 44     | 59        | 8  | 0    |                                 |
| 7/23/2015 | 44     | 59        | 8  | 0    |                                 |
| 7/24/2015 | 43     | 59        | 8  | 0    |                                 |
| 7/25/2015 | 43     | 58        | 8  | 0    |                                 |
| 7/26/2015 | 43     | 58        | 8  | 0    |                                 |
| 7/27/2015 | 48     | 58        | 8  | 0    |                                 |
| 7/28/2015 | 46     | 58        | 8  | 0    |                                 |
| 7/29/2015 | 46     | 58        | 8  | 0    |                                 |
| 7/30/2015 | 46     | 58        | 8  | 0    |                                 |
| 7/31/2015 | 46     | 58        | 8  | 0    |                                 |

Total 248

KCC WICHITA APR 0.7 2016 RECEIVED W2087

St. Francis

St. Francis

None

August-15

|           | Casing |        |     | HR | s  | REMARKS                         |
|-----------|--------|--------|-----|----|----|---------------------------------|
| DATE      | PSI    | STATIC | MCF | DO | WN | (Maximum length 110 characters) |
| 8/1/2015  | 46     | 59     |     | 8  | 0  |                                 |
| 8/2/2015  | 46     | 59     |     | 8  | 0  |                                 |
| 8/3/2015  | 47     | 60     |     | 9  | 0  |                                 |
| 8/4/2015  | 46     | 59     |     | 9  | 0  |                                 |
| 8/5/2015  | 45     | 58     |     | 9  | 0  |                                 |
| 8/6/2015  | 46     | 59     |     | 8  | 0  |                                 |
| 8/7/2015  | 46     | 59     |     | 8  | 0  |                                 |
| 8/8/2015  | 46     | 59     |     | 9  | 0  |                                 |
| 8/9/2015  | 46     | 59     |     | 9  | 0  |                                 |
| 8/10/2015 | 46     | 59     |     | 9  | 0  |                                 |
| 8/11/2015 | 46     | 59     |     | 9  | 0  |                                 |
| 8/12/2015 | 46     | 59     |     | 9  | 0  |                                 |
| 8/13/2015 | 47     | 60     | ı   | 9  | 0  |                                 |
| 8/14/2015 | 47     | 60     | ı   | 9  | 0  |                                 |
| 8/15/2015 | 48     | 61     |     | 9  | 0  |                                 |
| 8/16/2015 | 49     | 62     |     | 9  | 0  |                                 |
| 8/17/2015 | 48     | 61     |     | 9  | 0  |                                 |
| 8/18/2015 | 47     | 60     |     | 9  | 0  |                                 |
| 8/19/2015 | 49     | 62     |     | 8  | 0  |                                 |
| 8/20/2015 | 48     | 61     |     | 8  | 0  |                                 |
| 8/21/2015 | 49     | 62     |     | 8  | 0  |                                 |
| 8/22/2015 | 50     | 63     |     | 8  | 0  |                                 |
| 8/23/2015 | 50     | 63     |     | 8  | 0  |                                 |
| 8/24/2015 | 50     | 63     |     | 8  | 0  |                                 |
| 8/25/2015 | 51     | 64     |     | 8  | 0  |                                 |
| 8/26/2015 | 52     | 65     |     | 9  | 0  |                                 |
| 8/27/2015 | 49     |        |     | 8  | 0  |                                 |
| 8/28/2015 | 48     | 61     |     | 8  | 0  |                                 |
| 8/29/2015 | 50     | 63     |     | 8  | 0  |                                 |
| 8/30/2015 | 53     | 66     |     | 8  | 4  |                                 |
| 8/31/2015 | 55     | 68     | ;   | 8  | 0  |                                 |

Total 263

KCC WICHITA APR 07 2016 RECEIVED W2087

St. Francis

St. Francis

None

September-15

|           | Casing |            | HF   | s   | REMARKS                         |
|-----------|--------|------------|------|-----|---------------------------------|
| DATE      | PSI    | STATIC MCF | ' DC | )WN | (Maximum length 110 characters) |
| 9/1/2015  | 72     | 85         | 9    | 0   |                                 |
| 9/2/2015  | 46     | 59         | 9    | 0   |                                 |
| 9/3/2015  | 45     | 58         | 8    | 0   |                                 |
| 9/4/2015  | 47     | 60         | 8    | 0   |                                 |
| 9/5/2015  | 51     | 64         | 8    | 0   |                                 |
| 9/6/2015  | 55     | 68         | 8    | 0   |                                 |
| 9/7/2015  | 54     | 67         | 8    | 0   |                                 |
| 9/8/2015  | 53     | 66         | 8    | 0   |                                 |
| 9/9/2015  | 57     | 70         | 9    | 0   |                                 |
| 9/10/2015 | 45     | 58         | 8    | 0   |                                 |
| 9/11/2015 | 48     | 61         | 8    | 0   |                                 |
| 9/12/2015 | 50     | 63         | 8    | 0   |                                 |
| 9/13/2015 | 50     | 63         | 8    | 0   |                                 |
| 9/14/2015 | 51     | 64         | 8    | 0   |                                 |
| 9/15/2015 | 52     | 65         | 8    | 0   |                                 |
| 9/16/2015 | 54     | 67         | 8    | 0   |                                 |
| 9/17/2015 | 53     | 66         | 10   | 0   |                                 |
| 9/18/2015 | 49     | 62         | 9    | 0   |                                 |
| 9/19/2015 | 45     | 58         | 9    | 0   |                                 |
| 9/20/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/21/2015 | 45     | 58         | 9    | 0   |                                 |
| 9/22/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/23/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/24/2015 | . 43   | 56         | 9    | 0   |                                 |
| 9/25/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/26/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/27/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/28/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/29/2015 | 43     | 56         | 9    | 0   |                                 |
| 9/30/2015 | 43     | 56         | 9    | 0   |                                 |
| 10/1/2015 | 0      | 0          | 0    | 0   |                                 |

Total 258

KCC WICHITA APR 0.7 2016 RECEIVED