

15-155-02541-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. Reno County. Sec. 14 Twp. 23 Rge. (E) 4 (W) NE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$
Lease Owner Chas. L. Jenkins
Lease Name Ackley Well No. 2
Office Address Box 603, Blackwell, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Gas
Date well completed November 16, 1934
Application for plugging filed 19
Application for plugging approved 19
Plugging commenced December 7, 1943
Plugging completed December 17, 1943
Reason for abandonment of well or producing formation Production too low to warrant producing well
If a producing well is abandoned, date of last production October 1943
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Ruel Durkee
Producing formation Chat Depth to top 3255 Bottom 3365 Total Depth of Well 3598 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Hunt on Lime	Oil	3595	3598	15-1/2	300	
Chat	Gas & Oil	3255	3365	7	3593	2970

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Dumped 6 sacks cement in bottom of hole and shot pipe at 2950. Mudded hole to 200' and put in 25 sacks cement. Finished filling surface with mud and put 10 sacks cement at top of hole.

5-10-1947

MAY 10 1947

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Chas. L. Jenkins
Address Box 603, Blackwell, Oklahoma

STATE OF Oklahoma, COUNTY OF Kay, ss.
C. C. Jenkins (employee of owner) or ~~owner~~ of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *C. C. Jenkins*

Box 603, Blackwell, Oklahoma (Address)

SUBSCRIBED AND SWORN to before me this 9th day of May, 1947

Curtis H. Jenkins
Notary Public.

My commission expires June 4, 1950

PLUGGING
FILE SEC 14 T 23 R 4W
BOOK PAGE 99 LINE 3

15-155-02541-0000

WELL LOG

Ackley #2, Center of the NW of the NE of the SE/4, Sec 14-23-4, Reno County, Kansas

<u>Formation</u>	<u>To</u>	<u>Formation</u>	<u>To</u>
Sand Shale	230'	Lime	2919'
Sand & Shale	300'	Broken Lime	2981'
Sandy Shale	535'	Lime	2996'
Shale & Shells	585'	Shale	3052'
Shale & Lime Shells	1055'	Sticky Shale	3078'
Lime & Shale	1105'	Shale	3113'
Lime	1115'	Sticky Shale	3132'
Shale & Lime	1193'	Shale	3255'
Shale	1385'	Chat & Sand	3292'
Lime	1400'	Chat	3338'
Shale	1435'	Chat Broken	3365'
Shale & Lime Shells	1545'	Lime	3385'
Shale & Lime	1675'	Lime Hard	3394'
Shale	1805'	Lime	3444'
Shale & Lime	1675'	Hard Lime	3464'
Shale	1805'	Lime	3479'
Shale & Lime	2004'	Shale & Lime	3494'
Lime & Shale	2045'	Shale	3580'
Lime	2115'	Coring Shale	3585'
Shale	2145'	Shale	3593'
Shale & Lime	2200'	Lime Hard	3595'
Shale	2276'	Lime Hunton	3596'
Shale & Lime Shells	2339'	Lime (total depth)	3598'
Lime Broken	2383'		
Shale & Lime	2428'		
Sand	2481'		
Lime	2513'		
Shale & Lime	2556'		
Lime	2580'		
Shale	2586'		
Lime Broken	2637'		
Shale & Lime	2702'		
K.C. Lime	2822'		
Shale	2828'		
K.C. Lime	2862'		

MAY 10 1947

PLUGGING
 FILE SEC 14 T 23 R 4W
 LOCK PAGE 99 LINE 3

15-155-0254t 0000

NATIONAL UNION OIL & GAS CO.
Blackwell, Oklahoma.

ACKLEY # 2
C. NW 1/4 of NE 1/4 of SE 1/4
Sec. 14-23-4.W.
Reno County, Kansas

Drilled by Rose-Spring Drilling Co.
Drilling commenced Oct. 13, 1934.
Drilling completed Nov. 16, 1934.

CASING RECORD

300' -----15 1/2"
3593' -----6 5/8" 24# SS Casing

Sand Shale	230
Sand & Shale	300
Sandy shale	535
Shale & shells	585
Shale & Lime shells	1055
Lime & shale	1105
Lime	1115
Shale & Lime	1193
Shale	1385
Lime	1400
Shale	1435
Shale & lime shells	1545
Shale & lime	1675
Shale	1805
Shale & Lime	2004
Lime & Shale	2045
Lime	2115
Shale	2145
Shale & lime	2200
Shale	2276
Shale & lime shells	2339
Lime broken	2383
Shale & lime	2428
Sand	2481
Lime	2513
Shale & Lime	2555
Lime	2580
Shale	2586
Lime broken	2637
Shale & Lime	2702
K.C. Lime	2822
Shale	2828
K.C. Lime	2862
Lime	2919
Broken Lime	2981
Lime	2996
Shale	3052
Sticky shale	3078
Shale	3113
Sticky shale	3132
Shale	3255
Chat & sand	3292
Chat	3338
Chat broken	3365
Lime	3385
Lime hard	3394
Lime	3444
Hard lime	3464
Lime	3479
Shale & lime	3494
Shale	3580
Coring shale	3585
Shale	3593
Lime hard	3595
Lime	3596
Lime	3598 Total depth

PLUGGING			
FILE	SEC 14	T 23	R 1E
BOOK	PAGE 21	LINE 35	