KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:			(See Instruct	tions on Re	verse Side	9)					
Open Flow				~ .	Took Date:				111- 45				
De	liverabilty			Test Date 7/9/2019					I No. 15 3-21243-00 0	90			
Company		urces, Inc.				Lease Neitzel					Well Numb	oer	
County Location Scheyenne NWNW				Section 30				RNG (E 40W	/W)		Acres Attributed 80		
Field Cherry C	reek				Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.				
Completion 9/17/201				Plug Bac 1506'	Plug Back Total Depth 1506'				Set at				
Casing S 4 1/2"	ize	Weigh 10.5#		Internal Diameter Set at 6.366 1546'			Perfo	orations 10'	то 1360'				
Tubing Si	ize	Weigl	nt	Internal [Diameter	Set a	it	Perfo	orations	То			
Type Con Single (-	Type Flui Dry Ga	d Production	n		Pump U flowin	nit or Traveling g	Plunger? Yes	(No)		
Producing	•	nnulus / Tubin	g)	% C	arbon Dioxi	de		% Nitro	gen	Gas Gra	avity - G _g		
Vertical D	epth(H)				Pres	sure Taps			<u> </u>	•	Run) (Prov	er) Size	
1553'					Flan					2"			
Pressure	Buildup:	Shut in 7-9	2	0 15 at 2	30	(AMXPM)	Taken_7-	10	20	15 at 3:45	(AN	(PM)	
Well on L	ine:	Started /-1	<u>U</u> 2	0 15 at 3	.45	(AM) (PM))Taken <u>. / -</u>	11	20	15 at 3:55	(AN	A)(PM)	
					OBSERVE	D SURFACE	DATA			Duration of Shut-	24 in 24	Hours	
Static / Dynamic Property	Dynamic Size Prover Pres		Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Well Head Temperature f	Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration (Hours)		roduced rels)	
Shut-In		F-13 (1)				102	psia 116.4	psig	psia				
Flow						47	61.4		}	24			
					FLOW STR	EAM ATTRI	BUTES						
Plate Coeffied (F _b) (F Mcfd	ient p) P	Circle one: Meter or rover Pressure psia	Press Extension ✓ P _m xh	Grav Fact	or 1	Flowing Femperature Factor F _{f1}	Fa	iation otor pv	Metered Flor R (Mcfd)	w GOR (Cubic Fe Barrel)	et/	Flowing Fluid Gravity G _m	
									4				
				(OPEN FLO	OW) (DELIV	ERABILITY)	CALCUL	ATIONS		(P) ²	= 0.207	_	
(P _c) ² =	:	(P _w) ² =	<u>:</u>	P _a =	°	% <u>(</u> P	- 1 <u>4.4)</u> +	14.4 = _	:	(P _a)			
(P _c) ² - (F		(P _o) ² - (P _w) ²	1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_a^2$	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	Slop Ass	ssure Curve le = "n" or signed ard Slope		LOG	Antilog	Open Delive Equals R (Mo	rability	
			<u></u>								_		
										L			
Open Flo	w		Mcfd @ 14.	65 psia		Deliverab	ility			Mcfd @ 14.65 psi	a		
	_					•				ort and that he ha		_	
the facts s	tated there	ein, and that s	aid report is true						December	MAn.	ر , 20 مار ب	<u>15</u>	
		Witness (it any)	KCC	: WIC	111A _	\leq	Į (U)	nall	Company	wy	<u> </u>	
		For Comm		— API	2 0 7 2 0)16 _			Che	cked by			

RECEIVED

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the Neitzel 11-30 gas well on the grounds that said well:
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
KCC WICHITA Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2748 Neitzell (1930-1917)

St. Francis

St. Francis

Flow

July-15

Total

	Tubing	Casing			HRS Water	REMARKS	
DATE	PSI		TATIC MCF	SPM	CYCLE DOWN BBLS	(Maximum length 110 characters)	
7/1/2015		50	63	4	0		
7/2/2015		49	62	4	0		
7/3/2015		49	62	4	0		
7/4/2015		49	62	4	0		
7/5/2015		49	62	4	0		
7/6/2015		48	61	4	2		
7/7/2015		48	61	4	0		
7/8/2015		48	61	4	16		
7/9/2015		50	63	0	24		
7/10/2015		102	115	0	14		
7/11/2015		95	108	10	0		
7/12/2015		74	87	5	0		
7/13/2015		60	73	5	0		
7/14/2015		50	63	5	0		
7/15/2015		51	64	5	0		
7/16/2015		49	62	5	0		
7/17/2015		49	62	5	0		
7/18/2015		48	61	5	0		
7/19/2015		48	61	4	0		
7/20/2015		47	60	5	0		
7/21/2015		52	65	4	2		
7/22/2015		48	61	4	0		
7/23/2015		48	61	4	0		
7/24/2015		47	60	4	0		
7/25/2015		47	60	4	0		
7/26/2015		47	60	4	0		
7/27/2015		47	60	4	0		
7/28/2015		47	60	4	0		
7/29/2015		47	60	4	0		
7/30/2015		47	60	4	0		
7/31/2015		47	60	4	0		

130

KCC WICHITA APR 07 2016 RECEIVED

0

W2748

St. Francis

St. Francis

Flow

August-15

FloBoss

Total

	Tubing	Casing				HRS	Water	REMARKS
DATE	PSI	PSI		CF SPM	CYCLE	DOWN	BBLS	(Maximum length 110 characters)
8/1/2015		4		4			0	
8/2/2015		4		4			0	
8/3/2015		4		4			0	
8/4/2015		4	7 60	4			0	
8/5/2015		4	7 60	4			0	
8/6/2015		4	7 60	4			0	
8/7/2015		4	7 60	4			0	
8/8/2015		4	8 61	4			0	
8/9/2015		4	9 62	4			0	
8/10/2015		5	1 64	4			Q	
8/11/2015		5	2 65	4			0	
8/12/2015		5	2 65	4			0	
8/13/2015		5	3 66	4			0	
8/14/2015		5	2 65	4			0	
8/15/2015		5	3 66	4			0	
8/16/2015		5	3 66	4			0	
8/17/2015		5	3 66	4			0	0.58 mcf
8/18/2015			3 66	4			0	
8/19/2015		5	3 66	4			0	
8/20/2015		5	3 66	4			0	
8/21/2015		5	3 66	4			0	
8/22/2015		5	3 66	4			0	
8/23/2015		5	3 66	4			0	
8/24/2015		5	3 66	4			0	
8/25/2015		5	6 69	4			0	
8/26/2015		5	6 69	4			0	
8/27/2015		5	6 69	4			0	
8/28/2015		5	6 69	4			0	
8/29/2015		5	6 69	4			0	
8/30/2015		5	6 69	4			4	
8/31/2015		5	6 69	4			0	

124

KCC WICHITA APR 0.7 2016 RECEIVED

0

W2748

Nelizel III+30 - 44

St. Francis

St. Francis

Flow

September-15

FloBoss

FloBoss	Tubing	Casing					HRS	Water	REMARKS
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE	DOWN	BBLS	(Maximum length 110 characters)
9/1/2015		49	62		5			0	
9/2/2015		49	62		5			0	
9/3/2015		51	64		5			0	
9/4/2015		51	64		5			0	
9/5/2015		60	73		5			0	
9/6/2015		60	73		5			0	
9/7/2015		57	70		5			0	
9/8/2015		57	70		5			0	
9/9/2015		50	63		5			0	
9/10/2015		50	63		5			0	
9/11/2015		50	63		5			0	
9/12/2015		50	63		5			0	
9/13/2015		50	63		5			0	
9/14/2015		50	63		5			0	
9/15/2015		50	63		5			0	
9/16/2015		50	63		5			0	
9/17/2015		50	63		5			0	
9/18/2015		50	63		5			0	
9/19/2015		50	63		5			0	
9/20/2015		50	63		5			0	
9/21/2015		50	63		5			0	
9/22/2015		50	63		5			0	
9/23/2015		50	63		5			0	
9/24/2015		50	63		5			0	
9/25/2015		50	63		5			0	
9/26/2015		50	63		5			0	
9/27/2015		50	63		5			0	
9/28/2015		50	63		5			0	
9/29/2015		50	63		5			0	
9/30/2015		50	63		5			0	
10/1/2015			13					0	

Total 150 0

KCC WICHITA APR 0.7 2016 RECEIVED