

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
200 Colorado Derby Building  
Wichita, Kansas 67202

FORM CP-1  
Rev. 6/4/84

WELL PLUGGING APPLICATION FORM  
(File One Copy)

API NUMBER 15,083-21,310-0000 (of this well)  
(This must be listed; if no API# was issued, please note drilling completion date.)

LEASE OPERATOR Canaday Oil Corp. OPERATORS LICENSE NO. 5303

ADDRESS 920 N. Tyler - Suite 300, Wichita, KS 67212 PHONE # (316) 722,3840

LEASE (FARM) Hall "B" WELL NO. 1 WELL LOCATION W/2 SW SE COUNTY Hodgeman

SEC. 3 TWP. 24 S RGE. 22 ~~EXX(W)~~ TOTAL DEPTH 4725' PLUG BACK TD N/A

Check One:

OIL WELL \_\_\_\_\_ GAS WELL \_\_\_\_\_ D & A  SWD or INJ WELL \_\_\_\_\_ DOCKET NO. \_\_\_\_\_

SURFACE CASING SIZE 8 5/8" SET AT 368' CEMENTED WITH 190 SACKS

CASING SIZE \_\_\_\_\_ SET AT \_\_\_\_\_ CEMENTED WITH \_\_\_\_\_ SACKS

PERFORATED AT N/A

CONDITION OF WELL: GOOD  POOR \_\_\_\_\_ CASING LEAK \_\_\_\_\_ JUNK IN HOLE \_\_\_\_\_

OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL Per K.C.C.

*RECEIVED  
STATE CORPORATION COMMISSION  
OCT 5 1988*  
10-5-1988

(If additional space is needed use back of form)

IS WELL LOG FILED TO THIS APPLICATION AS REQUIRED? No IS ACO-1 FILED? No

(If not, explain)

Well log and ACO-1 will be filed by operator.

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN as soon as possible

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seq AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Dean Calvin PHONE # (316) 792-2424

ADDRESS P. O. Box 1586, Great Bend, KS 67530

PLUGGING CONTRACTOR White & Ellis Drilling, Inc. LICENSE NO. 5420

ADDRESS 401 E. Douglas, Suite 500, Wichita, Ks. 67202 PHONE # (316) 263-1102

PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: Michael A. Conidine  
(Operator or Agent)

DATE: October 4, 1988

### NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Expected Spud Date. 9 12 88  
month day year

API Number 15- 083-21,310-6000

OPERATOR: License # 5303  
Name Canaday Oil Corporation  
Address 920 N. Tyler - Suite 300  
City/State/Zip Wichita, KS 67212  
Contact Person Grant Canaday  
Phone (316) 722-3840

W/2 SW SE 660 Sec. 3 Twp. 24 S, Rg. 22 East  
2310 West  
Ft. from South Line of Section  
Ft. from East Line of Section

CONTRACTOR: License # 5420  
Name White & Ellis Drilling, Inc.  
City/State Wichita, KS 67202

(Note: Locate well on Section Plat on reverse side)  
Nearest lease or unit boundary line 330 feet  
County Hodgeman  
Lease Name Hall "B" Well # 1  
Ground surface elevation not available feet MSL  
Domestic well within 330 feet: yes  no  
Municipal well within one mile: yes  no  
Depth to bottom of fresh water 250  
Depth to bottom of usable water 450  
Surface pipe by Alternate: 1   
Surface pipe planned to be set 350'  
Conductor pipe required None  
Projected Total Depth 4800'  
Formation Mississippi Dolomite

Well Drilled For: Well Class: Type Equipment:  
 Oil  Storage  Infield  Mud Rotary  
 Gas  Inj  Pool Ext.  Air Rotary  
 OWWO  Expl  Wildcat  Cable

If OWWO: old well info as follows:  
Operator  
Well Name  
Comp Date Old Total Depth

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.  
Date 8-29-88 Signature of Michael L. Considine Title Secretary-Treasurer of White & Ellis Drig., Inc.

For KCC Use:  
Conductor Pipe Required 200' feet; Minimum Surface Pipe Required 200' feet per Alt.   
This Authorization Expires 2-29-89 Approved By AKM 8-29-88

EFFECTIVE DATE: 9-2-88

*Move 9-19-88 set 350' of 8 5/8*

W/2 SW SE Sec. 3 Twp. 24 S, Rg. 22 East  
West

### PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ ft. deep. Base Anhydrite or formation with 50 sx. feet of  
2nd plug @ ft. deep. Base Cher Sand or formation with 80 sx. feet of  
3rd plug @ ft. deep. 30' below base surface pipe or formation with 40 sx. feet of  
4th plug @ ft. deep. 40' to 0' or formation with 10 sx. feet of  
5th plug @ ft. deep. or formation with feet of  
(2) Rathole to surface minus 5 feet 15 sx. rathole (b) Mousehole to surface minus 5 feet 10 sx. mouse

*Dr-1g @ 4660' @ 9:30-9:26-88*  
*197-2424*  
PUSHER Bob Casper  
TD 4725 FORMATION  
SURFACE PIPE 8 5/8" @ 367'  
ANHYDRITE 1474 ELEVATION 2307.6  
STARTING TIME & DATE 9-27-88 9:30 AM  
COMPLETION TIME & DATE 9-27-88 8:15 PM  
1st PLUG @ 1500' FT. W/ 50 SX.  
2nd PLUG @ 750' FT. W/ 50 SX.  
3rd PLUG @ 380' FT. W/ 40 SX.  
4th PLUG @ 40' FT. W/ 10 SX.  
RAT HOLE CIRCULATED W/ 15 SX.  
MOUSE HOLE CIRCULATED W/ NONE SX.  
WATER WELL PLUGGED W/ NO CEMENT SX.  
CEMENT COMPANY Allied  
TECHNICIAN S.P.

RECEIVED  
OCT  
CONSERVATION DIVISION  
Wichita, Kansas  
60/40 poz + 6 7/8"

**RECEIVED**  
STATE CORPORATION COMMISSION

OCT 6 1988

CONSERVATION DIVISION  
Wichita, Kansas