


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

WELL PLUGGING RECORD 15-155-02696-0000

NORTH



Locate well correctly on above
Section Plat

Reno County, Sec. 34 Twp. 23 Rge. (E) 4 (W)

Location as "NE/CNW*SW*" or footage from lines C SW SE NE

Lease Owner Sun Oil Company

Lease Name Baughman Well No. 4

Office Address P. O. Box 729, Great Bend, Kansas 67530

Character of Well (completed as Oil, Gas or Dry Hole) Oil

Date well completed February 8 19 35

Application for plugging filed February 9 19 70

Application for plugging approved February 10 19 70

Plugging commenced February 16 19 70

Plugging completed March 9 19 70

Reason for abandonment of well or producing formation No longer economical to produce well

If a producing well is abandoned, date of last production May 19 62

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Gilbert Toman

Producing formation Hunton Lime Depth to top 3584.5 Bottom _____ Total Depth of Well 3593 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Hunton Lime	Oil	3584.5'	3593'	16"	205'	None
				13"	598'	None
				7"	3583'	41'

RECEIVED
STATE CORPORATION COMMISSION
APR 10 1970
CONSERVATION DIVISION
Wichita, Kansas

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

2-16-70: Welded 1/2" steel plate with 7" coupling into top of 13" surface casing.

2-18-70: Rigged up Halliburton pump truck. Mixed 30 sx. of Bentonite gel (this equals 100 bbls. of drilling mud with a viscosity of 36+ seconds). The mud was pumped into 13" casing without pressure. Mixed 500 sx. of 50-50 Pozmix cement. Cement was pumped into 13" casing with pressure. After putting in 110 sx. of cement, pressure increased to 100#. Job completed with 100# pressure. The casing was left shut-in with no pressure or vacuum.

3-9-70: Filled 13" surface casing to top with 5 yards of ready mix cement. Job completed.

RECEIVED
STATE CORPORATION COMMISSION
APR 8 1970
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)


Name of Plugging Contractor None
Address _____

STATE OF KANSAS, COUNTY OF BARTON, ss.
A. E. Morgret

(employee of owner) or (owner/owner's representative) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) A. E. Morgret
A. E. Morgret, District Engineer
P. O. Box 729, Great Bend, Kansas 67530
(Address)

Subscribed and Sworn to before me this 7th day of April, 19 70



January 12, 1974

Peggy L. Olivan
Notary Public.

15455-02696-00007 R-4

Clarissa Baughman Well No. 4,
330' North of South line & 330' East of West line
of lease, Sec. 34-23S-4W, Reno County, Kansas.

Drilling Commenced: 1-9-35
Drilling Completed: 2-8-35
Drilled by: Noble Drilling Co.

INITIAL PRODUCTION: 3334 bbls/24 hrs. after acid (2-11-35) Potential

CASING RECORD:


16"	70#	8 thd.	LW	12 jts.	210.33'	Set @	205.00'	w/	300	sxs.	cement
13"	50#	8 "	LW	31 "	597.29'	" @	598.29'	w/	250	"	"
7"	22#	8 "	SS	121 "	3580.17'	" @	3583.00'	w/	425	"	"

FORMATION RECORD:


Sand & gravel	0	124
Clay	124	135
Shale & shells	135	206
Shale & shells	206	545
Lime	545	574
Anhydrite & shale	574	601
Anhydrite	601	630
Shale & lime shells	630	698
Lime & shale	698	1110
Shale & lime, broken	1110	1386
Shale	1386	1490
Lime & shale	1490	1516
Shale & shells	1516	1635
Lime & shale	1635	1780
Lime	1780	2043
Lime & shale	2043	2159
Lime	2159	2285
Shale & lime	2285	2350
Lime	2350	2367
Shale & lime	2367	2435
Sand	2435	2505
Shale	2505	2510
Shale, sandy	2510	2540
Shale & lime	2540	2555
Lime	2555	2940
Lime & shale	2940	2969
Shale	2969	3251
Chat	3251	3400
Chat & lime	3400	3441
Lime	3441	3475
Lime & shale	3475	3521
Shale	3521	3586
Lime(Hunter)	3586	3593
TOTAL DEPTH		3593

RECEIVED
STATE CORPORATION COMMISSION
FEB 10 1970
CONSERVATION DIVISION
Wichita, Kansas

I, G. B. Hughes, being first duly sworn, on oath state that I have knowledge of the facts and matter herein set forth and that same are true and correct.



Subscribed and sworn to before me this 4th day of March, 1935


Notary Public, Oklahoma.