Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Conceration Commission

WELL PLUGGING RECORD

Conservation Division State Corporation Udinmission 800 Bitting Building	D			9	01.6	ı
Wichita, Kansas	Ren	10	Сош	nty. Sec	Twp 245 Rge	(E) (W)
NORTH	Location as "NE/CNW¼SW¼" or footage from lines C SE NE NW Lease Owner Gulf Oil Corporation					
		J. M			W	
	Office Address	P. 0.	Box 661	. Tulsa.	2. Oklahoma	en No
p	Character of W	Zell (completed a	a Oil. Gas or	Dry Hole)	Oil	
	Date well comp	oleted j	June 1	7,		1935
i i i	Application for	plugging filed	April	29,		₁₉ 52
	Application for	plugging approve	ed April	29,	**********	19.52
1 i i	Plugging comm	enced	May 8,			19.52
	Plugging compl	leted	May 17	.3	~-~~~	₁₉ <u>52</u>
├─ <i>─</i> ├ ── - ├ ── - ├	Reason for abs	andonment of we	ll or producir	g formation	Not economi	ical to
i i			roduce.			
	If a producing	well is abandone	d, date of las	st production	4-9) ₁₉ <i>5</i> 2
Tools wall compally on the co				tion Division or	its agents before	plugging was com-
Locate well correctly on above Section Plat	menced?		(es (- D7	D		***************************************
Name of Conservation Agent who super	vised plugging of th	is well	r. Huel	Durkee	***************************************	260/1
Producing formation Hunton L			2 Botto	m	Total Depth of We	11Fee
Show depth and thickness of all water,	oil and gas formatio	ons.				
OIL, GAS OR WATER RECORDS	3				CA	SING RECORD
·			To	Size	Put In	Pulled Out
Formation	Content	From	-			Ot Ott
	***************************************			16" OD	2351	<u>0'</u>
	******************************		••	7" OD	35961	16231
				<i>r.</i>	J	1022
				5岁!! OD	6101	6101
			•• -••••••	22		
		****	**			***************************************
					-	***************************************
dumped 40 sacks of cement	t. Mudded to	15' and ca	ipped wit	h 10 sacks	of cement.	
					5	-29-52
				war cons	DODATION COMMIS	ם
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
				N	WAS S 12.2	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CONSER	WXTENI SHRU, YEF	***************************************
##	(If additiona	description is necess	ry, use BACK o	f this sheet)		***************************************
Name of Plugging Contractor	Morgan We	11 Plugging	.Service		•======================================	***************************************
Address	102 West	18th Street				·····
	Hutchinso	n, Kansas			*****************************	***************************************
STATE OF Kansas H. H. Wri. being first duly sworn on oath, says: T described well as filed and that the san		dge of the facts,	nployee of ow statements, a	ner) fr/(by/por/o	f popper of the s	bove-described well ae log of the above
		(Signature)	/	8 De In	iche	*************
		_	0. Box		Kansas	
Subsubmed and Sworn to before m		day of	May			
. ashil	14. 1956				Somel	Notary Public.

23-8590-s 8-51—20M

PLUGGING

PLUGGING

PAGE / TWELS

WELL NO. 2

LEASE John Myers

COMPANY Gulf Oil Corporation

A.F.E. K-2026

DATE—DRILLING BEGAN 5-15-35 WELL COMPLETED 6-17-35 FIRST PRODUCTION 6-15-35

SAND RECORD Hunton Lime 3595'-3603'

TOTAL DEPTH 3603

initial production "P" 1981 oil, No water per day - 7/16" choke


CASING RECORD

THE MEDIA									
SIZE	WEIGHT	THD.	CLASS	MAKE	SET AT DEPTH	SACKS CEMENT	LBS. CAL. CHLO.	PULLED	LEFT IN
15 <u>ร</u> ิก ธ- 5/8ก	70_	#	SH	LW	2351	250	600_		2351
<u>8-5/8"</u>	24	10	SH	**	3596	80_		<u> </u>	2351 35961
w 2 44a	10.4								
* 3 jts			 			<u> </u>		ļ	
9 jts **30 jts: 83 jts:	1								

s_ 3	τ_	2l ₄ S	R-	_ 4	W
		c	ent	er	
	0			S	E
				N_I	
				N V	J
		Re	no_		_
		C	our	ty	
		K	ans	8.8	

ELEVATION- 1471

MATE CORPORATION CC. Ann - 7 1. . CONSERVATION DIVISION Wichita, Kanso.



FORMATION RECORD surface sand & shale sand shale & shells red bed shale & shells shale shale & shells lime & shale shale & shells lime shale & lime shells lime hard shale shote& lime sand lime hard lime soft lime hard lime shale shale soft lime hard lime shale shale soft lime hard lime shale soft lime hard lime shale soft shale shale soft lime hard lime hard lime shale soft shale	FROM	To: 78 165 1180 1195 1352 1895 2179 2189 2189 2189 2294 2338 2378 2487 2532 2892 2936 2948 2958 2958 3066 3194 3263 3410	MATTE CORPORATION SOL
lime		3263	(Constitution of the Constitution of the Const