	1 060235 6-3	API NUMBER 15- 083-20,448 OOO	
CONSERVAT	PORATION COMMISSION  ION DIVISION PLUGGING SECTION  ADO DERBY BUILDING  KANSAS 67202	C-SW NE , SEC. 27 , 7 22 S, R 2	
	H'S PLUGGING REPORT	1980 feet from E section	
Operator	License / 30975	Lease Name Clark-Welty Nell / 1	
Operator:	Kytex, Inc.	County Hodgeman	·
	1524 N. 143rd St. E	Well Total Depth 4475 145.4	3 100
	Wichita, KS 67230	Conductor Pipe: Sizefeet	
		Surface Casing: Size 8 5/8 feet 30	)7
Abandoned	O   Well X Gas Well X	Input WellD&A	
	is as hereinafter indicated		
	•	. Inc. License Number 6901	
	P.O. Box 231, Claflin, KS 67525	· · · · · · · · · · · · · · · · · · ·	-
	the second of th	3 Month: 6 Year: 19 94	
	proposal received from Kyle Steph		
	•	(phone) 316-733-	2465
•	A Control of the Cont		2405
	농!! at 4475' w/100 sx cement. Perfs a sand back to 4400' and dump 4 sx ceme		<del></del>
	pump 50 sx cement at 1370°,	int on cop of dana entough baller,	,
	pump 30 sx cement at 550°,	<del>i</del>	
	pump 40 sx cement at 330, 5th plug	numn 10 sy coment at 40°.	
TOTT PLUB		posal Recaived by Richard Lacey	
<del>~~~~~~</del>		(TECHNICIAN)	
Plugglng	Operations attended by Agent?:	AllPartX None	
	<del></del>	3 Month: 6 Year:19 9	4
ACTUAL F	PLUGGING REPORT 1st plug sanded bac	ek to 4400° and dumped 4 sx cement on top of	
sand thro	ugh bailer,		•
2nd plug	at 1500' with 50 sx cement,	RECEIVED	•••
3rd plug	at 680' with 30 sx cement,	STATE CORPORATION COMMISS	SION
4th plug	at 460' with 50 sx cement,	JUN 0 7 1994	
5th plug	at 198°, cement circulated.	CONSERVATION DIVISION >	7 .
Remarks	. Used 60/40 Pozmix 6% gel ¼# floses	Wichita Kansas al by Allied. Recovered 3114' of 42" casing.	The
		is necessary, use BACK of this form.)	120
IN. YO	/ dixxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx		
DATE	1-20-9V	Signed (TECHNICIAN)	
av un il	10585	FOF	RM C
As large manage		· ·	Ray.