

TYPE OR PRINT

**AMENDED**  
**NOTICE OF INTENTION TO DRILL**

15-095-00143-0000

RULE 82-2-311


TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL

1. Operator DORSET Co Address 810 NATL BANK of TULSA BLDG, TULSA OKLA.
2. Lease name HOLMAN Well No. 1 County KLINGMAN
3. Well Location 2360' EAST of SWLINE of 1890 N 27 W Sec. 27 Township 30 S Range 6 W
4. Well to be drilled 280 ft. from nearest lease line.
5. Drilling Contractor McKUNA-LINDSAY Address Box 808 WINFIELD KANSAS
6. Type of equipment: Rotary  Cable Tool  Approx. date operation to begin 3/31/60 195   OK
7. Well to be drilled for Oil  Gas  Disposal  Input  Estimated Total Depth of Well 4900 ft.
8. Depth of deepest fresh water well within one mile of location 60 ft. If none exists, write NONE         .
9. Ground elevation at location is approx. SAME ft. higher or          ft. lower than ground elevation at water well.
10. Depth of the deepest municipal water well within three miles of location          ft. If none exists, write NONE         .
11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 60 ft. and operator agrees to set surface pipe at this location to a depth of not less than 225 ft. Alternate 1  Alternate 2

REMARKS:

Signature of Operator McKuna Lindsay





State Corporation Commission of Kansas  
Conservation Division  
500 Insurance Building  
212 North Market  
Wichita 2, Kansas

RECEIVED  
STATE CORPORATION COMMISSION

APR 1 1960 4-1-60

CONSERVATION DIVISION  
Wichita, Kansas


(IF PREFERRED, MAIL IN ENVELOPE)

## TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL

1. Operator DORSET Co. Address 610 National Bank Building, TUSA, OKLA
2. Lease name HALMAN Well No. 1 County HUNTSMAN
3. Well Location NE SE SW Sec. 27 Township 30 Range 6-W
4. Well to be drilled 330 ft. from nearest lease line.
5. Drilling Contractor MCKINAB-LINDSAY Address Box 808 Winfield Kansas
6. Type of equipment: Rotary  Cable Tool . Approx. date operation to begin 3/28 1960 OK
7. Well to be drilled for Oil  Gas  Disposal  Input  Estimated Total Depth of Well \_\_\_\_\_ ft.
8. Depth of deepest fresh water well within one mile of location 60 ft. If none exists, write NONE \_\_\_\_\_.
9. Ground elevation at location is approx. \_\_\_\_\_ ft. higher or SAME ft. lower than ground elevation at water well.
10. Depth of the deepest municipal water well within three miles of location \_\_\_\_\_ ft. If none exists, write NONE \_\_\_\_\_.
11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 60 ft. and operator agrees to set surface pipe at this location to a depth of not less than 225 ft. Alternate 1  Alternate 2 .

REMARKS:

Signature of Operator





State Corporation Commission of Kansas  
Conservation Division  
500 Insurance Building  
212 North Market  
Wichita 2, Kansas

RECEIVED  
STATE CORPORATION COMMISSION

MAR 29 1960

CONSERVATION DIVISION  
Wichita, Kansas

(IF PREFERRED, MAIL IN ENVELOPE)